



## SAFETY DATA SHEET

### EPO-TEK HYB-353ND-LV Part A

#### 1. Identification

##### Product identifier

**Product name** EPO-TEK HYB-353ND-LV Part A

**Product number** HYB-353ND-LV/A

##### Recommended use of the chemical and restrictions on use

**Application** Adhesive.

##### Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.  
 14 Fortune Drive  
 Billerica, MA 01821  
 USA  
 (978) 667-3805  
 (978) 663-9782  
 www.epotek.com

##### Emergency telephone number

**Emergency telephone** (800) 255-3924

#### 2. Hazard(s) identification

##### Classification of the substance or mixture

**Physical hazards** Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317 STOT SE 3 - H335

**Environmental hazards** Aquatic Chronic 2 - H411

##### Label elements

##### Pictogram



##### Signal word

Warning

##### Hazard statements

H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.  
 H411 Toxic to aquatic life with long lasting effects.

## EPO-TEK HYB-353ND-LV Part A

<b>Precautionary statements</b>	<p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P302+P352 If on skin: Wash with plenty of water.</p> <p>P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P312 Call a poison center/doctor if you feel unwell.</p> <p>P501 Dispose of contents/container in accordance with national regulations.</p>
<b>Contains</b>	Bisphenol A Diglycidyl Ether Resin, Epoxy Phenol Novolac

### 3. Composition/information on ingredients

#### Mixtures

<b>Specialty Acrylate Blend</b>	<b>30-60%</b>
CAS number: Proprietary	
<b>Classification</b>	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	
STOT SE 3 - H335	
<b>Bisphenol A Diglycidyl Ether Resin</b>	<b>30-60%</b>
CAS number: 1675-54-3	
<b>Classification</b>	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	
Aquatic Chronic 2 - H411	
<b>Epoxy Phenol Novolac</b>	<b>10-30%</b>
CAS number: 28064-14-4	
<b>Classification</b>	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	
Aquatic Chronic 2 - H411	

The Full Text for all Hazard Statements are Displayed in Section 16.

### 4. First-aid measures

#### Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

## EPO-TEK HYB-353ND-LV Part A

**Skin Contact** Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

**Eye contact** Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

### Most important symptoms and effects, both acute and delayed

**Inhalation** Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Causes skin irritation. May cause sensitisation by skin contact.

**Eye contact** Causes serious eye irritation.

### Indication of immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically.

## 5. Fire-fighting measures

### Extinguishing media

**Suitable extinguishing media** Dry chemicals. Foam. Carbon dioxide (CO<sub>2</sub>).

### Special hazards arising from the substance or mixture

**Hazardous combustion products** Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

### Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapors. Use water to keep fire exposed containers cool and disperse vapors.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### Environmental precautions

**Environmental precautions** Avoid discharge to the aquatic environment.

### Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

**Reference to other sections** For personal protection, see Section 8.

## 7. Handling and storage

### Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

**Advice on general occupational hygiene** Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

## EPO-TEK HYB-353ND-LV Part A

### Conditions for safe storage, including any incompatibilities

<b>Storage precautions</b>	Store at room temperature. Keep container tightly sealed when not in use.
<b>Storage class</b>	Chemical storage.
<b><u>Specific end uses(s)</u></b>	
<b>Specific end use(s)</b>	The identified uses for this product are detailed in Section 1.2.

### 8. Exposure Controls/personal protection

#### Exposure controls

##### Protective equipment



**Appropriate engineering controls** Provide adequate general and local exhaust ventilation. Avoid inhalation of vapors.

**Eye/face protection** The following protection should be worn: Chemical splash goggles or face shield.

**Hand protection** It is recommended that chemical-resistant, impervious gloves are worn.

**Other skin and body protection** Wear appropriate clothing to prevent any possibility of skin contact.

**Hygiene measures** Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn.

### 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Color</b>	Clear.
<b>Flash point</b>	> 93°C
<b>Evaporation rate</b>	< BuAc
<b>Vapour density</b>	> Air
<b>Solubility(ies)</b>	Slightly soluble in water.
<b>Other information</b>	None.

### 10. Stability and reactivity

**Reactivity** The following materials may react with the product: Strong oxidizing agents. Strong reducing agents.

**Stability** Stable at normal ambient temperatures and when used as recommended.

**Possibility of hazardous reactions** Will not polymerize.

## EPO-TEK HYB-353ND-LV Part A

<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time.
<b>Materials to avoid</b>	Strong oxidizing agents. Strong reducing agents.
<b>Hazardous decomposition products</b>	Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ).

### 11. Toxicological information

#### Information on toxicological effects

<b>Inhalation</b>	Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin Contact</b>	May cause sensitisation by skin contact. Irritating to skin.
<b>Eye contact</b>	Irritating to eyes.

### 12. Ecological Information

<b>Ecotoxicity</b>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
<b><u>Toxicity</u></b>	
<b>Acute toxicity - fish</b>	Not available.
<b><u>Persistence and degradability</u></b>	
<b>Persistence and degradability</b>	There are no data on the degradability of this product.
<b><u>Bioaccumulative potential</u></b>	
<b>Bio-Accumulative Potential</b>	No data available on bioaccumulation.
<b><u>Mobility in soil</u></b>	
<b>Mobility</b>	No data available.
<b><u>Other adverse effects</u></b>	
<b>Other adverse effects</b>	Not known.

### 13. Disposal considerations

#### Waste treatment methods

<b>Disposal methods</b>	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
-------------------------	---

### 14. Transport information

#### UN Number

<b>UN No. (DOT)</b>	3082
<b>UN No. (IMDG)</b>	3082
<b>UN No. (ICAO)</b>	3082

#### UN proper shipping name

<b>Proper shipping name (DOT)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Bisphenol A Diglycidyl Ether Resin, Epoxy Phenol Novolac)
-----------------------------------	---

**EPO-TEK HYB-353ND-LV Part A**

**Proper shipping name (IMDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Bisphenol A Diglycidyl Ether Resin, Epoxy Phenol Novolac)

**Proper shipping name (ICAO)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Bisphenol A Diglycidyl Ether Resin, Epoxy Phenol Novolac)

**Transport hazard class(es)**

**DOT hazard class** 9

**DOT hazard label** Class 9

**IMDG Class** 9

**IMDG subsidiary risk**

**ICAO class/division** 9

**ICAO subsidiary risk**

**Transport labels****Packing group**

**DOT pack group** III

**IMDG packing group** III

**ICAO packing group** III

**Environmental hazards**

**Environmentally Hazardous Substance**

**Special precautions for user**

**EmS** F-A, S-F

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

**15. Regulatory information****US Federal Regulations****SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed.

**CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are listed.

**SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are listed.

**SARA 313 Emission Reporting**

None of the ingredients are listed.

## EPO-TEK 113-91-5 Part A

### **CAA Accidental Release Prevention**

None of the ingredients are listed.

### **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed.

### **US State Regulations**

#### **California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed.

#### **California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are listed.

#### **California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are listed.

#### **Massachusetts "Right To Know" List**

None of the ingredients are listed.

#### **Rhode Island "Right To Know" List**

None of the ingredients are listed.

#### **Minnesota "Right To Know" List**

The following ingredients are listed:

##### **Specialty Acrylate Blend**

#### **New Jersey "Right To Know" List**

None of the ingredients are listed.

#### **Pennsylvania "Right To Know" List**

None of the ingredients are listed.

### **Inventories**

#### **EU - EINECS/ELINCS**

Some of the ingredients are listed or exempt.

#### **Canada - DSL/NDSL**

All the ingredients are listed or exempt.

#### **US - TSCA**

All the ingredients are listed or exempt.

#### **US - TSCA 12(b) Export Notification**

None of the ingredients are listed.

#### **Australia - AICS**

Some of the ingredients are listed or exempt.

#### **Japan - MITI**

Some of the ingredients are listed or exempt.

#### **Korea - KECI**

All the ingredients are listed or exempt.

## EPO-TEK HYB-353ND-LV Part A

### China - IECSC

All the ingredients are listed or exempt.

### Philippines - PICCS

Some of the ingredients are listed or exempt.

### 16. Other information

<b>Revision date</b>	11/12/2015
<b>Revision</b>	1
<b>Hazard statements in full</b>	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H411 Toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.





## SAFETY DATA SHEET

### EPO-TEK HYB-353ND-LV Part B

#### 1. Identification

##### Product identifier

**Product name** EPO-TEK HYB-353ND-LV Part B

**Product number** HYB-353ND-LV/B

##### Recommended use of the chemical and restrictions on use

**Application** Adhesive.

##### Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.  
 14 Fortune Drive  
 Billerica, MA 01821  
 USA  
 (978) 667-3805  
 (978) 663-9782  
 www.epotek.com

##### Emergency telephone number

**Emergency telephone** (800) 255-3924

#### 2. Hazard(s) identification

##### Classification of the substance or mixture

**Physical hazards** Not Classified

**Health hazards** Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Repr. 1B - H360D

**Environmental hazards** Not Classified

**Human health** Contains a substance/a group of substances which may damage the unborn child.

##### Label elements

##### Pictogram



##### Signal word

Danger

##### Hazard statements

H302 Harmful if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H360D May damage the unborn child.

## EPO-TEK HYB-353ND-LV Part B

<b>Precautionary statements</b>	<p>P280 Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.</p> <p>P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</p> <p>P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P308+P313 If exposed or concerned: Get medical advice/attention.</p> <p>P501 Dispose of contents/container in accordance with national regulations.</p>
<b>Contains</b>	Imidazole

### 3. Composition/information on ingredients

#### Mixtures

<b>Substituted Imidazole Blend</b>	<b>60-100%</b>
CAS number: Proprietary	
<b>Classification</b>	
Eye Dam. 1 - H318	
Acute Tox. 4 - H302	
<b>Imidazole</b>	<b>30-60%</b>
CAS number: 288-32-4	
<b>Classification</b>	
Acute Tox. 4 - H302	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Repr. 1B - H360D	

The Full Text for all Hazard Statements are Displayed in Section 16.

### 4. First-aid measures

#### Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.
<b>Ingestion</b>	Do not induce vomiting. Never give anything by mouth to an unconscious person. Do not induce vomiting. Remove affected person from source of contamination. Give plenty of water to drink. Get medical attention immediately. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
<b>Skin Contact</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

#### Most important symptoms and effects, both acute and delayed

<b>Ingestion</b>	May cause chemical burns in mouth and throat.
<b>Skin contact</b>	Burns can occur.

## EPO-TEK HYB-353ND-LV Part B

**Eye contact** Severe irritation, burning and tearing.

### Indication of immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically.

### 5. Fire-fighting measures

#### Extinguishing media

**Suitable extinguishing media** Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

#### Special hazards arising from the substance or mixture

**Hazardous combustion products** Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

#### Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapors.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate.

#### Environmental precautions

**Environmental precautions** Avoid release to the environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up** Collect and place in suitable waste disposal containers and seal securely.

**Reference to other sections** For personal protection, see Section 8.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Avoid inhalation of vapors. Provide adequate ventilation. Protect against direct sunlight.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at moderate temperatures in dry, well ventilated area. Keep container tightly sealed when not in use.

#### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## EPO-TEK HYB-353ND-LV Part B

### 8. Exposure Controls/personal protection

#### Exposure controls

##### Protective equipment



##### Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

##### Eye/face protection

The following protection should be worn: Chemical splash goggles.

##### Hand protection

It is recommended that chemical-resistant, impervious gloves are worn.

##### Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

##### Hygiene measures

Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

##### Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

### 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

Appearance	Liquid.
Color	Amber.
Odor	Slight.
Flash point	93°C
Evaporation rate	<BuAc
Vapour density	>1
Solubility(ies)	Slightly soluble in water.
Other information	None.

### 10. Stability and reactivity

#### Reactivity

The following materials may react with the product: Acids. Alkalis. Strong oxidizing agents. Strong reducing agents.

#### Stability

Stable at normal ambient temperatures.

#### Possibility of hazardous reactions

Will not polymerize.

#### Conditions to avoid

Avoid exposure to high temperatures or direct sunlight. Avoid heat, flames and other sources of ignition. Avoid contact with the following materials: Oxidizing agents. Reducing agents. Avoid contact with acids and alkalis.

## EPO-TEK HYB-353ND-LV Part B

**Materials to avoid** Strong oxidizing agents. Strong reducing agents. Strong acids. Strong alkalis.

**Hazardous decomposition products** Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Fire creates: Toxic gases/vapors/fumes of: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrogen cyanide (HCN). Nitrous gases (NO<sub>x</sub>).

### 11. Toxicological information

#### Information on toxicological effects

**Inhalation** Gas or vapor in high concentrations may irritate the respiratory system.

**Ingestion** Harmful if swallowed.

**Skin Contact** Causes burns.

**Eye contact** Causes burns.

### 12. Ecological Information

#### Toxicity

**Acute toxicity - fish** Not available.

#### Persistence and degradability

**Persistence and degradability** The product is moderately biodegradable.

#### Bioaccumulative potential

**Bio-Accumulative Potential** The product contains potentially bioaccumulating substances.

#### Mobility in soil

**Mobility** Semi-mobile.

#### Other adverse effects

**Other adverse effects** Not known.

### 13. Disposal considerations

#### Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 14. Transport information

#### UN Number

**UN No. (DOT)** 3267

**UN No. (IMDG)** 3267

**UN No. (ICAO)** 3267

#### UN proper shipping name

**Proper shipping name (DOT)** CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS Imidazole)

**Proper shipping name (IMDG)** CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS Imidazole)

**EPO-TEK HYB-353ND-LV Part B**

**Proper shipping name (ICAO)** CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS Imidazole)

**Transport hazard class(es)**

<b>DOT hazard class</b>	8
<b>DOT hazard label</b>	Corrosive
<b>TDG class</b>	8
<b>TDG label</b>	8
<b>IMDG Class</b>	8
<b>IMDG subsidiary risk</b>	
<b>ICAO class/division</b>	8
<b>ICAO subsidiary risk</b>	

**Transport labels****Packing group**

<b>DOT pack group</b>	II
<b>IMDG packing group</b>	II
<b>ICAO packing group</b>	II

**Environmental hazards****Environmentally Hazardous Substance**

No.

**Special precautions for user**

**EmS** F-A, S-B

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

**15. Regulatory information****US Federal Regulations****SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are required to be listed.

**CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are required to be listed.

**SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are required to be listed.

**SARA 313 Emission Reporting**

None of the ingredients are required to be listed.

**CAA Accidental Release Prevention**

None of the ingredients are required to be listed.

## EPO-TEK HYB-353ND-LV Part B

### **OSHA Highly Hazardous Chemicals**

None of the ingredients are required to be listed.

### **US State Regulations**

#### **California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are required to be listed.

#### **California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are required to be listed.

#### **California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are required to be listed.

#### **Massachusetts "Right To Know" List**

None of the ingredients are required to be listed.

#### **Rhode Island "Right To Know" List**

None of the ingredients are required to be listed.

#### **Minnesota "Right To Know" List**

None of the ingredients are required to be listed.

#### **New Jersey "Right To Know" List**

None of the ingredients are required to be listed.

#### **Pennsylvania "Right To Know" List**

None of the ingredients are required to be listed.

### **Inventories**

#### **EU - EINECS/ELINCS**

All the ingredients are listed or exempt.

#### **Canada - DSL/NDSL**

All the ingredients are listed or exempt.

#### **US - TSCA**

All the ingredients are listed or exempt.

#### **US - TSCA 12(b) Export Notification**

None of the ingredients are listed.

#### **Australia - AICS**

All the ingredients are listed or exempt.

#### **Japan - MITI**

All the ingredients are listed or exempt.

#### **Korea - KECI**

All the ingredients are listed or exempt.

#### **China - IECSC**

All the ingredients are listed or exempt.

#### **Philippines - PICCS**

All the ingredients are listed or exempt.

## EPO-TEK HYB-353ND-LV Part B

### 16. Other information

<b>Revision date</b>	11/12/2015
<b>Revision</b>	1
<b>Hazard statements in full</b>	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H360D May damage the unborn child.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.