



## SAFETY DATA SHEET

### EPO-TEK HYB-353ND-TX3 Part A

#### 1. Identification

##### Product identifier

**Product name** EPO-TEK HYB-353ND-TX3 Part A  
**Product number** HYB-353ND-TX3/A

##### Recommended use of the chemical and restrictions on use

**Application** Adhesive.

##### Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.  
 14 Fortune Drive  
 Billerica, MA 01821  
 USA  
 (978) 667-3805  
 (978) 663-9782  
 www.epotek.com

##### Emergency telephone number

**Emergency telephone** (800) 255-3924

#### 2. Hazard(s) identification

##### Classification of the substance or mixture

**Physical hazards** Not Classified  
**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317 Repr. 2 - H361f  
**Environmental hazards** Aquatic Chronic 2 - H411

##### Label elements

##### Pictogram



**Signal word**

Warning

##### Hazard statements

H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H361f Suspected of damaging fertility.  
 H411 Toxic to aquatic life with long lasting effects.

## EPO-TEK HYB-353ND-TX3 Part A

<b>Precautionary statements</b>	<p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P302+P352 If on skin: Wash with plenty of water.</p> <p>P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P308+P313 If exposed or concerned: Get medical advice/attention.</p> <p>P501 Dispose of contents/container in accordance with national regulations.</p>
---------------------------------	--

**Contains** Epoxy Phenol Novolac

### 3. Composition/information on ingredients

#### Mixtures

<b>Epoxy Acrylate</b>	<b>60-100%</b>
CAS number: Proprietary	
<b>Classification</b>	
Skin Sens. 1 - H317	
Aquatic Chronic 3 - H412	
<b>Epoxy Phenol Novolac</b>	<b>10-30%</b>
CAS number: 9003-36-5	
<b>Classification</b>	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	
Aquatic Chronic 2 - H411	
<b>Epoxy Acrylate</b>	<b>10-30%</b>
CAS number: Proprietary	
<b>Classification</b>	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	
STOT SE 3 - H335	
Aquatic Chronic 2 - H411	
<b>Photoinitiator</b>	<b>1-5%</b>
CAS number: Proprietary	
<b>Classification</b>	
Acute Tox. 4 - H302	
<b>Photoinitiator</b>	<b>1-5%</b>
CAS number: Proprietary	
<b>Classification</b>	
Repr. 2 - H361f	

The Full Text for all Hazard Statements are Displayed in Section 16.

## EPO-TEK HYB-353ND-TX3 Part A

### 4. First-aid measures

#### Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin Contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### Most important symptoms and effects, both acute and delayed

<b>General information</b>	Contains a substance/a group of substances which may damage fertility.
<b>Inhalation</b>	Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin contact</b>	Causes skin irritation. May cause sensitisation by skin contact.
<b>Eye contact</b>	May cause severe eye irritation.

#### Indication of immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

### 5. Fire-fighting measures

#### Extinguishing media

<b>Suitable extinguishing media</b>	Dry chemicals. Foam. Carbon dioxide (CO <sub>2</sub> ).
-------------------------------------	---

#### Special hazards arising from the substance or mixture

<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ).
--------------------------------------	---

#### Advice for firefighters

<b>Protective actions during firefighting</b>	Avoid breathing fire gases or vapors. Use water to keep fire exposed containers cool and disperse vapors.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

#### Environmental precautions

<b>Environmental precautions</b>	Avoid discharge to the aquatic environment.
----------------------------------	---

#### Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
--------------------------------	---

## EPO-TEK HYB-353ND-TX3 Part A

### 7. Handling and storage

#### Precautions for safe handling

<b>Usage precautions</b>	Avoid spilling. Avoid contact with skin and eyes.
<b>Advice on general occupational hygiene</b>	Do not eat, drink or smoke when using this product. Wash after use and before eating, smoking and using the toilet. Wash contaminated clothing before reuse. Provide eyewash station.

#### Conditions for safe storage, including any incompatibilities

<b>Storage precautions</b>	Keep container tightly closed, in a cool, well ventilated place.
<b>Storage class</b>	Chemical storage.

#### Specific end uses(s)

<b>Specific end use(s)</b>	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

### 8. Exposure Controls/personal protection

#### Exposure controls

#### Protective equipment



<b>Appropriate engineering controls</b>	Provide adequate general and local exhaust ventilation.
---	---

<b>Eye/face protection</b>	The following protection should be worn: Chemical splash goggles or face shield.
----------------------------	--

<b>Hand protection</b>	It is recommended that chemical-resistant, impervious gloves are worn.
------------------------	--

<b>Other skin and body protection</b>	Wear appropriate clothing to prevent any possibility of skin contact.
---------------------------------------	---

<b>Hygiene measures</b>	Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
-------------------------	--

<b>Respiratory protection</b>	If ventilation is inadequate, suitable respiratory protection must be worn.
-------------------------------	---

### 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Paste.
<b>Color</b>	Light (or pale). Yellow.
<b>Odor</b>	Mild.
<b>Flash point</b>	> 93°C
<b>Evaporation rate</b>	< BuAc
<b>Vapour density</b>	> Air
<b>Solubility(ies)</b>	Slightly soluble in water.
<b>Other information</b>	None.

## EPO-TEK HYB-353ND-TX3 Part A

### 10. Stability and reactivity

<b>Reactivity</b>	The following materials may react with the product: Strong oxidizing agents. Strong reducing agents.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time.
<b>Materials to avoid</b>	Strong oxidizing agents. Strong reducing agents.
<b>Hazardous decomposition products</b>	Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ).

### 11. Toxicological information

#### Information on toxicological effects

<b>Inhalation</b>	Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin Contact</b>	May cause sensitisation by skin contact. Irritating to skin.
<b>Eye contact</b>	Irritating to eyes.
<b>Acute and chronic health hazards</b>	Suspected of damaging fertility.

### 12. Ecological Information

<b>Ecotoxicity</b>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
<b><u>Toxicity</u></b>	
<b>Acute toxicity - fish</b>	Not available.
<b><u>Persistence and degradability</u></b>	
<b>Persistence and degradability</b>	No data available.
<b><u>Bioaccumulative potential</u></b>	
<b>Bio-Accumulative Potential</b>	No data available on bioaccumulation.
<b><u>Mobility in soil</u></b>	
<b>Mobility</b>	No data available.
<b><u>Other adverse effects</u></b>	
<b>Other adverse effects</b>	Not known.

## EPO-TEK HYB-353ND-TX3 Part A

### 13. Disposal considerations

#### Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 14. Transport information

#### UN Number

UN No. (DOT) 3082

UN No. (IMDG) 3082

UN No. (ICAO) 3082

#### UN proper shipping name

**Proper shipping name (DOT)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy Phenol Novolac)

**Proper shipping name (IMDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy Phenol Novolac)

**Proper shipping name (ICAO)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy Phenol Novolac)

#### Transport hazard class(es)

IMDG Class 9

IMDG subsidiary risk

ICAO class/division 9

ICAO subsidiary risk

#### Transport labels



#### Packing group

DOT pack group III

IMDG packing group III

ICAO packing group III

#### Environmental hazards

Environmentally Hazardous Substance



#### Special precautions for user

EmS F-A, S-F

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

**EPO-TEK HYB-353ND-TX3 Part A****15. Regulatory information****US Federal Regulations****SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed.

**CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are listed.

**SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are listed.

**SARA 313 Emission Reporting**

None of the ingredients are listed.

**CAA Accidental Release Prevention**

None of the ingredients are listed.

**OSHA Highly Hazardous Chemicals**

None of the ingredients are listed.

**US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed.

**California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are listed.

**California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are listed.

**Massachusetts "Right To Know" List**

None of the ingredients are listed.

**Rhode Island "Right To Know" List**

None of the ingredients are listed.

**Minnesota "Right To Know" List**

None of the ingredients are listed.

**New Jersey "Right To Know" List**

None of the ingredients are listed.

**Pennsylvania "Right To Know" List**

None of the ingredients are listed.

**Inventories****EU - EINECS/ELINCS**

Some of the ingredients are listed or exempt.

**Canada - DSL/NDSL**

All the ingredients are listed or exempt.

**US - TSCA**

All the ingredients are listed or exempt.

## EPO-TEK HYB-353ND-TX3 Part A

### US - TSCA 12(b) Export Notification

None of the ingredients are listed.

### Australia - AICS

All the ingredients are listed or exempt.

### Japan - MITI

Some of the ingredients are listed or exempt.

### Korea - KECI

All the ingredients are listed or exempt.

### China - IECSC

All the ingredients are listed or exempt.

### Philippines - PICCS

All the ingredients are listed or exempt.

## 16. Other information

<b>Revision date</b>	11/12/2015
<b>Revision</b>	1
<b>Hazard statements in full</b>	<p>H302 Harmful if swallowed.</p> <p>H315 Causes skin irritation.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H319 Causes serious eye irritation.</p> <p>H335 May cause respiratory irritation.</p> <p>H361f Suspected of damaging fertility.</p> <p>H411 Toxic to aquatic life with long lasting effects.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p>

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.





## SAFETY DATA SHEET

### EPO-TEK HYB-353ND-TX3 Part B

#### 1. Identification

##### Product identifier

**Product name** EPO-TEK HYB-353ND-TX3 Part B  
**Product number** HYB-353ND-TX3/B

##### Recommended use of the chemical and restrictions on use

**Application** Adhesive.

##### Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.  
 14 Fortune Drive  
 Billerica, MA 01821  
 USA  
 (978) 667-3805  
 (978) 663-9782  
 www.epotek.com

##### Emergency telephone number

**Emergency telephone** (800) 255-3924

#### 2. Hazard(s) identification

##### Classification of the substance or mixture

**Physical hazards** Not Classified  
**Health hazards** Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335  
**Environmental hazards** Not Classified

##### Label elements

##### Pictogram



##### Signal word

Danger

##### Hazard statements

H302+H332 Harmful if swallowed or if inhaled.  
 H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H335 May cause respiratory irritation.

## EPO-TEK HYB-353ND-TX3 Part B

### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P310 If swallowed: Immediately call a poison center/doctor.  
 P302+P352 If on skin: Wash with plenty of water.  
 P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P312 Call a poison center/doctor if you feel unwell.  
 P501 Dispose of contents/container in accordance with national regulations.

### 3. Composition/information on ingredients

#### Mixtures

<b>Imidazole Blend</b>	<b>60-100%</b>
CAS number: Proprietary	
<b>Classification</b>	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
Acute Tox. 4 - H302	
Acute Tox. 4 - H332	
STOT SE 3 - H335	

The Full Text for all Hazard Statements are Displayed in Section 16.

### 4. First-aid measures

#### Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.
<b>Ingestion</b>	Do not induce vomiting. Never give anything by mouth to an unconscious person. Do not induce vomiting. Remove affected person from source of contamination. Get medical attention immediately. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
<b>Skin Contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Irritation of nose, throat and airway. Vapors may cause headache, fatigue, dizziness and nausea.
<b>Ingestion</b>	May cause chemical burns in mouth and throat. May cause stomach pain or vomiting.
<b>Skin contact</b>	Skin irritation.
<b>Eye contact</b>	Severe irritation, burning and tearing. Corneal damage.

## EPO-TEK HYB-353ND-TX3 Part B

### Indication of immediate medical attention and special treatment needed

**Notes for the doctor**                      Treat symptomatically.

### 5. Fire-fighting measures

#### Extinguishing media

**Suitable extinguishing media**    Extinguish with the following media: Dry chemicals. Foam. Carbon dioxide (CO<sub>2</sub>).

#### Special hazards arising from the substance or mixture

**Hazardous combustion products**                      Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

#### Advice for firefighters

**Protective actions during firefighting**                      Avoid breathing fire gases or vapors.

**Special protective equipment for firefighters**                      Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions**                      Wear protective clothing as described in Section 8 of this safety data sheet.

#### Environmental precautions

**Environmental precautions**                      Avoid release to the environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up**                      Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses.

**Reference to other sections**                      For personal protection, see Section 8.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions**                      Avoid spilling. Avoid contact with skin and eyes. Do not handle broken packages without protective equipment. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Avoid inhalation of vapors. Provide adequate ventilation.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions**                      Store at moderate temperatures in dry, well ventilated area. Keep container tightly sealed when not in use.

#### Specific end uses(s)

**Specific end use(s)**                      The identified uses for this product are detailed in Section 1.2.

### 8. Exposure Controls/personal protection

#### Exposure controls

#### Protective equipment



## EPO-TEK HYB-353ND-TX3 Part B

<b>Appropriate engineering controls</b>	Provide adequate general and local exhaust ventilation.
<b>Eye/face protection</b>	The following protection should be worn: Chemical splash goggles.
<b>Hand protection</b>	Use protective gloves.
<b>Other skin and body protection</b>	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapor contact.
<b>Hygiene measures</b>	Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
<b>Respiratory protection</b>	If ventilation is inadequate, suitable respiratory protection must be worn.

### 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Color</b>	Amber.
<b>Odor</b>	Mild.
<b>Flash point</b>	93°C
<b>Evaporation rate</b>	<BuAc
<b>Vapour density</b>	>1
<b>Solubility(ies)</b>	Slightly soluble in water.
<b>Other information</b>	None.

### 10. Stability and reactivity

<b>Reactivity</b>	The following materials may react violently with the product: Acids. Strong alkalis. Strong oxidizing agents. Strong reducing agents.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Avoid heat, flames and other sources of ignition. Avoid exposure to high temperatures or direct sunlight. Avoid contact with the following materials: Oxidizing agents. Reducing agents. Avoid contact with acids and alkalis.
<b>Materials to avoid</b>	Strong acids. Strong alkalis. Strong oxidizing agents. Strong reducing agents.
<b>Hazardous decomposition products</b>	Fire creates: Toxic gases/vapors/fumes of: Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Hydrogen cyanide (HCN).

### 11. Toxicological information

#### Information on toxicological effects

## EPO-TEK HYB-353ND-TX3 Part B

<b>Inhalation</b>	Harmful by inhalation. May cause respiratory system irritation.
<b>Ingestion</b>	Harmful if swallowed.
<b>Skin Contact</b>	Irritating to skin.
<b>Eye contact</b>	Severe irritation, burning and tearing. Risk of serious damage to eyes.
<b>Target Organs</b>	Eyes Respiratory system, lungs

### 12. Ecological Information

<b>Ecotoxicity</b>	Not known.
<b><u>Persistence and degradability</u></b>	
<b>Persistence and degradability</b>	The product is moderately biodegradable.
<b><u>Bioaccumulative potential</u></b>	
<b>Bio-Accumulative Potential</b>	The product contains potentially bioaccumulating substances.
<b><u>Mobility in soil</u></b>	
<b>Mobility</b>	Semi-mobile.
<b><u>Other adverse effects</u></b>	
<b>Other adverse effects</b>	Not known.

### 13. Disposal considerations

<b><u>Waste treatment methods</u></b>	
<b>Disposal methods</b>	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 14. Transport information

<b>General</b>	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).
<b>Road transport notes</b>	Not classified.
<b>Rail transport notes</b>	Not classified.
<b>Sea transport notes</b>	Not classified.
<b>Air transport notes</b>	Not classified.
<b><u>UN Number</u></b>	Not applicable.
<b><u>UN proper shipping name</u></b>	Not applicable.

## EPO-TEK HYB-353ND-TX3 Part B

### Transport hazard class(es)

No transport warning sign required.

### **IMDG Class**

### Packing group

Not applicable.

### Environmental hazards

#### **Environmentally Hazardous Substance**

No.

### Special precautions for user

Not applicable.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## 15. Regulatory information

### US Federal Regulations

#### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are required to be listed.

#### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are required to be listed.

#### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are required to be listed.

#### **SARA 313 Emission Reporting**

None of the ingredients are required to be listed.

#### **CAA Accidental Release Prevention**

None of the ingredients are required to be listed.

#### **OSHA Highly Hazardous Chemicals**

None of the ingredients are required to be listed.

### US State Regulations

#### **California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are required to be listed.

#### **California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are required to be listed.

#### **California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are required to be listed.

#### **Massachusetts "Right To Know" List**

None of the ingredients are required to be listed.

#### **Rhode Island "Right To Know" List**

None of the ingredients are required to be listed.

## EPO-TEK HYB-353ND-TX3 Part B

### Minnesota "Right To Know" List

None of the ingredients are required to be listed.

### New Jersey "Right To Know" List

None of the ingredients are required to be listed.

### Pennsylvania "Right To Know" List

None of the ingredients are required to be listed.

### Inventories

#### EU - EINECS/ELINCS

All the ingredients are listed or exempt.

#### Canada - DSL/NDSL

All the ingredients are listed or exempt.

#### US - TSCA

All the ingredients are listed or exempt.

#### US - TSCA 12(b) Export Notification

None of the ingredients are listed.

#### Australia - AICS

All the ingredients are listed or exempt.

#### Japan - MITI

All the ingredients are listed or exempt.

#### Korea - KECI

Some of the ingredients are listed or exempt.

#### China - IECSC

All the ingredients are listed or exempt.

#### Philippines - PICCS

Some of the ingredients are listed or exempt.

### 16. Other information

<b>Revision date</b>	11/12/2015
<b>Revision</b>	1
<b>Hazard statements in full</b>	H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H332 Harmful if inhaled. H335 May cause respiratory irritation.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.