



## SAFETY DATA SHEET EPO-TEK® 393ND-T Part A

### 1. Identification

#### Product identifier

**Product name** EPO-TEK® 393ND-T Part A

**Product number** 393ND-T/A

#### Recommended use of the chemical and restrictions on use

**Application** Adhesive.

**Uses advised against** Use only for intended applications.

#### Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com, SDS@epotek.com

#### Emergency telephone number

**Emergency telephone** ChemTel: +1 (800) 255-3924, +1 (813) 248-0585

### 2. Hazard(s) identification

#### Classification of the substance or mixture


**Physical hazards** Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317

**Environmental hazards** Aquatic Chronic 2 - H411

#### Label elements

##### Hazard symbols



**Signal word** Warning

**Hazard statements** H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.

## EPO-TEK® 393ND-T Part A

<b>Precautionary statements</b>	<p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P302+P352 If on skin: Wash with plenty of water.</p> <p>P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
---------------------------------	---

**Contains** Epoxy Phenol Novolac

### 3. Composition/information on ingredients

#### Mixtures

<p><b>Epoxy Phenol Novolac</b></p> <p>CAS number: 9003-36-5</p>	<b>60-100%</b>
<p><b>Classification</b></p> <p>Skin Irrit. 2 - H315</p> <p>Eye Irrit. 2A - H319</p> <p>Skin Sens. 1 - H317</p> <p>Aquatic Chronic 2 - H411</p>	

The full text for all hazard statements is displayed in Section 16.

### 4. First-aid measures

#### Description of first aid measures

<b>Inhalation</b>	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Keep affected person under observation. Get medical attention. Show this Safety Data Sheet to the medical personnel. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.
<b>Ingestion</b>	Get medical attention immediately. Promptly get affected person to drink large volumes of water to dilute the swallowed chemical. Do not induce vomiting.
<b>Skin Contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Get medical attention. Show this Safety Data Sheet to the medical personnel.

#### Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin contact</b>	Causes skin irritation. May cause an allergic skin reaction. May cause sensitisation by skin contact.
<b>Eye contact</b>	Causes serious eye irritation.

#### Indication of immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically.

### 5. Fire-fighting measures

## EPO-TEK® 393ND-T Part A

### Extinguishing media

**Suitable extinguishing media** Extinguish with the following media: Dry chemicals. Foam. Carbon dioxide (CO<sub>2</sub>).

### Special hazards arising from the substance or mixture

**Hazardous combustion products** When heated, vapors/gases hazardous to health may be formed.

### Advice for firefighters

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet. Keep unnecessary and unprotected personnel away from the spillage. Use suitable respiratory protection if ventilation is inadequate.

### Environmental precautions

**Environmental precautions** Avoid release to the environment.

### Methods and material for containment and cleaning up

**Methods for cleaning up** No smoking, sparks, flames or other sources of ignition near spillage. Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely.

**Reference to other sections** For personal protection, see Section 8.

## 7. Handling and storage

### Precautions for safe handling

**Usage precautions** Handle all packages and containers carefully to minimize spills. Avoid inhalation of vapors and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

**Advice on general occupational hygiene** Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wash promptly if skin becomes contaminated. Wash contaminated clothing before reuse.

### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at room temperature. Keep container tightly sealed when not in use.

### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

## 8. Exposure controls/Personal protection

**Ingredient comments** No exposure limits known for ingredient(s).

### Exposure controls

#### Protective equipment



**Appropriate engineering controls** Provide adequate general and local exhaust ventilation.

## EPO-TEK® 393ND-T Part A

<b>Eye/face protection</b>	Wear tight-fitting, chemical splash goggles or face shield.
<b>Hand protection</b>	It is recommended that chemical-resistant, impervious gloves are worn. Nitrile rubber. Neoprene. Butyl rubber.
<b>Other skin and body protection</b>	Wear appropriate clothing to prevent any possibility of skin contact.
<b>Hygiene measures</b>	Provide eyewash station.
<b>Respiratory protection</b>	If ventilation is inadequate, suitable respiratory protection must be worn.

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Color</b>	Clear.
<b>Odor</b>	Slight.
<b>Odor threshold</b>	No specific test data are available.
<b>pH</b>	No specific test data are available.
<b>Melting point</b>	No specific test data are available.
<b>Initial boiling point and range</b>	No specific test data are available.
<b>Flash point</b>	> 93°C
<b>Evaporation rate</b>	< BuAc
<b>Evaporation factor</b>	No specific test data are available.
<b>Flammability (solid, gas)</b>	No specific test data are available.
<b>Upper/lower flammability or explosive limits</b>	No specific test data are available.
<b>Vapor pressure</b>	No specific test data are available.
<b>Vapor density</b>	> 1
<b>Relative density</b>	No specific test data are available.
<b>Solubility(ies)</b>	No specific test data are available.
<b>Partition coefficient</b>	No specific test data are available.
<b>Auto-ignition temperature</b>	No specific test data are available.
<b>Decomposition Temperature</b>	No specific test data are available.
<b>Viscosity</b>	No specific test data are available.
<b>Other information</b>	None.

### 10. Stability and reactivity

<b>Reactivity</b>	The following materials may react with the product: Strong oxidizing agents.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
<b>Possibility of hazardous reactions</b>	Will not polymerize.

## EPO-TEK® 393ND-T Part A

**Conditions to avoid** Avoid heat, flames and other sources of ignition.

**Materials to avoid** Strong oxidizing agents.

**Hazardous decomposition products** Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### 11. Toxicological information

#### Information on toxicological effects

**Inhalation** Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.

**Ingestion** May cause discomfort if swallowed.

**Skin Contact** Causes skin irritation. May cause an allergic skin reaction. May cause sensitisation by skin contact.

**Eye contact** Causes serious eye irritation.

### 12. Ecological information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

#### Acute aquatic toxicity

**Acute toxicity - fish** Not available.

#### Persistence and degradability

**Persistence and degradability** The product is potentially degradable.

#### Bioaccumulative potential

**Bio-Accumulative Potential** No data available on bioaccumulation.

**Partition coefficient** No specific test data are available.

#### Mobility in soil

**Mobility** Semi-mobile.

#### Other adverse effects

**Other adverse effects** Not known.

### 13. Disposal considerations

#### Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 14. Transport information

#### UN Number

**UN No. (TDG)** 3082

**UN No. (IMDG)** 3082

**UN No. (ICAO)** 3082

**UN No. (DOT)** UN3082

## EPO-TEK® 393ND-T Part A

### UN proper shipping name

<b>Proper shipping name (TDG)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy Phenol Novolac)
<b>Proper shipping name (IMDG)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy Phenol Novolac)
<b>Proper shipping name (ICAO)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy Phenol Novolac)
<b>Proper shipping name (DOT)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy Phenol Novolac)

### Transport hazard class(es)

<b>DOT hazard class</b>	9
<b>DOT hazard label</b>	9
<b>TDG class</b>	9
<b>TDG label(s)</b>	9
<b>IMDG Class</b>	9
<b>ICAO class/division</b>	9

### Transport labels



### DOT transport labels



### Packing group

<b>TDG Packing Group</b>	III
<b>IMDG packing group</b>	III
<b>ICAO packing group</b>	III
<b>DOT packing group</b>	III

### Environmental hazards

#### **Environmentally Hazardous Substance**



### Special precautions for user

<b>EmS</b>	F-A, S-F
------------	----------

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## EPO-TEK® 393ND-T Part A

### 15. Regulatory information

**Regulatory References** Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

#### US Federal Regulations

**SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are required to be listed.

**CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are required to be listed.

**SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are required to be listed.

**SARA 313 Emission Reporting**

None of the ingredients are required to be listed.

**CAA Accidental Release Prevention**

None of the ingredients are required to be listed.

**OSHA Highly Hazardous Chemicals**

None of the ingredients are required to be listed.

#### US State Regulations

**California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are required to be listed.

**California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are required to be listed.

**California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are required to be listed.

**Massachusetts "Right To Know" List**

None of the ingredients are required to be listed.

**Rhode Island "Right To Know" List**

None of the ingredients are required to be listed.

**Minnesota "Right To Know" List**

None of the ingredients are required to be listed.

**New Jersey "Right To Know" List**

None of the ingredients are required to be listed.

**Pennsylvania "Right To Know" List**

None of the ingredients are required to be listed.

#### Inventories

**Canada - DSL/NDSL**

All the ingredients are listed or exempt.

**US - TSCA**

All the ingredients are listed or exempt.

## EPO-TEK® 393ND-T Part A

### US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

### Australia - AICS

All the ingredients are listed or exempt.

### Japan - ENCS

Some of the ingredients are listed or exempt.

### Korea - KECI

All the ingredients are listed or exempt.

### China - IECSC

All the ingredients are listed or exempt.

### Philippines - PICCS

All the ingredients are listed or exempt.

## 16. Other information

<b>Revision date</b>	1/20/2021
<b>Revision</b>	1
<b>Supersedes date</b>	12/23/2020
<b>Hazard statements in full</b>	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.





## SAFETY DATA SHEET EPO-TEK® 393ND-T Part B

### 1. Identification

#### Product identifier

**Product name** EPO-TEK® 393ND-T Part B

**Product number** 393ND-T/B

#### Recommended use of the chemical and restrictions on use

**Application** Adhesive.

**Uses advised against** Use only for intended applications.

#### Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com, SDS@epotek.com

#### Emergency telephone number

**Emergency telephone** ChemTel: +1 (800) 255-3924, +1 (813) 248-0585

### 2. Hazard(s) identification

#### Classification of the substance or mixture

**Physical hazards** Not Classified

**Health hazards** Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318

**Environmental hazards** Not Classified

#### Label elements

##### Hazard symbols



**Signal word** Danger

**Hazard statements** H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.

## EPO-TEK® 393ND-T Part B

<b>Precautionary statements</b>	<p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P301+P312 If swallowed: Call a poison center/ doctor if you feel unwell.</p> <p>P302+P352 If on skin: Wash with plenty of water.</p> <p>P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P332+P313 If skin irritation occurs: Get medical advice/ attention.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
---------------------------------	---

**Contains** Substituted Imidazole Blend

### 3. Composition/information on ingredients

#### Mixtures

<b>Substituted Imidazole Blend</b>	<b>30-60%</b>
CAS number: Proprietary	
<b>Classification</b>	
Acute Tox. 4 - H302	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	

The full text for all hazard statements is displayed in Section 16.

### 4. First-aid measures

#### Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin Contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

#### Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.
<b>Ingestion</b>	Harmful if swallowed. May cause stomach pain or vomiting. May cause chemical burns in mouth and throat.
<b>Skin contact</b>	Causes skin irritation.
<b>Eye contact</b>	Causes serious eye damage.

#### Indication of immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically.

### 5. Fire-fighting measures

#### Extinguishing media

**Suitable extinguishing media** Extinguish with the following media: Dry chemicals. Foam. Water spray.

## EPO-TEK® 393ND-T Part B

### Special hazards arising from the substance or mixture

**Hazardous combustion products** Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

### Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapors.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### Environmental precautions

**Environmental precautions** Avoid release to the environment.

### Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

**Reference to other sections** For personal protection, see Section 8.

## 7. Handling and storage

### Precautions for safe handling

**Usage precautions** Handle all packages and containers carefully to minimize spills. Avoid inhalation of vapors and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

**Advice on general occupational hygiene** Provide eyewash station. Do not eat, drink or smoke when using this product. Wash promptly if skin becomes contaminated. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of skin.

### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at room temperature. Keep container tightly sealed when not in use.

**Storage class** Chemical storage.

### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

## 8. Exposure controls/Personal protection

**Ingredient comments** No exposure limits known for ingredient(s).

### Exposure controls

#### Protective equipment



**Appropriate engineering controls** Provide adequate general and local exhaust ventilation.

## EPO-TEK® 393ND-T Part B

<b>Eye/face protection</b>	Wear tight-fitting, chemical splash goggles or face shield.
<b>Hand protection</b>	It is recommended that chemical-resistant, impervious gloves are worn.
<b>Other skin and body protection</b>	Wear appropriate clothing to prevent any possibility of skin contact.
<b>Hygiene measures</b>	Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
<b>Respiratory protection</b>	If ventilation is inadequate, suitable respiratory protection must be worn.

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Color</b>	Clear.
<b>Odor</b>	Slight.
<b>Odor threshold</b>	No specific test data are available.
<b>pH</b>	No specific test data are available.
<b>Melting point</b>	No specific test data are available.
<b>Initial boiling point and range</b>	No specific test data are available.
<b>Flash point</b>	> 93°C
<b>Evaporation rate</b>	< BuAc
<b>Flammability (solid, gas)</b>	No specific test data are available.
<b>Upper/lower flammability or explosive limits</b>	No specific test data are available.
<b>Vapor pressure</b>	No specific test data are available.
<b>Vapor density</b>	>1
<b>Relative density</b>	No specific test data are available.
<b>Solubility(ies)</b>	Slightly soluble in water.
<b>Partition coefficient</b>	No specific test data are available.
<b>Auto-ignition temperature</b>	No specific test data are available.
<b>Decomposition Temperature</b>	No specific test data are available.
<b>Viscosity</b>	No specific test data are available.
<b>Other information</b>	None.

### 10. Stability and reactivity

<b>Reactivity</b>	The following materials may react violently with the product: Acids. Alkalis. Strong oxidizing agents. Strong reducing agents.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.

## EPO-TEK® 393ND-T Part B

<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Avoid heat, flames and other sources of ignition. Avoid heat. Avoid contact with the following materials: Strong oxidizing agents.
<b>Materials to avoid</b>	Strong acids. Strong alkalis. Strong oxidizing agents. Strong reducing agents.
<b>Hazardous decomposition products</b>	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Oxides of nitrogen.

### 11. Toxicological information

#### Information on toxicological effects

##### Acute toxicity - oral

**ATE oral (mg/kg)** 690.4

<b>Inhalation</b>	Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.
<b>Ingestion</b>	Harmful if swallowed. May cause chemical burns in mouth, esophagus and stomach. May cause stomach pain or vomiting.
<b>Skin Contact</b>	Irritating to skin.
<b>Eye contact</b>	Causes serious eye damage.

### 12. Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment.

#### Acute aquatic toxicity

**Acute toxicity - fish** Not available.

#### Persistence and degradability

**Persistence and degradability** The product is moderately biodegradable.

#### Bioaccumulative potential

**Bio-Accumulative Potential** The product is not bioaccumulating.

**Partition coefficient** No specific test data are available.

#### Mobility in soil

**Mobility** Mobile.

#### Other adverse effects

**Other adverse effects** Not known.

### 13. Disposal considerations

#### Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 14. Transport information

## EPO-TEK® 393ND-T Part B

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).

### UN Number

**UN No. (International)** Not applicable.

**UN No. (DOT)** Not applicable.

### UN proper shipping name

**Proper shipping name (International)** Not applicable.

**Proper shipping name (DOT)** Not applicable.

### Transport hazard class(es)

**Transport Labels (International)** No transport warning sign required.

### **DOT transport labels**

No transport warning sign required.

### Packing group

**Packing group (International)** Not applicable.

**DOT packing group** Not applicable.

### Environmental hazards

#### **Environmentally Hazardous Substance**

No.

### Special precautions for user

Not applicable.

**DOT reportable quantity** Not applicable.

**DOT TIH Zone** Not applicable.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## 15. Regulatory information

### US Federal Regulations

#### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are required to be listed.

#### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are required to be listed.

#### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are required to be listed.

#### **SARA 313 Emission Reporting**

None of the ingredients are required to be listed.

#### **CAA Accidental Release Prevention**

None of the ingredients are required to be listed.

## EPO-TEK® 393ND-T Part B

### **OSHA Highly Hazardous Chemicals**

None of the ingredients are required to be listed.

### **US State Regulations**

#### **California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are required to be listed.

#### **California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are required to be listed.

#### **California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are required to be listed.

#### **Massachusetts "Right To Know" List**

None of the ingredients are required to be listed.

#### **Rhode Island "Right To Know" List**

None of the ingredients are required to be listed.

#### **Minnesota "Right To Know" List**

None of the ingredients are required to be listed.

#### **New Jersey "Right To Know" List**

None of the ingredients are required to be listed.

#### **Pennsylvania "Right To Know" List**

None of the ingredients are required to be listed.

### **Inventories**

#### **EU - EINECS/ELINCS**

All the ingredients are listed or exempt.

#### **Canada - DSL/NDSL**

All the ingredients are listed or exempt.

#### **US - TSCA**

All the ingredients are listed or exempt.

#### **US - TSCA 12(b) Export Notification**

None of the ingredients are listed.

#### **Australia - AICS**

All the ingredients are listed or exempt.

#### **Japan - ENCS**

All the ingredients are listed or exempt.

#### **Korea - KECI**

All the ingredients are listed or exempt.

#### **China - IECSC**

All the ingredients are listed or exempt.

#### **Philippines - PICCS**

All the ingredients are listed or exempt.

**EPO-TEK® 393ND-T Part B****16. Other information**

<b>Revision date</b>	1/20/2021
<b>Revision</b>	1
<b>Supersedes date</b>	12/23/2020
<b>Hazard statements in full</b>	H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.