



SAFETY DATA SHEET
EPO-TEK 509FM-1UE Part A

1. IDENTIFICATION

<u>Product Name</u>	EPO-TEK 509FM-1UE Part A
<u>Product No.</u>	EPO-TEK 509FM-1UE Part A
<u>Identification No.</u>	UN3082
<u>Identified uses</u>	Adhesive.
<u>Supplier</u>	Epoxy Technology, Inc. 14 Fortune Drive Billerica, MA 01821 USA www.epotek.com (978) 667-3805 (978) 663-9782
<u>Emergency Telephone</u>	(800) 255-3924

2. HAZARD(S) IDENTIFICATION

<u>Appearance</u>	Liquid
<u>Color</u>	Black.
<u>Odor</u>	Mild.
<u>GHS Pictogram</u>	



Signal Word Danger

Hazard Statements

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container in accordance with local regulations.

GHS Classification

Bisphenol A Diglycidyl Ether Resin

Physical and Chemical Hazards	Not classified.
Human health	Acute Tox. 4 - H302; Acute Tox. 4 - H312; Acute Tox. 4 - H332; Skin Irrit. 2 - H315; Eye Dam. 1 - H318; Skin Sens. 1 - H317
Environment	Aquatic Chronic 2 - H411

Human Health

Harmful by inhalation and in contact with skin. Irritating to eyes and skin.

EPO-TEK 509FM-1UE Part A

General Information

No specific health warnings noted.

Inhalation

In high concentrations, vapors may irritate throat and respiratory system and cause coughing. Harmful by inhalation.

Ingestion

Gastrointestinal symptoms, including upset stomach.

Skin Contact

Irritating to skin. Harmful in contact with skin. May cause sensitization by skin contact.

Eye Contact

Irritating and may cause redness and pain.

Environment

The product contains a substance which is toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Bisphenol A Diglycidyl Ether Resin	60-100%
CAS No.: 25085-99-8	EC No.:
GHS Classification Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317; Aquatic Chronic 2 - H411	
Reactive Diluent	10-30%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Acute Tox. 4 - H302; Acute Tox. 4 - H312; Acute Tox. 4 - H332; Skin Irrit. 2 - H315; Eye Dam. 1 - H318; Skin Sens. 1 - H317	

Composition Comments

The Data Shown is in accordance with the latest EC Directives.

4. FIRST-AID MEASURES

Description of first aid measures

General Information

General first aid, rest, warmth and fresh air. Do not give victim anything to drink if they are unconscious. Get medical attention if any discomfort continues.

Inhalation

Place unconscious person on the side in the recovery position and ensure breathing can take place. If respiratory problems, artificial respiration/oxygen. Get medical attention if any discomfort continues.

Ingestion

Immediately rinse mouth and drink plenty of water or milk. Keep person under observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport immediately to hospital and bring along these instructions.

Skin Contact

Immediately remove contaminated clothing. Wash off promptly and flush contaminated skin with water. Promptly remove clothing if soaked through and flush skin with water.

Eye Contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention promptly if symptoms occur after washing.

Most important symptoms and effects, both acute and delayed

Inhalation

Vapors may cause headache, fatigue, dizziness and nausea. Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.

EPO-TEK 509FM-1UE Part A

Ingestion

May cause discomfort if swallowed.

Skin Contact

Severe irritation. Allergic rash.

Eye Contact

Irritation of eyes and mucous membranes.

Indication of any immediate medical attention and special treatment needed

Notes To The Physician

Treat Symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Fire can be extinguished using: Dry chemicals. Foam. Carbon dioxide (CO2).

Unusual Fire & Explosion Hazards

Fire causes formation of toxic gases.

Special Fire Fighting Procedures

Avoid breathing fire vapors.

Protective Equipment For Fire-Fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Do not discharge into drains, water courses or onto the ground. Avoid release to the environment.

Spill Clean Up Methods

Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.

Reference to other sections

For personal protection, see section 8.

7. HANDLING AND STORAGE

Handling

Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level.

Storage

Store at moderate temperatures in dry, well ventilated area.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENT	STD	TWA (8-hrs)		STEL (15 min)		Notes
Carbon Black (dust)*			3			
Carbon Black (dust)*			3.5			
COMPONENT						IDLH
Carbon Black (dust)*						1750

** This product contains less than 1% carbon black, which is suspected of causing cancer when inhaled in fine particulate form. Carbon black should not be respirable in this formulation. However, if cured material will be ground, milled, etc., wear respiratory protection to avoid inhaling any dust that may be produced.*

Protective EquipmentProcess Conditions

Provide eyewash station.

Engineering Measures

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. All handling to take place in well-ventilated area.

Respiratory Equipment

Wear mask supplied with: Gas cartridge suitable for organic substances.

Hand Protection

Use protective gloves made of: Neoprene. Nitrile. Rubber (natural, latex).

Eye Protection

Wear splash-proof eye goggles to prevent any possibility of eye contact.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Appearance</u>	Liquid
<u>Color</u>	Black.
<u>Odor</u>	Mild.
<u>Solubility</u>	Slightly soluble in water.
<u>Vapor density (air=1)</u>	>1
<u>Evaporation rate</u>	<BuAc

10. STABILITY AND REACTIVITY

Reactivity

Reaction with: Strong oxidizing agents. Strong reducing agents.

Stability

Stable under normal temperature conditions and recommended use.

Hazardous Polymerisation

Will not polymerise.

Conditions To Avoid

Avoid contact with oxidizers or reducing agents. Avoid exposure to high temperatures or direct sunlight.

Materials To Avoid

Strong oxidizing substances. Strong reducing agents.

Hazardous Decomposition Products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Toxicological Information on Ingredients:

Bisphenol A Diglycidyl Ether Resin (CAS: 25085-99-8)

Toxic Dose 1 - LD 50

>15, 000 mg/kg (oral, rat)

Toxic Dose 2 - LD 50

>23, 000 mg/kg (dermal, rabbit)

EPO-TEK 509FM-1UE Part A

Reactive Diluent (CAS: Proprietary)

Toxic Dose 1 - LD 50

1, 163 mg/kg (oral, rat)

Toxic Dose 2 - LD 50

1, 130 mg/kg (dermal, rabbit)

Carbon Black (CAS: 1333-86-4)*

Carcinogenicity:

IARC Carcinogenicity

IARC Group 2B Possibly carcinogenic to humans.

NTP - Carcinogenicity

Reasonably anticipated human carcinogen.

OSHA - Carcinogenicity

Not listed.

** This product contains less than 1% carbon black, which is suspected of causing cancer when inhaled in fine particulate form. Carbon black should not be respirable in this formulation. However, if cured material will be ground, milled, etc., wear respiratory protection to avoid inhaling any dust that may be produced.*

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product contains a substance which is toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

Acute Fish Toxicity

Very toxic to aquatic organisms.

Degradability

No data available.

Bioaccumulative potential

No data available on bioaccumulation.

Mobility:

The product is partly soluble in water. May spread in the aquatic environment.

Other adverse effects

Not known.

13. DISPOSAL CONSIDERATIONS

Waste Management

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

<u>General</u>	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, DOT).
<u>UN No. (DOT/TDG)</u>	UN3082
<u>UN No. (IMDG)</u>	3082
<u>UN No. (ICAO)</u>	3082
<u>DOT Proper Shipping Name</u>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A Diglycidyl Ether Resin)
<u>TDG Proper Shipping Name</u>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A Diglycidyl Ether Resin)
<u>DOT Hazard Class</u>	9
<u>DOT Hazard Label</u>	
<u>Class 9</u>	
<u>TDG Class</u>	9
<u>TDG Label(s)</u>	9
<u>IMDG Class</u>	9
<u>ICAO Class</u>	9

Transport Labels



DOT Pack Group III

IMDG Pack Group III

Air Pack Group III

Environmentally Hazardous Substance/Marine Pollutant



EMS

F-A, S-F

15. REGULATORY INFORMATION

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

None of the ingredients are listed.

CAA Accidental Release Prevention

None of the ingredients are listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

WARNING: This product contains a substance known to the State of California to cause cancer and/or reproductive harm.

California Air Toxics "Hot Spots" (A-I)

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

The following ingredients are listed.

Carbon Black

Rhode Island "Right To Know" List

The following ingredients are listed.

Carbon Black

Minnesota "Right To Know" List

The following ingredients are listed.

Carbon Black

New Jersey "Right To Know" List

The following ingredients are listed.

Carbon Black

Pennsylvania "Right To Know" List

The following ingredients are listed.

Carbon Black

International Inventories

EU - EINECS/ELINCS

At least one ingredient is not listed.

Canada – DSL/NDSL

All ingredients are listed or exempt.

US - TSCA

All ingredients are listed or exempt.

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

All ingredients are listed or exempt.

Japan – MITI

At least one ingredient is not listed.

Korea - KECI

All ingredients are listed or exempt.

China - IECSC

All ingredients are listed or exempt.

Philippines – PICCS

All ingredients are listed or exempt.

16. OTHER INFORMATION

Revision Date 04/10/2015

Revision 1

Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



SAFETY DATA SHEET

EPO-TEK 509FM-1UE Part B

1. IDENTIFICATION

<u>Product Name</u>	EPO-TEK 509FM-1UE Part B
<u>Product No.</u>	EPO-TEK 509FM-1UE Part B
<u>Identification No.</u>	UN3267
<u>Identified uses</u>	Adhesive.
<u>Supplier</u>	Epoxy Technology, Inc. 14 Fortune Drive Billerica, MA 01821 USA www.epotek.com (978) 667-3805 (978) 663-9782
<u>Emergency Telephone</u>	(800) 255-3924

2. HAZARD(S) IDENTIFICATION

<u>Appearance</u>	Liquid
<u>Color</u>	Amber.
<u>Odor</u>	Mild.
<u>GHS Pictogram</u>	



Signal Word Danger

Hazard Statements

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H351	Suspected of causing cancer.
H360FD	May damage fertility or the unborn child.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P201	Obtain special instructions before use.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P281	Use personal protective equipment as required.
P285	In case of inadequate ventilation wear respiratory protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P342+311	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
P501	Dispose of contents/container to ...

EPO-TEK 509FM-1UE Part B

GHS Classification

Physical and Chemical Hazards	Not classified.
Human health	Acute Tox. 4 - H302; Acute Tox. 4 - H312; Skin Corr. 1B - H314; Resp. Sens. 1 - H334; Skin Sens. 1 - H317; Carc. 2 - H351; Repr. 1A - H360FD
Environment	Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410

Inhalation

May cause irritation to the respiratory system. May cause sensitization by inhalation. May cause respiratory allergy.

Ingestion

Harmful if swallowed. May cause stomach pain or vomiting.

Skin Contact

May cause allergic contact eczema. May cause sensitization by skin contact. Causes burns. Harmful in contact with skin.

Eye Contact

Extreme irritation of eyes and mucous membranes, including burning and tearing. Risk of corneal damage.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Cyclic Diamine	1-5%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Skin Corr. 1B - H314; Resp. Sens. 1 - H334; Skin Sens. 1 - H317; Repr. 2 - H361fd	
Cyclic Ethyleneamine	< 1%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Acute Tox. 3 - H311; Skin Corr. 1B - H314; Skin Sens. 1 - H317; Repr. 1A - H360FD; Aquatic Chronic 3 - H412	
Cycloaliphatic Diamine	30-60%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Acute Tox. 4 - H302; Acute Tox. 4 - H312; Skin Corr. 1B - H314; Skin Sens. 1 - H317; Aquatic Chronic 3 - H412	
Specialty Aromatic Diamine	30-60%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Acute Tox. 4 - H302; Carc. 2 - H351; Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410	
Tertiary Amine	5-10%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Skin Irrit. 2 - H315	

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Rinse nose and mouth with water. NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Keep the affected person warm and at rest. Get prompt medical attention.

Ingestion

DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Provide rest, warmth and fresh air. Get medical attention immediately!

Skin Contact

Remove affected person from source of contamination. Rinse the skin immediately with lots of water. Get medical attention promptly if symptoms occur after washing.

Eye Contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

Most important symptoms and effects, both acute and delayed

Inhalation

May cause an asthma-like shortness of breath. Vapors may cause headache, fatigue, dizziness and nausea.

Ingestion

May cause stomach pain or vomiting.

Skin Contact

Severe irritation. Burns can occur. Allergic rash.

Eye Contact

Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal damage.

Indication of any immediate medical attention and special treatment needed

Notes To The Physician

Treat Symptomatically.

5. FIRE-FIGHTING MEASURES

Flash point (°C) >93

Extinguishing Media

Fire can be extinguished using: Dry chemicals. Foam. Carbon dioxide (CO₂).

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

Unusual Fire & Explosion Hazards

Fire causes formation of toxic gases.

Protective Equipment For Fire-Fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

For personal protection, see section 8.

Environmental Precautions

Do not discharge into drains, water courses or onto the ground. Avoid release to the environment.

Spill Clean Up Methods

Wear necessary protective equipment. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Do not let washing down water contaminate ponds or waterways.

Reference to other sections

For personal protection, see section 8.

7. HANDLING AND STORAGE

Handling

Avoid spilling, skin and eye contact. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Avoid inhalation of vapors. Provide good ventilation.

EPO-TEK 509FM-1UE Part B

Storage

Store at moderate temperatures in dry, well ventilated area. Keep container tightly sealed when not in use. Store away from: Oxidizing material. Reducing Agents.

Storage Class

Corrosive storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENT	STD	TWA (8-hrs)		STEL (15 min)		Notes
Tertiary Amine	ACGIH		5 mg/m ³			

ACGIH=American Conference of Governmental Industrial Hygienists.

Protective Equipment



Engineering Measures

Provide adequate general and local exhaust ventilation.

Respiratory Equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand Protection

Use protective gloves. Nitrile gloves are recommended.

Eye Protection

Wear goggles/face shield.

Other Protection

Provide eyewash station.

Hygiene Measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes wet.

9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Appearance</u>	Liquid
<u>Color</u>	Amber.
<u>Odor</u>	Mild.
<u>Solubility</u>	Soluble in water.
<u>Vapor density (air=1)</u>	>1
<u>Evaporation rate</u>	<BuAc
<u>Flash point (°C)</u>	>93

10. STABILITY AND REACTIVITY

Reactivity

Violent reaction with: Strong oxidizing agents. Strong reducing agents.

Stability

Stable under normal temperature conditions.

Hazardous Polymerisation

Will not polymerise.

Conditions To Avoid

Avoid contact with oxidizers or reducing agents. Avoid heat, flames and other sources of ignition.

EPO-TEK 509FM-1UE Part B

Materials To Avoid

Strong oxidizing substances. Strong reducing agents.

Hazardous Decomposition Products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. In case of fire, toxic gases (CO, CO₂, NO_x) may be formed.

11. TOXICOLOGICAL INFORMATION

Toxicological Information on Ingredients:

Tertiary Amine (CAS: Proprietary)

Carcinogenicity:

IARC Carcinogenicity

IARC Group 3 Not classifiable as to its carcinogenicity to humans.

NTP - Carcinogenicity

Reasonably anticipated human carcinogen.

OSHA - Carcinogenicity

Not listed.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Dangerous for the environment if discharged into watercourses. Dangerous for the environment: May cause long-term adverse effects in the aquatic environment.

Acute Fish Toxicity

Very toxic to aquatic organisms.

Degradability

No data available.

Bioaccumulative potential

No data available on bioaccumulation.

Mobility:

The product is partly soluble in water. May spread in the aquatic environment.

Other adverse effects

Not known.

13. DISPOSAL CONSIDERATIONS

Waste Management

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

<u>UN No. (DOT/TDG)</u>	UN3267
<u>UN No. (IMDG)</u>	3267
<u>UN No. (ICAO)</u>	3267
<u>DOT Proper Shipping Name</u>	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Cycloaliphatic Diamine, Specialty Aromatic Diamine)
<u>TDG Proper Shipping Name</u>	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Cycloaliphatic Diamine, Specialty Aromatic Diamine)
<u>DOT Hazard Class</u>	8
<u>DOT Hazard Label</u>	Corrosive
<u>TDG Class</u>	8
<u>TDG Label(s)</u>	8
<u>IMDG Class</u>	8

ICAO Class

8

Transport LabelsDOT Pack Group

III

IMDG Pack Group

III

Air Pack Group

III

Environmentally Hazardous Substance/Marine PollutantEMS

F-A, S-B

15. REGULATORY INFORMATION

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

None of the ingredients are listed.

CAA Accidental Release Prevention

None of the ingredients are listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

The following ingredients are listed.

Cyclic Diamine

Cyclic Ethyleneamine

Tertiary Amine

Rhode Island "Right To Know" List

The following ingredients are listed.

Tertiary Amine

Minnesota "Right To Know" List

The following ingredients are listed.

Tertiary Amine

New Jersey "Right To Know" List

The following ingredients are listed.

Cyclic Diamine

Cyclic Ethyleneamine

Cycloaliphatic Diamine

Tertiary Amine

Pennsylvania "Right To Know" List

The following ingredients are listed.

Cyclic Diamine

Cyclic Ethyleneamine

Tertiary Amine

International Inventories

EU - EINECS/ELINCS

At least one ingredient is not listed.

Canada – DSL/NDSL

All ingredients are listed or exempt.

US - TSCA

At least one ingredient is not listed.

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

All ingredients are listed or exempt.

Japan – MITI

At least one ingredient is not listed.

Korea - KECI

All ingredients are listed or exempt.

China - IECSC

All ingredients are listed or exempt.

Philippines – PICCS

All ingredients are listed or exempt.

16. OTHER INFORMATION

Revision Date 04/10/2015

Revision 1

Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.