



SAFETY DATA SHEET  
EPO-TEK EH100 Part A

### 1. IDENTIFICATION

<u>Product Name</u>	EPO-TEK EH100 Part A
<u>Product No.</u>	EPO-TEK EH100 Part A
<u>Identification No.</u>	UN3082
<u>Identified uses</u>	Adhesive.
<u>Supplier</u>	Epoxy Technology, Inc. 14 Fortune Drive Billerica, MA 01821 USA www.epotek.com (978) 667-3805 (978) 663-9782
<u>Emergency Telephone</u>	(800) 255-3924

### 2. HAZARD(S) IDENTIFICATION

<u>Appearance</u>	Paste
<u>Color</u>	Silver.
<u>Odor</u>	Mild.
<u>GHS Pictogram</u>	



Signal Word Warning

Hazard Statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313	Get medical advice/attention.
P501	Dispose of contents/container in accordance with local regulations.

Contains Epoxy Phenol Novolac

GHS Classification

Physical and Chemical Hazards	Not classified.
Human health	Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317
Environment	Aquatic Chronic 2 - H411

Inhalation

Gas or vapor in high concentrations may irritate respiratory system.

Ingestion

May cause discomfort if swallowed.

Skin Contact

May cause sensitization by skin contact. Irritating to skin.

# EPO-TEK EH100 Part A

## Eye Contact

Irritating to eyes.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Epoxy Phenol Novolac	10-30%
CAS No.: 9003-36-5	EC No.:
GHS Classification Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317; Aquatic Chronic 2 - H411	
Reactive Diluent Blend	5-10%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Acute Tox. 4 - H302; Acute Tox. 4 - H312; Acute Tox. 4 - H332; Skin Irrit. 2 - H315; Eye Dam. 1 - H318; Skin Sens. 1 - H317	

### 4. FIRST-AID MEASURES

#### Description of first aid measures

##### Inhalation

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

##### Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

##### Skin Contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

##### Eye Contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

#### Most important symptoms and effects, both acute and delayed

##### Inhalation

Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.

##### Ingestion

May cause discomfort if swallowed.

##### Skin Contact

Skin irritation. Allergic rash.

##### Eye Contact

Irritating and may cause redness and pain.

#### Indication of any immediate medical attention and special treatment needed

##### Notes To The Physician

Treat Symptomatically.

### 5. FIRE-FIGHTING MEASURES

Flash point (°C) >93

##### Extinguishing Media

Fire can be extinguished using: Dry chemicals. Foam. Carbon dioxide (CO2).

##### Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

# EPO-TEK EH100 Part A

## Special Fire Fighting Procedures

Avoid breathing fire vapors. Water spray should be used to cool containers.

## Protective Equipment For Fire-Fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

### Environmental Precautions

Do not discharge onto the ground or into water courses. Avoid release to the environment.

### Spill Clean Up Methods

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

### Reference to other sections

For personal protection, see section 8.

## 7. HANDLING AND STORAGE

### Handling

Avoid spilling, skin and eye contact. Do not eat, drink or smoke when using the product. Observe good chemical hygiene practices. Provide good ventilation.

### Storage

Store at moderate temperatures in dry, well ventilated area. Keep container tightly sealed when not in use.

### Storage Class

Chemical storage.

### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Protective Equipment



### Process Conditions

Provide eyewash station.

### Engineering Measures

Provide adequate general and local exhaust ventilation.

### Respiratory Equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

### Hand Protection

Use protective gloves made of: Impermeable material.

### Eye Protection

Wear goggles/face shield.

### Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

# EPO-TEK EH100 Part A

## Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Appearance</u>	Paste
<u>Color</u>	Silver.
<u>Odor</u>	Mild.
<u>Solubility</u>	Slightly soluble in water.
<u>Vapor density (air=1)</u>	>1
<u>Evaporation rate</u>	<BuAc
<u>Flash point (°C)</u>	>93

## 10. STABILITY AND REACTIVITY

### Reactivity

Reaction with: Strong oxidizing agents. Strong reducing agents.

### Stability

Stable under normal temperature conditions.

### Hazardous Polymerisation

Will not polymerise.

### Conditions To Avoid

Avoid excessive heat for prolonged periods of time.

### Materials To Avoid

Strong oxidizing substances. Strong reducing agents.

### Hazardous Decomposition Products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## 11. TOXICOLOGICAL INFORMATION

### Toxicological information

No information available.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Acute Fish Toxicity

Very toxic to aquatic organisms.

### Degradability

No data available.

### Bioaccumulative potential

No data available on bioaccumulation.

### Mobility:

The product has poor water-solubility.

### Other adverse effects

Not known.

## 13. DISPOSAL CONSIDERATIONS

### Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

## 14. TRANSPORT INFORMATION

<u>UN No. (DOT/TDG)</u>	UN3082
<u>UN No. (IMDG)</u>	3082

# EPO-TEK EH100 Part A

<u>UN No. (ICAO)</u>	3082
<u>DOT Proper Shipping Name</u>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Silver, Epoxy Phenol Novolac)
<u>TDG Proper Shipping Name</u>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Silver, Epoxy Phenol Novolac)
<u>DOT Hazard Class</u>	
9	
<u>DOT Hazard Label</u>	
Class 9	
<u>TDG Class</u>	9
<u>TDG Label(s)</u>	9
<u>IMDG Class</u>	9
<u>ICAO Class</u>	9
<u>Transport Labels</u>	



<u>DOT Pack Group</u>	III
<u>IMDG Pack Group</u>	III
<u>Air Pack Group</u>	III

Environmentally Hazardous Substance/Marine Pollutant



EMS F-A, S-F

## 15. REGULATORY INFORMATION

### US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The following ingredients are listed.

Silver; 1, 000 lbs (454 Kg)

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

The following ingredients are listed.

Silver

CAA Accidental Release Prevention

None of the ingredients are listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

### US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed.

Silver

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

The following ingredients are listed.

Silver

Rhode Island "Right To Know" List

The following ingredients are listed.

Silver

Minnesota "Right To Know" List

The following ingredients are listed.

Silver

New Jersey "Right To Know" List

The following ingredients are listed.

Silver

Pennsylvania "Right To Know" List

The following ingredients are listed.

Silver

International Inventories

EU - EINECS/ELINCS

At least one ingredient is not listed.

Canada – DSL/NDSL

All ingredients are listed or exempt.

US - TSCA

All ingredients are listed or exempt.

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

All ingredients are listed or exempt.

Japan – MITI

At least one ingredient is not listed.

Korea - KECI

All ingredients are listed or exempt.

China - IECSC

All ingredients are listed or exempt.

Philippines – PICCS

All ingredients are listed or exempt.

16. OTHER INFORMATION

Revision Date 05/27/2015

Revision 1

Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



SAFETY DATA SHEET  
EPO-TEK EH100 Part B

### 1. IDENTIFICATION

<u>Product Name</u>	EPO-TEK EH100 Part B
<u>Product No.</u>	EPO-TEK EH100 Part B
<u>Identification No.</u>	UN2735
<u>Identified uses</u>	Adhesive.
<u>Supplier</u>	Epoxy Technology, Inc. 14 Fortune Drive Billerica, MA 01821 USA www.epotek.com (978) 667-3805 (978) 663-9782
<u>Emergency Telephone</u>	(800) 255-3924

### 2. HAZARD(S) IDENTIFICATION

<u>Appearance</u>	Liquid
<u>Color</u>	Clear
<u>Odor</u>	Mild.
<u>GHS Pictogram</u>	



Signal Word Danger

Hazard Statements

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

Precautionary Statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P501	Dispose of contents/container in accordance with local regulations.

Contains

Polyoxypropylenediamine

GHS Classification

Physical and Chemical Hazards	Not classified.
Human health	Acute Tox. 4 - H302; Skin Corr. 1B - H314
Environment	Not classified.

Inhalation

In high concentrations, vapors may irritate throat and respiratory system and cause coughing.

Ingestion

Harmful if swallowed. May cause stomach pain or vomiting. May cause internal injury.

Skin Contact

Causes burns. Harmful in contact with skin.

Eye Contact

Causes burns.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Polyoxypropylenediamine	60-100%
CAS No.: 9046-10-0	EC No.:
GHS Classification Acute Tox. 4 - H302; Skin Corr. 1B - H314	

## 4. FIRST-AID MEASURES

Description of first aid measuresInhalation

Remove victim immediately from source of exposure. Keep the affected person warm and at rest. Get prompt medical attention.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention immediately!

Skin Contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.

Eye Contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse.

Most important symptoms and effects, both acute and delayedInhalation

Vapors may cause headache, fatigue, dizziness and nausea.

Ingestion

May cause stomach pain or vomiting.

Skin Contact

Burning pain and severe corrosive skin damage.

Eye Contact

Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal damage.

Indication of any immediate medical attention and special treatment neededNotes To The Physician

Treat Symptomatically.

## 5. FIRE-FIGHTING MEASURES

Flash point (°C) >93

Extinguishing Media

Fire can be extinguished using: Dry chemicals. Foam. Carbon dioxide (CO<sub>2</sub>).

Specific Hazards

In case of fire, toxic gases may be formed (CO<sub>x</sub>, NO<sub>x</sub>).

Special Fire Fighting Procedures

Water spray should be used to cool containers.

Protective Equipment For Fire-Fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Avoid release to the environment.

Spill Clean Up Methods

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb with sand or other inert absorbent. Wear necessary protective equipment.



## EPO-TEK EH100 Part B

Reference to other sections

For personal protection, see section 8.

### 7. HANDLING AND STORAGE

#### Handling

Avoid spilling, skin and eye contact. Do not eat, drink or smoke when using the product. Observe good chemical hygiene practices. Provide good ventilation.

#### Storage

Store at moderate temperatures in dry, well ventilated area. Keep away from heat, sparks and open flame.

#### Storage Class

Corrosive storage.

#### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Protective Equipment



#### Process Conditions

Provide eyewash, quick drench.

#### Engineering Measures

Provide adequate ventilation.

#### Respiratory Equipment

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

#### Hand Protection

Use suitable protective gloves if risk of skin contact.

#### Eye Protection

If risk of splashing, wear safety goggles or face shield.

#### Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

#### Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Appearance</u>	Liquid
<u>Color</u>	Clear
<u>Odor</u>	Mild.
<u>Solubility</u>	Soluble in water.
<u>Vapor density (air=1)</u>	>1
<u>Vapor pressure</u>	<1 mm Hg 20
<u>Evaporation rate</u>	<BuAc
<u>Flash point (°C)</u>	>93

### 10. STABILITY AND REACTIVITY

#### Reactivity

Reaction with: Strong oxidizing agents. Strong reducing agents.

#### Stability

Stable under normal temperature conditions.

## EPO-TEK EH100 Part B

### Hazardous Polymerisation

Will not polymerise.

### Conditions To Avoid

Avoid excessive heat for prolonged periods of time.

### Materials To Avoid

Strong oxidizing substances. Strong reducing agents.

### Hazardous Decomposition Products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## 11. TOXICOLOGICAL INFORMATION

### Toxicological Information on Ingredients:

Polyoxypropylenediamine (CAS: 9046-10-0)

#### Toxic Dose 1 - LD 50

2, 880 mg/kg (oral, rat)

#### Toxic Dose 2 - LD 50

2, 980 mg/kg (dermal, rabbit)

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

There are no data on the ecotoxicity of this product.

### Acute Toxicity - Fish

Not available.

### Degradability

No data available.

### Bioaccumulative potential

No data available on bioaccumulation.

### Mobility:

The product is soluble in water.

### Other adverse effects

Not known.

## 13. DISPOSAL CONSIDERATIONS

### Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

## 14. TRANSPORT INFORMATION

<u>UN No. (DOT/TDG)</u>	UN2735
<u>UN No. (IMDG)</u>	2735
<u>UN No. (ICAO)</u>	2735
<u>DOT Proper Shipping Name</u>	AMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylenediamine)
<u>TDG Proper Shipping Name</u>	AMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylenediamine)
<u>DOT Hazard Class</u>	8
<u>DOT Hazard Label</u>	Corrosive
<u>TDG Class</u>	8
<u>TDG Label(s)</u>	8
<u>IMDG Class</u>	8
<u>ICAO Class</u>	8
<u>Transport Labels</u>	



DOT Pack Group III

IMDG Pack Group III

Air Pack Group III

Environmentally Hazardous Substance/Marine Pollutant  
No.

EMS F-A, S-B

## 15. REGULATORY INFORMATION

### US Federal Regulations

#### SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

#### CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed.

#### SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

#### SARA 313 Emission Reporting

None of the ingredients are listed.

#### CAA Accidental Release Prevention

None of the ingredients are listed.

#### OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

### US State Regulations

#### California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

#### California Air Toxics "Hot Spots" (A-I)

None of the ingredients are listed.

#### California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

#### Massachusetts "Right To Know" List

None of the ingredients are listed.

#### Rhode Island "Right To Know" List

None of the ingredients are listed.

#### Minnesota "Right To Know" List

None of the ingredients are listed.

#### New Jersey "Right To Know" List

None of the ingredients are listed.

#### Pennsylvania "Right To Know" List

None of the ingredients are listed.

### International Inventories

#### EU - EINECS/ELINCS

None of the ingredients are listed.

#### Canada - DSL/NDSL

All ingredients are listed or exempt.

#### US - TSCA

All ingredients are listed or exempt.

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

All ingredients are listed or exempt.

Japan – MITI

All ingredients are listed or exempt.

Korea - KECI

All ingredients are listed or exempt.

China - IECSC

All ingredients are listed or exempt.

Philippines – PICCS

All ingredients are listed or exempt.

---

16. OTHER INFORMATION

Revision Date 05/27/2015

Revision 1

Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.