



## SAFETY DATA SHEET EPO-TEK® H24 Part A

### 1. Identification

#### Product identifier

**Product name** EPO-TEK® H24 Part A

**Product number** H24/A

#### Recommended use of the chemical and restrictions on use

**Application** Adhesive.

**Uses advised against** Use only for intended applications.

#### Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com, SDS@epotek.com

**Manufacturer** Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com, SDS@epotek.com

#### Emergency telephone number

**Emergency telephone** ChemTel: +1 (800) 255-3924, +1 (813) 248-0585

### 2. Hazard(s) identification

#### Classification of the substance or mixture


**Physical hazards** Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317

**Environmental hazards** Aquatic Chronic 2 - H411

#### Label elements

##### Hazard symbols



**Signal word** Warning

## EPO-TEK® H24 Part A

<b>Hazard statements</b>	H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects.
<b>Precautionary statements</b>	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 If on skin: Wash with plenty of water. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with national regulations.
<b>Contains</b>	Epoxy Phenol Novolac
<b><u>Other hazards</u></b>	
Harmful dust may be released during cutting or grinding process.	
<b>Hazards not otherwise classified (HNOC)</b>	Contains epoxy constituents. May produce an allergic reaction.

### 3. Composition/information on ingredients

#### Mixtures

<b>Silver</b>	<b>30-60%</b>
CAS number: 7440-22-4	
<b>Classification</b>	
Aquatic Chronic 2 - H411	
<b>Epoxy Phenol Novolac</b>	<b>30-60%</b>
CAS number: 9003-36-5	
<b>Classification</b>	
Skin Irrit. 2 - H315	
Eye Irrit. 2A - H319	
Skin Sens. 1 - H317	
Aquatic Chronic 2 - H411	

The full text for all hazard statements is displayed in Section 16.

### 4. First-aid measures

#### Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin Contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### Most important symptoms and effects, both acute and delayed

## EPO-TEK® H24 Part A

<b>Inhalation</b>	Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin contact</b>	Skin irritation. Allergic rash.
<b>Eye contact</b>	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.

### Indication of immediate medical attention and special treatment needed

**Notes for the doctor**                      Treat symptomatically.

### 5. Fire-fighting measures

#### Extinguishing media

**Suitable extinguishing media**    Extinguish with the following media: Dry chemicals. Foam. Carbon dioxide (CO<sub>2</sub>).

#### Special hazards arising from the substance or mixture

**Hazardous combustion products**                      Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

#### Advice for firefighters

**Protective actions during firefighting**                      Avoid breathing fire gases or vapors. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.

**Special protective equipment for firefighters**                      Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions**                      Wear protective clothing as described in Section 8 of this safety data sheet.

#### Environmental precautions

**Environmental precautions**                      Do not discharge into drains or watercourses or onto the ground. Avoid release to the environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up**                      Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

**Reference to other sections**                      For personal protection, see Section 8.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions**                      Handle all packages and containers carefully to minimize spills. Avoid inhalation of vapors and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

**Advice on general occupational hygiene**                      Do not eat, drink or smoke when using this product. Wash promptly if skin becomes contaminated. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of skin.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions**                      Store at room temperature. Keep container tightly sealed when not in use.

## EPO-TEK® H24 Part A

**Storage class** Chemical storage.

**Specific end uses(s)**

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

### 8. Exposure controls/Personal protection

**Control parameters**

**Occupational exposure limits**

**Silver**

Long-term exposure limit (8-hour TWA): 0.1

**Exposure controls**

**Protective equipment**



**Appropriate engineering controls**

Provide adequate general and local exhaust ventilation.

**Eye/face protection**

Wear tight-fitting, chemical splash goggles or face shield.

**Hand protection**

Gloves made from the following material may provide suitable chemical protection: Nitrile rubber. Neoprene. Butyl rubber. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.

**Other skin and body protection**

Wear appropriate clothing to prevent any possibility of skin contact.

**Hygiene measures**

Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

**Respiratory protection**

If ventilation is inadequate, suitable respiratory protection must be worn. Gas filter, type A2.

### 9. Physical and chemical properties

**Information on basic physical and chemical properties**

<b>Appearance</b>	Paste.
<b>Color</b>	Silver.
<b>Odor</b>	Mild.
<b>Odor threshold</b>	No specific test data are available.
<b>pH</b>	No specific test data are available.
<b>Melting point</b>	No specific test data are available.
<b>Initial boiling point and range</b>	No specific test data are available.
<b>Flash point</b>	> 93°C
<b>Evaporation rate</b>	<BuAc

## EPO-TEK® H24 Part A

<b>Flammability (solid, gas)</b>	No specific test data are available.
<b>Upper/lower flammability or explosive limits</b>	No specific test data are available.
<b>Vapor pressure</b>	No specific test data are available.
<b>Vapor density</b>	>1
<b>Relative density</b>	No specific test data are available.
<b>Solubility(ies)</b>	No specific test data are available.
<b>Partition coefficient</b>	No specific test data are available.
<b>Auto-ignition temperature</b>	No specific test data are available.
<b>Decomposition Temperature</b>	No specific test data are available.
<b>Viscosity</b>	No specific test data are available.
<b>Other information</b>	None.

### 10. Stability and reactivity

<b>Reactivity</b>	The following materials may react with the product: Strong oxidizing agents. Strong reducing agents.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time.
<b>Materials to avoid</b>	Strong oxidizing agents. Strong reducing agents.
<b>Hazardous decomposition products</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Oxides of carbon. Oxides of nitrogen.

### 11. Toxicological information

#### Information on toxicological effects

<b>Inhalation</b>	Gas or vapor in high concentrations may irritate the respiratory system.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin Contact</b>	May cause sensitisation by skin contact. Irritating to skin.
<b>Eye contact</b>	Irritating to eyes.

### 12. Ecological information

<b>Ecotoxicity</b>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
<b>Toxicity</b>	Very toxic to aquatic organisms.
<b><u>Persistence and degradability</u></b>	
<b>Persistence and degradability</b>	No data available.
<b><u>Bioaccumulative potential</u></b>	

## EPO-TEK® H24 Part A

**Bio-Accumulative Potential** No data available on bioaccumulation.

**Partition coefficient** No specific test data are available.

**Mobility in soil**

**Mobility** The product has poor water-solubility.

**Other adverse effects**

**Other adverse effects** Not known.

### 13. Disposal considerations

**Waste treatment methods**

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 14. Transport information

**UN Number**

**UN No. (TDG)** 3082

**UN No. (IMDG)** 3082

**UN No. (ICAO)** 3082

**UN No. (DOT)** UN3082

**UN proper shipping name**

**Proper shipping name (TDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Epoxy Phenol Novolac)

**Proper shipping name (IMDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Epoxy Phenol Novolac)

**Proper shipping name (ICAO)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Epoxy Phenol Novolac)

**Proper shipping name (DOT)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Epoxy Phenol Novolac)

**Transport hazard class(es)**

**DOT hazard class** 9

**DOT hazard label** 9

**TDG class** 9

**TDG label(s)** 9

**IMDG Class** 9

**ICAO class/division** 9

**Transport labels**



## EPO-TEK® H24 Part A

### DOT transport labels



### Packing group

TDG Packing Group	III
IMDG packing group	III
ICAO packing group	III
DOT packing group	III

### Environmental hazards

#### Environmentally Hazardous Substance



### Special precautions for user

EmS F-A, S-F

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## 15. Regulatory information

**Regulatory References** Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

### US Federal Regulations

#### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed.

#### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

The following ingredients are listed:

*Silver*

1,000 lbs (454 Kg)

#### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are listed.

#### **SARA 313 Emission Reporting**

The following ingredients are listed:

*Silver*

#### **CAA Accidental Release Prevention**

None of the ingredients are listed.

#### **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed.

### US State Regulations

## EPO-TEK® H24 Part A

### California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

### California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed:

*Silver*

### California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

### Massachusetts "Right To Know" List

The following ingredients are listed:

*Silver*

### Rhode Island "Right To Know" List

The following ingredients are listed:

*Silver*

### Minnesota "Right To Know" List

The following ingredients are listed:

*Silver*

### New Jersey "Right To Know" List

The following ingredients are listed:

*Silver*

### Pennsylvania "Right To Know" List

The following ingredients are listed:

*Silver*

### Inventories

#### EU - EINECS/ELINCS

Some of the ingredients are listed or exempt.

#### Canada - DSL/NDSL

All the ingredients are listed or exempt.

#### US - TSCA

All the ingredients are listed or exempt.

#### US - TSCA 12(b) Export Notification

None of the ingredients are listed.

#### Australia - AICS

All the ingredients are listed or exempt.

#### Japan - ENCS

Some of the ingredients are listed or exempt.

#### Korea - KECI

All the ingredients are listed or exempt.

#### China - IECSC

All the ingredients are listed or exempt.



## EPO-TEK® H24 Part A

### Philippines - PICCS

All the ingredients are listed or exempt.

#### 16. Other information

<b>Revision date</b>	10/27/2020
<b>Revision</b>	3
<b>Supersedes date</b>	7/2/2019
<b>Hazard statements in full</b>	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



## SAFETY DATA SHEET EPO-TEK® H24 Part B

### 1. Identification

#### Product identifier

**Product name** EPO-TEK® H24 Part B

**Product number** H24/B

#### Recommended use of the chemical and restrictions on use

**Application** Adhesive.

**Uses advised against** Use only for intended applications.

#### Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com, SDS@epotek.com

**Manufacturer** Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com, SDS@epotek.com

#### Emergency telephone number

**Emergency telephone** ChemTel: +1 (800) 255-3924, +1 (813) 248-0585

### 2. Hazard(s) identification

#### Classification of the substance or mixture

**Physical hazards** Not Classified

**Health hazards** Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335

**Environmental hazards** Not Classified

#### Label elements

##### Hazard symbols



**Signal word** Danger

## EPO-TEK® H24 Part B

<b>Hazard statements</b>	H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
<b>Precautionary statements</b>	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P312 If swallowed: Call a poison center/ doctor if you feel unwell. P302+P352 If on skin: Wash with plenty of water. P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with national regulations.
<b>Contains</b>	Substituted Imidazole

### 3. Composition/information on ingredients

#### Mixtures

<b>Substituted Imidazole</b>	<b>60-100%</b>
CAS number: Proprietary	
<b>Classification</b>	
Acute Tox. 4 - H302	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
STOT SE 3 - H335	

The full text for all hazard statements is displayed in Section 16.

### 4. First-aid measures

#### Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin Contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	May cause respiratory irritation. Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.
<b>Ingestion</b>	Harmful if swallowed. May cause stomach pain or vomiting. May cause nausea, headache, dizziness and intoxication. May cause chemical burns in mouth, esophagus and stomach.
<b>Skin contact</b>	Causes skin irritation.
<b>Eye contact</b>	Causes serious eye damage.

#### Indication of immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## EPO-TEK® H24 Part B

### 5. Fire-fighting measures

#### Extinguishing media

**Suitable extinguishing media** Extinguish with the following media: Dry chemicals. Foam. Water spray.

#### Special hazards arising from the substance or mixture

**Hazardous combustion products** Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

#### Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapors.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

#### Environmental precautions

**Environmental precautions** Avoid release to the environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

**Reference to other sections** For personal protection, see Section 8.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions** Handle all packages and containers carefully to minimize spills. Avoid inhalation of vapors and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

**Advice on general occupational hygiene** Provide eyewash station. Do not eat, drink or smoke when using this product. Wash promptly if skin becomes contaminated. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of skin.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at room temperature. Keep container tightly sealed when not in use.

**Storage class** Chemical storage.

#### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

### 8. Exposure controls/Personal protection

**Ingredient comments** No exposure limits known for ingredient(s).

#### Exposure controls

## EPO-TEK® H24 Part B

### Protective equipment



#### Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

#### Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield.

#### Hand protection

It is recommended that gloves are made of the following material: Gloves made from the following material may provide suitable chemical protection: Nitrile rubber. Butyl rubber. Neoprene. The most suitable glove should be chosen in consultation with the glove supplier/manufacture, who can provide information about the breakthrough time of the glove material. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.

#### Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

#### Hygiene measures

Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

#### Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. Gas filter, type A2.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Liquid.
Color	Amber.
Odor	Mild.
Odor threshold	No specific test data are available.
pH	No specific test data are available.
Melting point	No specific test data are available.
Initial boiling point and range	No specific test data are available.
Flash point	> 93°C
Evaporation rate	< BuAc
Flammability (solid, gas)	No specific test data are available.
Upper/lower flammability or explosive limits	No specific test data are available.
Vapor pressure	No specific test data are available.
Vapor density	>1
Relative density	No specific test data are available.
Solubility(ies)	Slightly soluble in water.
Partition coefficient	No specific test data are available.
Auto-ignition temperature	No specific test data are available.

## EPO-TEK® H24 Part B

<b>Decomposition Temperature</b>	No specific test data are available.
<b>Viscosity</b>	No specific test data are available.
<b>Other information</b>	None.

### 10. Stability and reactivity

<b>Reactivity</b>	The following materials may react with the product: Acids. Strong alkalis. Strong oxidizing agents. Strong reducing agents.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition.
<b>Materials to avoid</b>	Strong acids. Strong alkalis. Strong oxidizing agents. Strong reducing agents.
<b>Hazardous decomposition products</b>	Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Hydrogen cyanide (HCN). Nitrous gases (NO <sub>x</sub> ).

### 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity - oral

ATE oral (mg/kg) 500.5

<b>Inhalation</b>	May cause respiratory irritation.
<b>Ingestion</b>	Harmful if swallowed. May cause stomach pain or vomiting. May cause chemical burns in mouth, esophagus and stomach. May cause nausea, headache, dizziness and intoxication.
<b>Skin Contact</b>	Causes skin irritation.
<b>Eye contact</b>	Causes serious eye damage.

### 12. Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment.

#### Acute aquatic toxicity

**Acute toxicity - fish** Not available.

#### Persistence and degradability

**Persistence and degradability** The product is moderately biodegradable.

#### Bioaccumulative potential

**Bio-Accumulative Potential** The product is not bioaccumulating.

**Partition coefficient** No specific test data are available.

#### Mobility in soil

**Mobility** Mobile.

## EPO-TEK® H24 Part B

### Other adverse effects

**Other adverse effects** Not known.

### 13. Disposal considerations

#### Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 14. Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).

#### UN Number

**UN No. (International)** Not applicable.

**UN No. (DOT)** Not applicable.

#### UN proper shipping name

**Proper shipping name (International)** Not applicable.

**Proper shipping name (DOT)** Not applicable.

#### Transport hazard class(es)

**Transport Labels (International)** No transport warning sign required.

#### DOT transport labels

No transport warning sign required.

#### Packing group

**Packing group (International)** Not applicable.

**DOT packing group** Not applicable.

#### Environmental hazards

##### **Environmentally Hazardous Substance**

No.

#### Special precautions for user

Not applicable.

**DOT reportable quantity** Not applicable.

**DOT TIH Zone** Not applicable.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

### 15. Regulatory information

**Regulatory References** Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

#### US Federal Regulations

## EPO-TEK® H24 Part B

### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are required to be listed.

### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are required to be listed.

### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are required to be listed.

### **SARA 313 Emission Reporting**

None of the ingredients are required to be listed.

### **CAA Accidental Release Prevention**

None of the ingredients are required to be listed.

### **OSHA Highly Hazardous Chemicals**

None of the ingredients are required to be listed.

## **US State Regulations**

### **California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are required to be listed.

### **California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are required to be listed.

### **California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are required to be listed.

### **Massachusetts "Right To Know" List**

None of the ingredients are required to be listed.

### **Rhode Island "Right To Know" List**

None of the ingredients are required to be listed.

### **Minnesota "Right To Know" List**

None of the ingredients are required to be listed.

### **New Jersey "Right To Know" List**

None of the ingredients are required to be listed.

### **Pennsylvania "Right To Know" List**

None of the ingredients are required to be listed.

## **Inventories**

### **EU - EINECS/ELINCS**

All the ingredients are listed or exempt.

### **Canada - DSL/NDSL**

All the ingredients are listed or exempt.

### **US - TSCA**

All the ingredients are listed or exempt.

### **US - TSCA 12(b) Export Notification**

None of the ingredients are listed.



## EPO-TEK® H24 Part B

### Australia - AICS

All the ingredients are listed or exempt.

### Japan - ENCS

All the ingredients are listed or exempt.

### Korea - KECI

All the ingredients are listed or exempt.

### China - IECSC

All the ingredients are listed or exempt.

### Philippines - PICCS

All the ingredients are listed or exempt.

## 16. Other information

<b>Revision date</b>	10/27/2020
<b>Revision</b>	3
<b>Supersedes date</b>	7/2/2019
<b>Hazard statements in full</b>	H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.