

# SAFETY DATA SHEET EPO-TEK® H31D

#### 1. Identification

**Product identifier** 

Product name EPO-TEK® H31D

Product number H31D

Recommended use of the chemical and restrictions on use

**Application** Adhesive.

Uses advised against

Use only for intended applications.

Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.

14 Fortune Drive Billerica, MA 01821

USA

(978) 667-3805 (978) 663-9782

www.epotek.com, SDS@epotek.com

**Emergency telephone number** 

Emergency telephone ChemTel: +1 (800) 255-3924, +1 (813) 248-0585

# 2. Hazard(s) identification

# Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351

**Environmental hazards** Aquatic Chronic 2 - H411

Human health Contains a substance which may cause genetic defects. Contains a substance which may be

potentially carcinogenic.

# Label elements

## **Pictogram**







Signal word Warning

Hazard statements H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

Revision date: 5/15/2018 Revision: 2 Supersedes date: 1/21/2015

## **EPO-TEK® H31D**

**Precautionary statements** P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention.

P501 Dispose of contents/ container in accordance with national regulations.

Contains Resorcinol Diglycidyl Ether

#### Other hazards

Harmful dust may be released during cutting or grinding process.

# 3. Composition/information on ingredients

#### Substances

Silver 60-100%

CAS number: 7440-22-4

## Classification

Aquatic Chronic 2 - H411

# Resorcinol Diglycidyl Ether 10-30%

CAS number: 101-90-6

#### Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317

Muta. 2 - H341 Carc. 2 - H351

Substituted Amine 1-5%

CAS number: Proprietary

## Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Reactive Diluent 1-5%

CAS number: Proprietary

## Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 STOT SE 3 - H336

The full text for all hazard statements is displayed in Section 16.

Product name EPO-TEK® H31D

#### 4. First-aid measures

#### Description of first aid measures

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin Contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### Most important symptoms and effects, both acute and delayed

Inhalation Inhalation of dust during cutting, grinding or sanding operations involving this product may

cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the

respiratory system.

Ingestion May cause discomfort if swallowed.

Skin contact Causes skin irritation. Allergic rash. May cause sensitisation by skin contact.

Eye contact Causes serious eye irritation.

## Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

## 5. Fire-fighting measures

# **Extinguishing media**

Suitable extinguishing media Extinguish with the following media: Dry chemicals. Foam. Water spray.

# Special hazards arising from the substance or mixture

Hazardous combustion

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapors.

Advice for firefighters

products

Protective actions during

firefighting

Special protective equipment

Avoid breathing fire gases or vapors.

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing

#### 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

**Environmental precautions** 

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. Avoid release to the

environment.

## Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into

containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering

drains, sewers or watercourses.

**Reference to other sections** For personal protection, see Section 8.

## 7. Handling and storage

#### Precautions for safe handling

Usage precautions Handle all packages and containers carefully to minimize spills. Avoid inhalation of vapors and

contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety

data sheet.

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Wash promptly with soap and water if skin becomes contaminated. Wash contaminated clothing before reuse. Use appropriate skin

cream to prevent drying of skin.

## Conditions for safe storage, including any incompatibilities

Storage precautions Store at -40°C. Keep container tightly sealed when not in use.

Storage class Chemical storage.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

#### 8. Exposure Controls/personal protection

#### Control parameters

#### Occupational exposure limits

Silver

Long-term exposure limit (8-hour TWA): ACGIH 0.1 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): ACGIH

ACGIH = American Conference of Governmental Industrial Hygienists.

#### **Exposure controls**

# Protective equipment





Appropriate engineering

controls

Provide adequate general and local exhaust ventilation.

**Eye/face protection** Wear tight-fitting, chemical splash goggles or face shield.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Do not smoke in work area. Wash at the end of each work shift and before eating, smoking

and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn.

## 9. Physical and Chemical Properties

## Information on basic physical and chemical properties

Appearance Paste.

Color Silver.

Odor Mild.

Odor threshold No specific test data are available.

**pH** No specific test data are available.

Melting point No specific test data are available.

**Initial boiling point and range** No specific test data are available.

Flash point > 93°C

Evaporation rate <BuAc

Flammability (solid, gas) No specific test data are available.

Upper/lower flammability or

explosive limits

No specific test data are available.

Vapor density >1

Relative density No specific test data are available.

Solubility(ies) Insoluble in water.

Partition coefficient No specific test data are available.

**Auto-ignition temperature** No specific test data are available.

**Decomposition Temperature** No specific test data are available.

Viscosity No specific test data are available.

Other information None.

# 10. Stability and reactivity

**Reactivity** The following materials may react violently with the product: Strong oxidizing agents. Strong

reducing agents.

Stability Stable at normal ambient temperatures and when used as recommended.

Possibility of hazardous

reactions

Will not polymerize.

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of

ignition.

Materials to avoid Strong oxidizing agents. Strong reducing agents.

Hazardous decomposition

products

Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen fluoride (HF). Oxides of nitrogen.

# 11. Toxicological information

# Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 3,385.24

Acute toxicity - dermal

**ATE dermal (mg/kg)** 8,076.36

Revision date: 5/15/2018 Revision: 2 Supersedes date: 1/21/2015

#### **EPO-TEK® H31D**

**Inhalation** Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust

during cutting, grinding or sanding operations involving this product may cause irritation of the

respiratory tract.

**Ingestion** May cause discomfort if swallowed.

**Skin Contact** May cause sensitisation by skin contact. Causes skin irritation.

**Eye contact** Causes serious eye irritation.

12. Ecological Information

**Ecotoxicity**The product contains substances which are toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment.

Acute aquatic toxicity

Acute toxicity - fish Not known.

Persistence and degradability

Persistence and degradability The product is moderately biodegradable.

Bioaccumulative potential

**Bio-Accumulative Potential** The product contains potentially bioaccumulating substances.

Partition coefficient No specific test data are available.

Mobility in soil

**Mobility** Semi-mobile.

Other adverse effects

Other adverse effects Not known.

# 13. Disposal considerations

Waste treatment methods

General information Dangerous for the environment. May cause long-term adverse effects in the aquatic

environment.

#### 14. Transport information

**UN Number** 

UN No. (TDG) 3082 UN No. (IMDG) 3082 UN No. (ICAO) 3082

**UN No. (DOT)** UN3082

UN proper shipping name

Proper shipping name (TDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver)

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver)

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver)

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver)

Transport hazard class(es)

DOT hazard class 9

DOT hazard label 9
TDG class 9
TDG label(s) 9
IMDG Class 9
ICAO class/division 9

## Transport labels



## **DOT transport labels**



## Packing group

TDG Packing Group III
IMDG packing group III
ICAO packing group III
DOT packing group III

# **Environmental hazards**

# **Environmentally Hazardous Substance**



## Special precautions for user

**EmS** F-A, S-F

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

# 15. Regulatory information

**Regulatory References** Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

# **US Federal Regulations**

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The following ingredients are listed:

Silver

1,000 lbs (454 Kg)

#### SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

## SARA 313 Emission Reporting

The following ingredients are listed:

Silver

Resorcinol Diglycidyl Ether

## **CAA Accidental Release Prevention**

None of the ingredients are listed.

## **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed.

# **US State Regulations**

#### California Proposition 65 Carcinogens and Reproductive Toxins

The following ingredients are listed:

Resorcinol Diglycidyl Ether

#### California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed:

Silver

## California Air Toxics "Hot Spots" (A-II)

The following ingredients are listed:

Resorcinol Diglycidyl Ether

# Massachusetts "Right To Know" List

The following ingredients are listed:

Silver

Resorcinol Diglycidyl Ether

# Rhode Island "Right To Know" List

The following ingredients are listed:

Silver

## Minnesota "Right To Know" List

The following ingredients are listed:

Silver

Resorcinol Diglycidyl Ether

# New Jersey "Right To Know" List

The following ingredients are listed:

Silver

Resorcinol Diglycidyl Ether

# Pennsylvania "Right To Know" List

The following ingredients are listed:

Silver

Resorcinol Diglycidyl Ether

#### **Inventories**

#### **EU - EINECS/ELINCS**

All the ingredients are listed or exempt.

#### Canada - DSL/NDSL

All the ingredients are listed or exempt.

#### **US-TSCA**

All the ingredients are listed or exempt.

#### US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

#### Australia - AICS

All the ingredients are listed or exempt.

#### Japan - MITI

Some of the ingredients are listed or exempt.

## Korea - KECI

Some of the ingredients are listed or exempt.

#### China - IECSC

All the ingredients are listed or exempt.

#### Philippines - PICCS

Some of the ingredients are listed or exempt.

#### 16. Other information

Revision date 5/15/2018

Revision 2

Supersedes date 1/21/2015

Hazard statements in full H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.