* TECHNOLOGY

SAFETY DATA SHEET EPO-TEK H35-175MPT

1. Identification		
Product identifier		
Product name	EPO-TEK H35-175MPT	
Product number	H35-175MPT	
Recommended use of the ch	nemical and restrictions on use	
Application	Adhesive.	
Details of the supplier of the	safety data sheet	
Supplier	Epoxy Technology, Inc. 14 Fortune Drive Billerica, MA 01821 USA (978) 667-3805 (978) 663-9782 www.epotek.com, SDS@epotek.com	
Emergency telephone number		
Emergency telephone	+1 (800) 255-3924, +1 (813) 248-0585	
2. Hazard(s) identification		
Classification of the substand	ce or mixture	
Physical hazards	Not Classified	
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317 Carc. 2 - H351	
Environmental hazards	Aquatic Acute 3 - H402 Aquatic Chronic 2 - H411	
Label elements Pictogram		
Signal word	Warning	
Hazard statements	H315 Causes skin irritation.	

Precautionary statements	 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 If on skin: Wash with plenty of water. P308+P313 If exposed or concerned: Get medical advice/ attention. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations. 	
Contains	Epoxy Phenol Novolac, Reactive Diluent, Antioxidant	
Other hazards		
Harmful dust may be released during cutting or grinding process.		
Hazards not otherwise classified (HNOC)	Contains epoxy constituents. May produce an allergic reaction.	
3. Composition/information on ingredients		
Mixtures		
Silver		60-100%
CAS number: 7440-22-4		
Classification		

Aquatic Chronic 2 - H411

Epoxy Phenol Novolac

CAS number: 9003-36-5

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

Reactive Diluent

CAS number: Proprietary

Classification

Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 1-5%

10-30%

products

firefighting

Advice for firefighters Protective actions during

EPO-TEK H35-175MPT

Antioxidant	<19
CAS number: Proprietary	
Classification	
Acute Tox. 4 - H302	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317 Muta. 2 - H341	
Carc. 2 - H351	
Aquatic Acute 1 - H400	
The full text for all hazard sta	tements is displayed in Section 16.
4. First-aid measures	
Description of first aid measu	
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin Contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and oper eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.
Most important symptoms an	d effects, both acute and delayed
General information	Contains a substance which may cause genetic defects. Contains a substance which may be potentially carcinogenic.
Inhalation	Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system.
Ingestion	May cause discomfort if swallowed.
Skin contact	Allergic rash. Causes skin irritation. May cause sensitisation by skin contact.
Eye contact	Causes serious eye irritation.
Indication of immediate medi	cal attention and special treatment needed
Notes for the doctor	Treat symptomatically.
5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Dry chemicals. Foam. Water spray.
Special hazards arising from	the substance or mixture
Hazardous combustion	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or
a wa ali i aka	

remove them from the fire area if it can be done without risk.

Avoid breathing fire gases or vapors. Cool containers exposed to heat with water spray and

vapors.

Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.		
6. Accidental release measure	S		
Personal precautions, protectiv	ve equipment and emergency procedures		
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.		
Environmental precautions			
Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Avoid release to the environment.		
Methods and material for conta	Methods and material for containment and cleaning up		
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.		
Reference to other sections	For personal protection, see Section 8.		
7. Handling and storage			
Precautions for safe handling			
Usage precautions	Handle all packages and containers carefully to minimize spills. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.		
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Wash promptly with soap and water if skin becomes contaminated. Wash after use and before eating, smoking and using the toilet. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of skin.		
Conditions for safe storage, inc	cluding any incompatibilities		
Storage precautions	Store at -40°C. Keep container tightly sealed when not in use.		
Storage class	Chemical storage.		
Specific end uses(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.		
8. Exposure Controls/personal	protection		
Control parameters Occupational exposure limits Silver			
Long-term exposure limit (8-hour TWA): ACGIH 0.1 mg/m ³ Short-term exposure limit (15-minute): ACGIH			
Antioxidant			
Long-term exposure limit (8-ho Short-term exposure limit (15-r ACGIH = American Conference			
Exposure controls			
Protective equipment			

Appropriate engineering controls	Provide adequate general and local exhaust ventilation.
Eye/face protection	Wear tight-fitting, chemical splash goggles or face shield.
Hand protection	It is recommended that chemical-resistant, impervious gloves are worn.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.
9. Physical and Chemical Pr	operties
Information on basic physica	al and chemical properties
Appearance	Paste.
Color	Silver.
Odor	Mild.
Flash point	> 93°C
Evaporation rate	<buac< th=""></buac<>
Solubility(ies)	Slightly soluble in water.
Other information	None.
10. Stability and reactivity	
Reactivity	The following materials may react with the product: Acids. Strong alkalis. Strong oxidizing agents. Strong reducing agents.
Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	Will not polymerize.
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
Materials to avoid	Strong acids. Strong alkalis. Strong oxidizing agents. Strong reducing agents.
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO2).
11. Toxicological information	1
Information on toxicological	
Inhalation	Inhalation of dust during cutting, grinding or sanding operations involving this product may

Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system.

y be
ent.
he
יר יר

Proper shipping name (ICAO)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Epoxy Phenol Novolac)
Proper shipping name (DOT)	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CONTAINS Silver, Epoxy Phenol Novolac)
Transport hazard class(es)	
DOT hazard class	9
DOT hazard label	9
TDG class	9
TDG label(s)	9
IMDG Class	9
ICAO class/division	9

Transport labels

DOT transport labels

Packing group		
TDG Packing (Groun	

TDG Packing Group	Ш
IMDG packing group	Ш
ICAO packing group	Ш
DOT packing group	Ш

Environmental hazards

Environmentally Hazardous Substance



Special precautions for user	
EmS	F-A, S-F
Transport in bulk according to Annex II of MARPOL 73/78	Not applicable.

15. Regulatory information

and the IBC Code

Regulatory References

Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

The following ingredients are listed:

Antioxidant EPCRA 302 TPQ 10 000 lbs 500 lbs Tier II TPQ 500 lbs

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The following ingredients are listed: Antioxidant

100 lbs (45.4 Kg) *Silver*

1,000 lbs (454 Kg)

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are required to be listed.

SARA 313 Emission Reporting

The following ingredients are listed:

Antioxidant

Silver

CAA Accidental Release Prevention

None of the ingredients are required to be listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are required to be listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins None of the ingredients are required to be listed.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed: *Antioxidant Silver*

California Air Toxics "Hot Spots" (A-II) None of the ingredients are required to be listed.

Massachusetts "Right To Know" List

The following ingredients are listed: *Antioxidant Silver*

Rhode Island "Right To Know" List

The following ingredients are listed: *Antioxidant Silver*

Minnesota "Right To Know" List

The following ingredients are listed:

Antioxidant

Silver

New Jersey "Right To Know" List

The following ingredients are listed:

Antioxidant

Silver

Pennsylvania "Right To Know" List

The following ingredients are listed: Antioxidant

Silver

Inventories

EU - EINECS/ELINCS

Some of the ingredients are listed or exempt.

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

All the ingredients are listed or exempt.

Japan - MITI Some of the ingredients are listed or exempt.

Korea - KECI

All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines - PICCS

All the ingredients are listed or exempt.

16. Other information Revision date 6/20/2017 Revision 2 Supersedes date 3/17/2015

- H302 Harmful if swallowed. H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H400 Very toxic to aquatic life.
- H402 Harmful to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.