



## SAFETY DATA SHEET EPO-TEK H37MP-2

### 1. Identification

#### Product identifier

**Product name** EPO-TEK H37MP-2

**Product number** H37MP-2

#### Recommended use of the chemical and restrictions on use

**Application** Adhesive.

#### Details of the supplier of the safety data sheet

##### Supplier

Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com, SDS@epotek.com

#### Emergency telephone number

**Emergency telephone** +1 (800) 255-3924, +1 (813) 248-0585

### 2. Hazard(s) identification

#### Classification of the substance or mixture

**Physical hazards** Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317 Carc. 2 - H351

**Environmental hazards** Aquatic Acute 3 - H402 Aquatic Chronic 2 - H411

#### Human health

Contains a substance which may be potentially carcinogenic. Contains a substance/a group of substances which may damage the unborn child.

#### Label elements

##### Pictogram



##### Signal word

Warning

##### Hazard statements

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H351 Suspected of causing cancer.  
H402 Harmful to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

## EPO-TEK H37MP-2

**Precautionary statements**      P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P302+P352 If on skin: Wash with plenty of water.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P501 Dispose of contents/ container in accordance with national regulations.

**Contains**                                      Epoxy Phenol Novolac, Reactive Diluent, Antioxidant, Accelerator

**Other hazards**

Harmful dust may be released during cutting or grinding process.

**Hazards not otherwise classified (HNOC)**                      Contains epoxy constituents. May produce an allergic reaction.

### 3. Composition/information on ingredients

**Mixtures**

<b>Silver</b>	<b>60-100%</b>
CAS number: 7440-22-4	
<b>Classification</b>	
Aquatic Chronic 2 - H411	
<b>Epoxy Phenol Novolac</b>	<b>10-30%</b>
CAS number: 9003-36-5	
<b>Classification</b>	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	
Aquatic Chronic 2 - H411	
<b>Reactive Diluent</b>	<b>5-10%</b>
CAS number: Proprietary	
<b>Classification</b>	
Acute Tox. 4 - H312	
Acute Tox. 4 - H332	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	

**EPO-TEK H37MP-2**

<b>Antioxidant</b>	<b>&lt;1%</b>
CAS number: Proprietary	

<b>Classification</b>
Acute Tox. 4 - H302
Eye Dam. 1 - H318
Skin Sens. 1 - H317
Muta. 2 - H341
Carc. 2 - H351
Aquatic Acute 1 - H400

<b>Accelerator</b>	<b>&lt;1%</b>
CAS number: Proprietary	

<b>Classification</b>
Acute Tox. 4 - H302
Carc. 2 - H351
Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

**4. First-aid measures****Description of first aid measures**

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin Contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

**Most important symptoms and effects, both acute and delayed**

<b>General information</b>	Contains a substance which may be potentially carcinogenic.
<b>Inhalation</b>	Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin contact</b>	Skin irritation. Allergic rash.
<b>Eye contact</b>	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.

**Indication of immediate medical attention and special treatment needed**

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

**5. Fire-fighting measures**

## EPO-TEK H37MP-2

### Extinguishing media

**Suitable extinguishing media** Extinguish with the following media: Dry chemicals. Foam. Carbon dioxide (CO<sub>2</sub>).

### Special hazards arising from the substance or mixture

**Hazardous combustion products** Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

### Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapors. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. Avoid release to the environment.

### Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

**Reference to other sections** For personal protection, see Section 8.

## 7. Handling and storage

### Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes. Do not handle broken packages without protective equipment. Do not eat, drink or smoke when using the product. Good personal hygiene procedures should be implemented. Provide adequate ventilation.

### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at -40 degrees C. Keep container tightly sealed when not in use.

**Storage class** Chemical storage.

### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

## 8. Exposure Controls/personal protection

### Control parameters

#### Occupational exposure limits

##### **Silver**

Long-term exposure limit (8-hour TWA): ACGIH 0.1 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): ACGIH

##### **Antioxidant**

Long-term exposure limit (8-hour TWA): ACGIH 1 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): ACGIH

## EPO-TEK H37MP-2

### Accelerator

Long-term exposure limit (8-hour TWA): ACGIH 10 mg/m<sup>3</sup>

ACGIH = American Conference of Governmental Industrial Hygienists.

**Ingredient comments** WEL = Workplace Exposure Limits

### Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

#### Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield.

#### Hand protection

Wear protective gloves made of the following material: Impermeable material.

#### Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

#### Hygiene measures

Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

#### Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

<b>Appearance</b>	Paste.
<b>Color</b>	Silver.
<b>Odor</b>	Mild.
<b>Flash point</b>	>93°C
<b>Evaporation rate</b>	<BuAc
<b>Vapor density</b>	>1
<b>Solubility(ies)</b>	Slightly soluble in water.
<b>Other information</b>	None.

## 10. Stability and reactivity

<b>Reactivity</b>	The following materials may react with the product: Strong oxidizing agents. Strong reducing agents.
<b>Stability</b>	Stable at normal ambient temperatures.
<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time.

## EPO-TEK H37MP-2

**Materials to avoid** Strong oxidizing agents. Strong reducing agents.

**Hazardous decomposition products** Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Oxides of carbon. Oxides of nitrogen.

### 11. Toxicological information

#### Information on toxicological effects

**General information** Contains a substance which may be potentially carcinogenic.

**Inhalation** Gas or vapor in high concentrations may irritate the respiratory system.

**Ingestion** May cause discomfort if swallowed.

**Skin Contact** May cause sensitisation by skin contact. Irritating to skin.

**Eye contact** Irritating to eyes.

### 12. Ecological Information

**Ecotoxicity** Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Acute toxicity - fish** No information available.

**Persistence and degradability**

**Persistence and degradability** No data available.

**Bioaccumulative potential**

**Bio-Accumulative Potential** No data available on bioaccumulation.

**Mobility in soil**

**Mobility** The product has poor water-solubility.

**Other adverse effects**

**Other adverse effects** Not known.

### 13. Disposal considerations

#### Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 14. Transport information

#### UN Number

**UN No. (TDG)** 3082

**EPO-TEK H37MP-2**

UN No. (IMDG) 3082  
 UN No. (ICAO) 3082  
 UN No. (DOT) UN3082

**UN proper shipping name**

**Proper shipping name (TDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Epoxy Phenol Novolac)  
**Proper shipping name (IMDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Epoxy Phenol Novolac)  
**Proper shipping name (ICAO)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Epoxy Phenol Novolac)  
**Proper shipping name (DOT)** ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CONTAINS Silver, Epoxy Phenol Novolac)

**Transport hazard class(es)**

DOT hazard class 9  
 DOT hazard label 9  
 TDG class 9  
 TDG label(s) 9  
 IMDG Class 9  
 ICAO class/division 9

**Transport labels****DOT transport labels****Packing group**

TDG Packing Group III  
 IMDG packing group III  
 ICAO packing group III  
 DOT packing group III

**Environmental hazards****Environmentally Hazardous Substance****Special precautions for user**

EmS F-A, S-F

## EPO-TEK H37MP-2

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### 15. Regulatory information

**Regulatory References** Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

#### US Federal Regulations

##### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

The following ingredients are listed:

*Antioxidant*

EPCRA 302 TPQ

10 000 lbs

500 lbs

Tier II TPQ 500 lbs

##### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

The following ingredients are listed:

*Antioxidant*

100 lbs (45.4 Kg)

*Accelerator*

100 lbs (45.4 Kg)

*Silver*

1,000 lbs (454 Kg)

##### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are listed.

##### **SARA 313 Emission Reporting**

The following ingredients are listed:

*Antioxidant*

*Accelerator*

*Silver*

##### **CAA Accidental Release Prevention**

None of the ingredients are listed.

##### **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed.

#### US State Regulations

##### **California Proposition 65 Carcinogens and Reproductive Toxins**

WARNING: This product contains a substance known to the State of California to cause cancer and/or reproductive harm.

##### **California Air Toxics "Hot Spots" (A-I)**

The following ingredients are listed:

*Antioxidant*

*Silver*

##### **California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are listed.



## EPO-TEK H37MP-2

### **Massachusetts "Right To Know" List**

The following ingredients are listed:

*Antioxidant*

*Accelerator*

*Silver*

### **Rhode Island "Right To Know" List**

The following ingredients are listed:

*Antioxidant*

*Accelerator*

*Silver*

### **Minnesota "Right To Know" List**

The following ingredients are listed:

*Antioxidant*

*Accelerator*

*Silver*

### **New Jersey "Right To Know" List**

The following ingredients are listed:

*Antioxidant*

*Accelerator*

*Silver*

### **Pennsylvania "Right To Know" List**

The following ingredients are listed:

*Antioxidant*

*Accelerator*

*Silver*

### **Inventories**

#### **EU - EINECS/ELINCS**

Some of the ingredients are listed or exempt.

#### **Canada - DSL/NDL**

All the ingredients are listed or exempt.

#### **US - TSCA**

All the ingredients are listed or exempt.

#### **US - TSCA 12(b) Export Notification**

None of the ingredients are listed.

#### **Australia - AICS**

All the ingredients are listed or exempt.

#### **Japan - MITI**

Some of the ingredients are listed or exempt.

#### **Korea - KECI**

All the ingredients are listed or exempt.

## EPO-TEK H37MP-2

### China - IECSC

All the ingredients are listed or exempt.

### Philippines - PICCS

All the ingredients are listed or exempt.

## 16. Other information

<b>Revision date</b>	3/22/2017
<b>Revision</b>	2
<b>Supersedes date</b>	4/10/2015
<b>Hazard statements in full</b>	H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.