



## SAFETY DATA SHEET EPO-TEK® H74 Part A

### 1. Identification

#### Product identifier

Product name EPO-TEK® H74 Part A

Product number H74/A

#### Recommended use of the chemical and restrictions on use

Application Adhesive.

#### Details of the supplier of the safety data sheet

Supplier Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com, SDS@epotek.com

#### Emergency telephone number

Emergency telephone +1 (800) 255-3924, +1 (813) 248-0585

### 2. Hazard(s) identification

#### Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351

Environmental hazards Aquatic Chronic 3 - H412

Human health Contains a substance which may be potentially carcinogenic. Contains a substance which may cause genetic defects.

#### Label elements

##### Pictogram



Signal word Warning

Hazard statements  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H341 Suspected of causing genetic defects.  
H351 Suspected of causing cancer.  
H412 Harmful to aquatic life with long lasting effects.

## EPO-TEK® H74 Part A

**Precautionary statements**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P302+P352 If on skin: Wash with plenty of water.  
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P337+P313 If eye irritation persists: Get medical advice/ attention.  
 P501 Dispose of contents/ container in accordance with national regulations.

**Contains** Resorcinol Diglycidyl Ether, Specialty Resin Blend

### Other hazards

Harmful dust may be released during cutting or grinding process.

**Hazards not otherwise classified (HNOC)** Contains epoxy constituents. May produce an allergic reaction.

### 3. Composition/information on ingredients

#### Mixtures

<b>Resorcinol Diglycidyl Ether</b>	<b>10-30%</b>
CAS number: 101-90-6	
<b>Classification</b>	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	
Muta. 2 - H341	
Carc. 2 - H351	
<b>Specialty Resin Blend</b>	<b>10-30%</b>
CAS number: Proprietary	
<b>Classification</b>	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	
Aquatic Chronic 2 - H411	

The full text for all hazard statements is displayed in Section 16.

### 4. First-aid measures

#### Description of first aid measures

**Inhalation** Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

**Ingestion** Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

**Skin Contact** Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

## EPO-TEK® H74 Part A

**Eye contact** Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

### Most important symptoms and effects, both acute and delayed

**Inhalation** Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Skin irritation. Allergic rash.

**Eye contact** Irritation of eyes and mucous membranes.

### Indication of immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically.

## 5. Fire-fighting measures

### Extinguishing media

**Suitable extinguishing media** Extinguish with the following media: Dry chemicals. Foam. Water spray.

### Special hazards arising from the substance or mixture

**Hazardous combustion products** Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

### Advice for firefighters

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. Avoid release to the environment.

### Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

**Reference to other sections** For personal protection, see Section 8.

## 7. Handling and storage

### Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Avoid inhalation of vapors. Provide adequate ventilation.

### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at room temperature. Keep container tightly sealed when not in use.

**Storage class** Chemical storage.

### Specific end uses(s)

## EPO-TEK® H74 Part A

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

### 8. Exposure Controls/personal protection

**Ingredient comments** No exposure limits known for ingredient(s).

#### Exposure controls

##### Protective equipment



**Appropriate engineering controls** Provide adequate ventilation.

**Eye/face protection** Wear tight-fitting, chemical splash goggles or face shield.

**Hand protection** Wear protective gloves.

**Other skin and body protection** Wear appropriate clothing to prevent any possibility of skin contact.

**Hygiene measures** Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn.

### 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Paste.
<b>Color</b>	Grey.
<b>Odor</b>	Mild.
<b>Flash point</b>	>93°C
<b>Evaporation rate</b>	<BuAc
<b>Vapor density</b>	>1
<b>Other information</b>	None.

### 10. Stability and reactivity

**Reactivity** The following materials may react violently with the product: Oxidizing materials.

**Stability** Stable at normal ambient temperatures and when used as recommended.

**Possibility of hazardous reactions** Will not polymerize.

**Conditions to avoid** Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition. The following materials may react violently with the product: Strong oxidizing agents.

**Materials to avoid** Strong oxidizing agents.

## EPO-TEK® H74 Part A

**Hazardous decomposition products** Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

### 11. Toxicological information

#### Information on toxicological effects

**Inhalation** Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system.

**Ingestion** May cause discomfort if swallowed.

**Skin Contact** May cause sensitisation by skin contact. Irritating to skin.

**Eye contact** Irritating to eyes.

**Acute and chronic health hazards** Contains a substance/a group of substances which may cause cancer. Suspected of causing genetic defects.

#### Toxicological information on ingredients.

#### Resorcinol Diglycidyl Ether

##### Carcinogenicity

**IARC carcinogenicity** IARC Group 2B Possibly carcinogenic to humans.

**NTP carcinogenicity** Reasonably anticipated to be a human carcinogen.

### 12. Ecological Information

**Ecotoxicity** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Acute toxicity - fish** Not available.

#### Persistence and degradability

**Persistence and degradability** The product is moderately biodegradable.

#### Bioaccumulative potential

**Bio-Accumulative Potential** The product contains potentially bioaccumulating substances.

#### Mobility in soil

**Mobility** Semi-mobile.

#### Other adverse effects

**Other adverse effects** Not known.

## EPO-TEK® H74 Part A

### 13. Disposal considerations

#### Waste treatment methods

#### **Disposal methods**

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 14. Transport information

#### **General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).

#### UN Number

Not applicable.

#### UN proper shipping name

Not applicable.

#### Transport hazard class(es)

No transport warning sign required.

#### **Transport labels**

No transport warning sign required.

#### **DOT transport labels**

No transport warning sign required.

#### Packing group

Not applicable.

#### Environmental hazards

#### **Environmentally Hazardous Substance**

No.

#### Special precautions for user

Not applicable.

#### **DOT TIH Zone**

Not applicable.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

### 15. Regulatory information

#### **Regulatory References**

Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

#### US Federal Regulations

#### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are required to be listed.

#### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are required to be listed.

#### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are required to be listed.

## EPO-TEK® H74 Part A

### **SARA 313 Emission Reporting**

The following ingredients are listed:

*Resorcinol Diglycidyl Ether*

### **CAA Accidental Release Prevention**

None of the ingredients are required to be listed.

### **OSHA Highly Hazardous Chemicals**

None of the ingredients are required to be listed.

### **US State Regulations**

#### **California Proposition 65 Carcinogens and Reproductive Toxins**

WARNING: This product contains a substance known to the State of California to cause cancer and/or reproductive harm.

#### **California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are required to be listed.

#### **California Air Toxics "Hot Spots" (A-II)**

The following ingredients are listed:

*Resorcinol Diglycidyl Ether*

#### **Massachusetts "Right To Know" List**

The following ingredients are listed:

*Resorcinol Diglycidyl Ether*

#### **Rhode Island "Right To Know" List**

None of the ingredients are required to be listed.

#### **Minnesota "Right To Know" List**

The following ingredients are listed:

*Resorcinol Diglycidyl Ether*

#### **New Jersey "Right To Know" List**

The following ingredients are listed:

*Resorcinol Diglycidyl Ether*

#### **Pennsylvania "Right To Know" List**

The following ingredients are listed:

*Resorcinol Diglycidyl Ether*

### **Inventories**

#### **EU - EINECS/ELINCS**

Some of the ingredients are listed or exempt.

#### **Canada - DSL/NDSL**

All the ingredients are listed or exempt.

#### **US - TSCA**

All the ingredients are listed or exempt.

#### **US - TSCA 12(b) Export Notification**

None of the ingredients are listed.

## EPO-TEK® H74 Part A

### Australia - AICS

All the ingredients are listed or exempt.

### Japan - MITI

Some of the ingredients are listed or exempt.

### Korea - KECI

Some of the ingredients are listed or exempt.

### China - IECSC

All the ingredients are listed or exempt.

### Philippines - PICCS

All the ingredients are listed or exempt.

## 16. Other information

<b>Revision date</b>	10/11/2017
<b>Revision</b>	2
<b>Supersedes date</b>	6/30/2014
<b>Hazard statements in full</b>	<p>H302 Harmful if swallowed.  H312 Harmful in contact with skin.  H315 Causes skin irritation.  H317 May cause an allergic skin reaction.  H319 Causes serious eye irritation.  H341 Suspected of causing genetic defects.  H351 Suspected of causing cancer.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.</p>

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.





## SAFETY DATA SHEET EPO-TEK® H74 Part B

### 1. Identification

#### Product identifier

**Product name** EPO-TEK® H74 Part B

**Product number** H74/B

#### Recommended use of the chemical and restrictions on use

**Application** Adhesive.

#### Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com, SDS@epotek.com

#### Emergency telephone number

**Emergency telephone** +1 (800) 255-3924, +1 (813) 248-0585

### 2. Hazard(s) identification

#### Classification of the substance or mixture

**Physical hazards** Not Classified

**Health hazards** Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Repr. 1B - H360

**Environmental hazards** Not Classified

#### Label elements

##### Pictogram



**Signal word**

Danger

##### Hazard statements

H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H360 May damage fertility or the unborn child.

##### Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P501 Dispose of contents/ container in accordance with national regulations.

## EPO-TEK® H74 Part B

**Contains** Substituted Imidazole Blend, Imidazole

### 3. Composition/information on ingredients

#### Mixtures

<b>Substituted Imidazole Blend</b>	<b>60-100%</b>
CAS number: Proprietary	

#### Classification

Acute Tox. 4 - H302  
Skin Irrit. 2 - H315  
Eye Dam. 1 - H318

<b>Imidazole</b>	<b>30-60%</b>
CAS number: 288-32-4	

#### Classification

Acute Tox. 4 - H302  
Skin Corr. 1B - H314  
Eye Dam. 1 - H318  
Repr. 1B - H360

The full text for all hazard statements is displayed in Section 16.

### 4. First-aid measures

#### Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.
<b>Ingestion</b>	Do not induce vomiting. Never give anything by mouth to an unconscious person. Do not induce vomiting. Remove affected person from source of contamination. Give plenty of water to drink. Get medical attention immediately. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
<b>Skin Contact</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

#### Most important symptoms and effects, both acute and delayed

<b>General information</b>	May damage fertility or the unborn child.
<b>Inhalation</b>	Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.
<b>Ingestion</b>	Harmful if swallowed. May cause stomach pain or vomiting. May cause chemical burns in mouth, esophagus and stomach.
<b>Skin contact</b>	Causes severe burns.
<b>Eye contact</b>	Causes serious eye damage.

## EPO-TEK® H74 Part B

### Indication of immediate medical attention and special treatment needed

**Notes for the doctor**                      Treat symptomatically.

### 5. Fire-fighting measures

#### Extinguishing media

**Suitable extinguishing media**    Dry chemicals. Foam. Carbon dioxide (CO<sub>2</sub>).

#### Special hazards arising from the substance or mixture

**Hazardous combustion products**                      Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

#### Advice for firefighters

**Protective actions during firefighting**                      Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.

**Special protective equipment for firefighters**                      Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions**                      Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate.

#### Environmental precautions

**Environmental precautions**                      Avoid release to the environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up**                      Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely.

**Reference to other sections**                      For personal protection, see Section 8.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions**                      Avoid spilling. Avoid contact with skin and eyes. Do not eat, drink or smoke when using the product. Provide adequate ventilation.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions**                      Store at room temperature. Keep container tightly sealed when not in use.

#### Specific end uses(s)

**Specific end use(s)**                      The identified uses for this product are detailed in Section 1.

### 8. Exposure Controls/personal protection

**Ingredient comments**                      No exposure limits known for ingredient(s).

#### Exposure controls

## EPO-TEK® H74 Part B

### Protective equipment



#### Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

#### Eye/face protection

The following protection should be worn: Chemical splash goggles.

#### Hand protection

It is recommended that chemical-resistant, impervious gloves are worn.

#### Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

#### Hygiene measures

Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

#### Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Appearance	Liquid.
Color	Amber.
Odor	Slight.
Flash point	> 93°C
Evaporation rate	<BuAc
Vapor density	>1
Solubility(ies)	Slightly soluble in water.
Other information	Not known.

## 10. Stability and reactivity

Reactivity	The following materials may react with the product: Strong oxidizing agents. Strong reducing agents.
Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	Will not polymerize.
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
Materials to avoid	Strong oxidizing agents. Strong reducing agents.
Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

## 11. Toxicological information

### Information on toxicological effects

## EPO-TEK® H74 Part B

### Reproductive toxicity

**Reproductive toxicity - fertility** Possible risk of adverse reproductive effects.

**Inhalation** Gas or vapor in high concentrations may irritate the respiratory system.

**Ingestion** Harmful if swallowed.

**Skin Contact** Causes burns.

**Eye contact** Causes burns.

### 12. Ecological Information

**Acute toxicity - fish** No information available.

### Persistence and degradability

**Persistence and degradability** The product is moderately biodegradable.

### Bioaccumulative potential

**Bio-Accumulative Potential** The product contains potentially bioaccumulating substances.

### Mobility in soil

**Mobility** Semi-mobile.

### Other adverse effects

**Other adverse effects** Not known.

### 13. Disposal considerations

#### Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 14. Transport information

#### UN Number

**UN No. (TDG)** 3267

**UN No. (IMDG)** 3267

**UN No. (ICAO)** 3267

**UN No. (DOT)** 3267

#### UN proper shipping name

**Proper shipping name (TDG)** CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Imidazole)

**Proper shipping name (IMDG)** CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Imidazole)

**Proper shipping name (ICAO)** CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Imidazole)

**Proper shipping name (DOT)** CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Imidazole)

#### Transport hazard class(es)

**TDG class** 8

**EPO-TEK® H74 Part B**

TDG label(s) 8

IMDG Class 8

ICAO class/division 8

**Transport labels****Packing group**

TDG Packing Group III

IMDG packing group III

ICAO packing group III

DOT packing group III

**Environmental hazards****Environmentally Hazardous Substance**

No.

**Special precautions for user**

EmS F-A, S-B

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

**15. Regulatory information**

**Regulatory References** Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

**US Federal Regulations****SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are required to be listed.

**CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are required to be listed.

**SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are required to be listed.

**SARA 313 Emission Reporting**

None of the ingredients are required to be listed.

**CAA Accidental Release Prevention**

None of the ingredients are required to be listed.

**OSHA Highly Hazardous Chemicals**

None of the ingredients are required to be listed.

**US State Regulations**

## EPO-TEK® H74 Part B

### California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are required to be listed.

### California Air Toxics "Hot Spots" (A-I)

None of the ingredients are required to be listed.

### California Air Toxics "Hot Spots" (A-II)

None of the ingredients are required to be listed.

### Massachusetts "Right To Know" List

None of the ingredients are required to be listed.

### Rhode Island "Right To Know" List

None of the ingredients are required to be listed.

### Minnesota "Right To Know" List

None of the ingredients are required to be listed.

### New Jersey "Right To Know" List

None of the ingredients are required to be listed.

### Pennsylvania "Right To Know" List

None of the ingredients are required to be listed.

### Inventories

#### EU - EINECS/ELINCS

All the ingredients are listed or exempt.

#### Canada - DSL/NDSL

All the ingredients are listed or exempt.

#### US - TSCA

All the ingredients are listed or exempt.

#### US - TSCA 12(b) Export Notification

None of the ingredients are listed.

#### Australia - AICS

All the ingredients are listed or exempt.

#### Japan - MITI

All the ingredients are listed or exempt.

#### Korea - KECI

All the ingredients are listed or exempt.

#### China - IECSC

All the ingredients are listed or exempt.

#### Philippines - PICCS

All the ingredients are listed or exempt.

### 16. Other information

Revision date	10/11/2017
Revision	2

## EPO-TEK® H74 Part B

<b>Supersedes date</b>	6/30/2014
<b>Hazard statements in full</b>	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H360 May damage fertility or the unborn child.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.