

**SAFETY DATA SHEET  
EPO-TEK OH105 Part A**

**1. Identification**

**Product identifier**

**Product name** EPO-TEK OH105 Part A

**Product number** EPO-TEK OH105 Part A

**Recommended use of the chemical and restrictions on use**

**Application** Adhesive.

**Details of the supplier of the safety data sheet**

**Supplier** Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com

**Emergency telephone number**

**Emergency telephone** (800) 255-3924

**2. Hazard(s) identification**

**Classification of the substance or mixture**

**Physical hazards** Not Classified

**Health hazards** Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317

**Environmental hazards** Aquatic Chronic 2 - H411

**Human health** Contains a substance/a group of substances which may cause cancer.

**Label elements**

**Pictogram**



**Signal word**

Danger

**Hazard statements**

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H332 Harmful if inhaled.  
H411 Toxic to aquatic life with long lasting effects.

# EPO-TEK OH105 Part A

**Precautionary statements**

P261 Avoid breathing vapor/spray.  
 P264 Wash contaminated skin thoroughly after handling.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing must not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P302+P352 If on skin: Wash with plenty of water.  
 P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a poison center/doctor.  
 P312 Call a poison center/doctor if you feel unwell.  
 P321 Specific treatment (see medical advice on this label).  
 P332+P313 If skin irritation occurs: Get medical advice/attention.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P391 Collect spillage.  
 P501 Dispose of contents/container in accordance with national regulations.

**Contains** Bisphenol A Diglycidyl Ether Resin, Carbon Black

**Other hazards**

Harmful dust may be released during cutting or grinding process.

**3. Composition/information on ingredients**

**Mixtures**

<b>Bisphenol A Diglycidyl Ether Resin</b>	<b>30-60%</b>
CAS number: 25085-99-8	

<b>Classification</b>
Skin Irrit. 2 - H315
Eye Irrit. 2 - H319
Skin Sens. 1 - H317
Aquatic Chronic 2 - H411

<b>Reactive Diluent</b>	<b>10-30%</b>
CAS number: Proprietary	

<b>Classification</b>
Skin Irrit. 2 - H315
Eye Dam. 1 - H318
Skin Sens. 1 - H317
Acute Tox. 4 - H302
Acute Tox. 4 - H312
Acute Tox. 4 - H332

<b>Carbon Black*</b>	<b>10-30%</b>
CAS number: 1333-86-4	

<b>Classification</b>
Carc. 2 - H351

The Full Text for all Hazard Statements are Displayed in Section 16.

# EPO-TEK OH105 Part A

**Composition comments**      \*This product contains Carbon Black, which is suspected of causing cancer when inhaled in fine particulate form. Carbon Black should not be respirable in this formulation. However, if cured material will be ground, milled, etc., wear respiratory protection to avoid inhaling any dust that may be produced.

## 4. First-aid measures

### Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin Contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

### Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Harmful if inhaled. Vapors may cause headache, fatigue, dizziness and nausea. Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin contact</b>	Skin irritation. Allergic rash.
<b>Eye contact</b>	Causes serious eye irritation. Risk of serious damage to eyes.

### Indication of immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## 5. Fire-fighting measures

### Extinguishing media

<b>Suitable extinguishing media</b>	Extinguish with the following media: Dry chemicals. Foam. Water spray.
-------------------------------------	--

### Special hazards arising from the substance or mixture

<b>Hazardous combustion products</b>	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.
--------------------------------------	---

### Advice for firefighters

<b>Protective actions during firefighting</b>	Avoid breathing fire gases or vapors.
---	---------------------------------------

<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
--	---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

### Environmental precautions

<b>Environmental precautions</b>	Do not discharge into drains or watercourses or onto the ground. Avoid release to the environment.
----------------------------------	--

### Methods and material for containment and cleaning up

# EPO-TEK OH105 Part A

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

**Reference to other sections** For personal protection, see Section 8.

## 7. Handling and storage

### Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Avoid inhalation of vapors. Provide adequate ventilation.

### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at moderate temperatures in dry, well ventilated area. Keep container tightly sealed when not in use. Keep away from heat, sparks and open flame. Avoid contact with oxidizing agents.

**Storage class** Chemical storage.

### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## 8. Exposure Controls/personal protection

### Control parameters

### Occupational exposure limits

#### Carbon Black

Long-term exposure limit (8-hour TWA): 3

**Ingredient comments** WEL = Workplace Exposure Limits

### Exposure controls

#### Protective equipment



**Appropriate engineering controls** Provide adequate general and local exhaust ventilation.

**Eye/face protection** Wear tight-fitting, chemical splash goggles or face shield.

**Hand protection** Wear protective gloves.

**Other skin and body protection** Wear appropriate clothing to prevent any possibility of skin contact.

**Hygiene measures** Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn.

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

**Appearance** Paste.

**Color** Black.

# EPO-TEK OH105 Part A

Odor	Mild.
Flash point	> 93°C
Evaporation rate	<BuAc
Solubility(ies)	Insoluble in water.
Other information	None.

## 10. Stability and reactivity

Reactivity	The following materials may react with the product: Acids. Alkalis. Strong oxidizing agents.
Stability	Stable at normal ambient temperatures.
Possibility of hazardous reactions	Will not polymerize.
Conditions to avoid	Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition. Avoid contact with acids and alkalis. The following materials may react violently with the product: Strong oxidizing agents.
Materials to avoid	Strong acids. Strong alkalis. Strong oxidizing agents.
Hazardous decomposition products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Oxides of carbon. Oxides of nitrogen.

## 11. Toxicological information

### Information on toxicological effects

Inhalation	May be harmful if inhaled.
Ingestion	May cause discomfort if swallowed.
Skin Contact	May cause sensitisation by skin contact. Irritating to skin.
Eye contact	May cause severe eye irritation. Risk of serious damage to eyes.
Acute and chronic health hazards	Contains a substance/a group of substances which may cause cancer.

### Toxicological information on ingredients.

#### Carbon Black

##### Carcinogenicity

IARC carcinogenicity	IARC Group 2B Possibly carcinogenic to humans.
NTP carcinogenicity	Reasonably anticipated to be a human carcinogen.
OSHA Carcinogenicity	Not listed.

## EPO-TEK OH105 Part A

### 12. Ecological Information

<b>Ecotoxicity</b>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
<b><u>Toxicity</u></b>	
<b>Toxicity</b>	Very toxic to aquatic organisms.
<b><u>Persistence and degradability</u></b>	
<b>Persistence and degradability</b>	No data available.
<b><u>Bioaccumulative potential</u></b>	
<b>Bio-Accumulative Potential</b>	No data available on bioaccumulation.
<b><u>Mobility in soil</u></b>	
<b>Mobility</b>	The product is insoluble in water.
<b><u>Other adverse effects</u></b>	
<b>Other adverse effects</b>	Not known.

### 13. Disposal considerations

#### Waste treatment methods

<b>Disposal methods</b>	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
-------------------------	---

### 14. Transport information

#### UN Number

<b>UN No. (DOT)</b>	3082
<b>UN No. (IMDG)</b>	3082
<b>UN No. (ICAO)</b>	3082

#### UN proper shipping name

<b>Proper shipping name (DOT)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A Diglycidyl Ether Resin)
<b>Proper shipping name (IMDG)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A Diglycidyl Ether Resin)
<b>Proper shipping name (ICAO)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A Diglycidyl Ether Resin)

#### Transport hazard class(es)

<b>DOT hazard class</b>	9
<b>DOT hazard label</b>	Class 9
<b>TDG class</b>	9
<b>TDG label</b>	9
<b>IMDG Class</b>	9
<b>IMDG subsidiary risk</b>	

# EPO-TEK OH105 Part A

ICAO class/division 9

ICAO subsidiary risk

Transport labels



Packing group

DOT pack group III

IMDG packing group III

ICAO packing group III

Environmental hazards

Environmentally Hazardous Substance



Special precautions for user

EmS F-A, S-F

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## 15. Regulatory information

### US Federal Regulations

#### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed or exempt.

#### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are listed or exempt.

#### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are listed or exempt.

#### **SARA 313 Emission Reporting**

None of the ingredients are listed or exempt.

#### **CAA Accidental Release Prevention**

None of the ingredients are listed or exempt.

#### **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed or exempt.

### US State Regulations

#### **California Proposition 65 Carcinogens and Reproductive Toxins**

WARNING: This product contains a substance known to the State of California to cause cancer and/or reproductive harm.

#### **California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are listed or exempt.

#### **California Air Toxics "Hot Spots" (A-II)**

## EPO-TEK OH105 Part A

None of the ingredients are listed or exempt.

### Massachusetts "Right To Know" List

**Carbon Black**

Yes.

### Rhode Island "Right To Know" List

**Carbon Black**

Yes.

### Minnesota "Right To Know" List

**Carbon Black**

Yes.

### New Jersey "Right To Know" List

**Carbon Black**

Yes.

### Pennsylvania "Right To Know" List

**Carbon Black**

Yes.

### Inventories

#### EU - EINECS/ELINCS

Some of the ingredients are listed or exempt.

#### Canada - DSL/NDSL

All the ingredients are listed or exempt.

#### US - TSCA

All the ingredients are listed or exempt.

#### US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

#### Australia - AICS

All the ingredients are listed or exempt.

#### Japan - MITI

Some of the ingredients are listed or exempt.

#### Korea - KECI

All the ingredients are listed or exempt.

#### China - IECSC

All the ingredients are listed or exempt.

#### Philippines - PICCS

All the ingredients are listed or exempt.

### 16. Other information



## EPO-TEK OH105 Part A

Revision 1

Revision Date: 06/04/2015

### **Hazard statements in full**

H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H351 Suspected of causing cancer.  
H411 Toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



## SAFETY DATA SHEET EPO-TEK OH105 Part B

### 1. Identification

#### Product identifier

Product name EPO-TEK OH105 Part B

Product number EPO-TEK OH105 Part B

#### Recommended use of the chemical and restrictions on use

Application Adhesive.

#### Details of the supplier of the safety data sheet

Supplier Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com

#### Emergency telephone number

Emergency telephone (800) 255-3924

### 2. Hazard(s) identification

#### Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Repr. 2 - H361d

Environmental hazards Not Classified

Human health Contains a substance/a group of substances which may damage the unborn child.

#### Label elements

##### Pictogram



Signal word

Danger

##### Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H361d Suspected of damaging the unborn child.

## EPO-TEK OH105 Part B

<b>Precautionary statements</b>	<p>P201 Obtain special instructions before use.</p> <p>P202 Do not handle until all safety precautions have been read and understood.</p> <p>P260 Do not breathe vapor/spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P301+P310 If swallowed: Immediately call a poison center/doctor.</p> <p>P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.</p> <p>P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</p> <p>P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P308+P313 If exposed or concerned: Get medical advice/attention.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P363 Wash contaminated clothing before reuse.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/container in accordance with national regulations.</p>
---------------------------------	--

**Contains** Imidazole

### 3. Composition/information on ingredients

**Mixtures**

<b>Substituted Imidazole Blend</b>	<b>60-100%</b>
CAS number: Proprietary	
<b>Classification</b>	
Eye Dam. 1 - H318	
Acute Tox. 4 - H302	

<b>Imidazole</b>	<b>30-60%</b>
CAS number: 288-32-4	
<b>Classification</b>	
Skin Corr. 1B - H314	
Repr. 2 - H361d	
Acute Tox. 4 - H302	
Eye Dam. 1 - H318	

The Full Text for all Hazard Statements are Displayed in Section 16.

### 4. First-aid measures

**Description of first aid measures**

<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.
<b>Ingestion</b>	Do not induce vomiting. Never give anything by mouth to an unconscious person. Do not induce vomiting. Remove affected person from source of contamination. Give plenty of water to drink. Get medical attention immediately. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

## EPO-TEK OH105 Part B

<b>Skin Contact</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

### Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Gas or vapor in high concentrations may irritate the respiratory system.
<b>Ingestion</b>	May cause chemical burns in mouth and throat.
<b>Skin contact</b>	Burns can occur.
<b>Eye contact</b>	Severe irritation, burning and tearing. Risk of serious damage to eyes.

### Indication of immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## 5. Fire-fighting measures

### Extinguishing media

<b>Suitable extinguishing media</b>	Dry chemicals. Foam. Carbon dioxide (CO <sub>2</sub> ).
-------------------------------------	---

### Special hazards arising from the substance or mixture

<b>Hazardous combustion products</b>	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.
--------------------------------------	---

### Advice for firefighters

<b>Protective actions during firefighting</b>	Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate.
-----------------------------	--

### Environmental precautions

<b>Environmental precautions</b>	Avoid release to the environment.
----------------------------------	-----------------------------------

### Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely.
--------------------------------	--

<b>Reference to other sections</b>	For personal protection, see Section 8.
------------------------------------	---

## 7. Handling and storage

### Precautions for safe handling

<b>Usage precautions</b>	Avoid spilling. Avoid contact with skin and eyes. Do not eat, drink or smoke when using the product. Provide adequate ventilation.
--------------------------	--

### Conditions for safe storage, including any incompatibilities

## EPO-TEK OH105 Part B

**Storage precautions** Store at moderate temperatures in dry, well ventilated area. Keep away from heat, sparks and open flame. Keep container tightly closed. Store away from the following materials: Oxidizing materials. Reducing agents.

**Specific end uses(s)**

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### 8. Exposure Controls/personal protection

**Ingredient comments** WEL = Workplace Exposure Limits

**Exposure controls**

**Protective equipment**



**Appropriate engineering controls** Provide adequate general and local exhaust ventilation.

**Eye/face protection** The following protection should be worn: Chemical splash goggles.

**Hand protection** Use protective gloves.

**Other skin and body protection** Wear appropriate clothing to prevent any possibility of skin contact.

**Hygiene measures** Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn.

### 9. Physical and Chemical Properties

**Information on basic physical and chemical properties**

<b>Appearance</b>	Liquid.
<b>Color</b>	Amber.
<b>Odor</b>	Slight.
<b>Flash point</b>	> 93°C
<b>Evaporation rate</b>	<BuAc
<b>Vapour density</b>	>1
<b>Bulk density</b>	1.02 kg/m <sup>3</sup>
<b>Solubility(ies)</b>	Slightly soluble in water.
<b>Other information</b>	Not known.

### 10. Stability and reactivity

**Reactivity** The following materials may react with the product: Strong oxidizing agents. Strong reducing agents.

**Stability** Stable at normal ambient temperatures.

## EPO-TEK OH105 Part B

<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Avoid contact with the following materials: Oxidizing agents. Reducing agents.
<b>Materials to avoid</b>	Strong oxidizing agents. Strong reducing agents.
<b>Hazardous decomposition products</b>	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Oxides of carbon. Oxides of nitrogen.

### 11. Toxicological information

#### Information on toxicological effects

##### Reproductive toxicity

**Reproductive toxicity - fertility** Possible risk of adverse reproductive effects.

<b>Inhalation</b>	Gas or vapor in high concentrations may irritate the respiratory system.
<b>Ingestion</b>	Harmful if swallowed.
<b>Skin Contact</b>	Causes burns.
<b>Eye contact</b>	Causes burns.

### 12. Ecological Information

**Ecotoxicity** Not known.

#### Persistence and degradability

**Persistence and degradability** The product is moderately biodegradable.

#### Bioaccumulative potential

**Bio-Accumulative Potential** The product contains potentially bioaccumulating substances.

#### Mobility in soil

**Mobility** Semi-mobile.

#### Other adverse effects

**Other adverse effects** Not known.

### 13. Disposal considerations

#### Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.


### 14. Transport information

#### UN Number

**UN No. (DOT)** 3267

**UN No. (IMDG)** 3267

## EPO-TEK OH105 Part B

UN No. (ICAO)	3267
<b>UN proper shipping name</b>	
Proper shipping name (DOT)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS Imidazole)
Proper shipping name (IMDG)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS Imidazole)
Proper shipping name (ICAO)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS Imidazole)
<b>Transport hazard class(es)</b>	
DOT hazard class	8
DOT hazard label	Corrosive
TDG class	8
TDG label	8
IMDG Class	8
IMDG subsidiary risk	
ICAO class/division	8
ICAO subsidiary risk	
<b>Transport labels</b>	
	
<b>Packing group</b>	
DOT pack group	II
IMDG packing group	II
ICAO packing group	II
<b>Environmental hazards</b>	
<b>Environmentally Hazardous Substance</b>	
No.	
<b>Special precautions for user</b>	
EmS	F-A, S-B
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

### 15. Regulatory information

#### US Federal Regulations

##### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed or exempt.

##### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are listed or exempt.

## EPO-TEK OH105 Part B

### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are listed or exempt.

### **SARA 313 Emission Reporting**

None of the ingredients are listed or exempt.

### **CAA Accidental Release Prevention**

None of the ingredients are listed or exempt.

### **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed or exempt.

### **US State Regulations**

#### **California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

#### **California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are listed or exempt.

#### **California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are listed or exempt.

#### **Massachusetts "Right To Know" List**

None of the ingredients are listed or exempt.

#### **Rhode Island "Right To Know" List**

None of the ingredients are listed or exempt.

#### **Minnesota "Right To Know" List**

None of the ingredients are listed or exempt.

#### **New Jersey "Right To Know" List**

None of the ingredients are listed or exempt.

#### **Pennsylvania "Right To Know" List**

None of the ingredients are listed or exempt.

### **Inventories**

#### **EU - EINECS/ELINCS**

All the ingredients are listed or exempt.

#### **Canada - DSL/NDSL**

All the ingredients are listed or exempt.

#### **US - TSCA**

All the ingredients are listed or exempt.

#### **US - TSCA 12(b) Export Notification**

None of the ingredients are listed or exempt.

#### **Australia - AICS**

All the ingredients are listed or exempt.

#### **Japan - MITI**

All the ingredients are listed or exempt.



## EPO-TEK OH105 Part B

### Korea - KECI

All the ingredients are listed or exempt.

### China - IECSC

All the ingredients are listed or exempt.

### Philippines - PICCS

All the ingredients are listed or exempt.

## 16. Other information

<b>Revision date</b>	6/4/2015
<b>Revision</b>	1
<b>Hazard statements in full</b>	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H361d Suspected of damaging the unborn child.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.