* TECHNOLOGY

SAFETY DATA SHEET EPO-TEK P1011-T

1. Identification	
Product identifier	
Product name	EPO-TEK P1011-T
Product number	P1011-T
Recommended use of the ch	emical and restrictions on use
Application	Adhesive.
Details of the supplier of the	safety data sheet
Supplier	Epoxy Technology, Inc. 14 Fortune Drive Billerica, MA 01821 USA (978) 667-3805 (978) 663-9782 www.epotek.com, SDS@epotek.com
Emergency telephone number	ər
Emergency telephone	+1 (800) 255-3924, +1 (813) 248-0585
2. Hazard(s) identification	
Classification of the substand	ce or mixture
Physical hazards	Not Classified
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317
Environmental hazards	Aquatic Chronic 2 - H411
Label elements Pictogram	
Signal word	Danger
Hazard statements	H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/ container in accordance with national regulations.

Contains

Silver, Diluent, Bisphenol A Diglycidyl Ether Resin

Other hazards

Contains epoxy constituents. May produce an allergic reaction.

Hazards not otherwise classified (HNOC)

3. Composition/information on ingredients

Mixtures

Silver

CAS number: 7440-22-4

Classification

Aquatic Chronic 2 - H411

Diluent

CAS number: Proprietary

Classification

Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Corr. 1B - H314 Eye Dam. 1 - H318

Bisphenol A Diglycidyl Ether Resin

CAS number: 1675-54-3

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

Polyimide Polymer

CAS number: Proprietary

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335

The Full Text for all Hazard Statements are Displayed in Section 16.

4. First-aid measures

Description of first aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place. Never give anything by mouth to an unconscious person. Get medical attention if symptoms are severe or persist.

10-30%

60-100%

1-5%

1-5%

Ingestion	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Rinse nose and mouth with water. Give plenty of water to drink. Maintain an open airway. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Do not induce vomiting unless under the direction of medical personnel. Place unconscious person on their side in the recovery position and ensure breathing can take place. Never give anything by mouth to an unconscious person. Get medical attention if any discomfort continues.
Skin Contact	Immediate first aid is imperative. Remove affected person from source of contamination. Remove contaminated clothing and rinse skin thoroughly with water. Continue to rinse for at least 15 minutes and get medical attention.
Eye contact	Remove affected person from source of contamination. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes and get medical attention.
Most important symptoms and	effects, both acute and delayed
Inhalation	Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system.
Ingestion	May cause discomfort if swallowed.
Skin contact	Causes severe burns. May cause sensitization by skin contact.
Eye contact	Causes severe burns. Causes serious eye damage.
Indication of immediate medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.
5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	Dry chemicals. Foam. Carbon dioxide (CO2).
Special hazards arising from the	ne substance or mixture
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO2). Toxic gases or vapors.
Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapors. Use water to keep fire exposed containers cool and disperse vapors.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
6. Accidental release measure	s
Personal precautions, protectiv	ve equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
Environmental precautions	
Environmental precautions	Avoid discharge to the aquatic environment.
Methods and material for containment and cleaning up	
Methods for cleaning up	Stop leak if safe to do so. Eliminate all sources of ignition. Absorb spillage with sand or other inert absorbent. Collect spillage. Dispose of contents/container in accordance with national regulations.

Reference to other sections For personal protection, see Section 8.

7. Handling and storage	
Precautions for safe handl	ing
Usage precautions	Avoid spilling. Wear protective clothing as described in Section 8 of this safety data sheet.
Advice on general occupational hygiene	Provide eyewash station and safety shower. Do not eat, drink or smoke when using this product. Wash promptly if skin becomes contaminated. Wash after use and before eating, smoking and using the toilet. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of skin.
Conditions for safe storage	e, including any incompatibilities
Storage precautions	Store in a refrigerator. Keep container tightly sealed when not in use.
Storage class	Corrosive storage.
Specific end uses(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
8. Exposure Controls/perse	onal protection

Control parameters

Occupational exposure limits

Silver

Long-term exposure limit (8-hour TWA): ACGIH 0.1 mg/m³ Short-term exposure limit (15-minute): ACGIH ACGIH = American Conference of Governmental Industrial Hygienists.

Exposure controls

Protective equipment

E	

Appropriate engineering controls	Provide adequate general and local exhaust ventilation.
Eye/face protection	Wear tight-fitting, chemical splash goggles or face shield.
Hand protection	It is recommended that chemical-resistant, impervious gloves are worn.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Provide eyewash station and safety shower. Do not eat, drink or smoke when using this product. Wash promptly if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of skin.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.
9. Physical and Chemical Properties	
Information on basic physical and chemical properties	
Appearance	Paste.

Appearance	Fasie.
Color	Silver.

Odor	Mild.
Flash point	> 93°C
Evaporation rate	< BuAc
Vapor density	> Air
Other information	None.
10. Stability and reactivity	
Reactivity	The following materials may react with the product: Strong oxidizing agents. Strong reducing agents.
Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	Will not polymerize.
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
Materials to avoid	Strong oxidizing agents. Strong reducing agents.
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances:
products	Carbon monoxide (CO). Carbon dioxide (CO2). Toxic gases or vapors.
11. Toxicological information	Carbon monoxide (CO). Carbon dioxide (CO2). Toxic gases or vapors.
- -	
11. Toxicological information	
11. Toxicological information	fects A Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the
11. Toxicological information Information on toxicological et	fects A Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system.
11. Toxicological information Information on toxicological et Inhalation	fects A Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system. May cause discomfort if swallowed.
11. Toxicological information Information on toxicological et Inhalation Ingestion Skin Contact	fects A Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system. May cause discomfort if swallowed. Causes severe burns. May cause sensitization by skin contact.
11. Toxicological information Information on toxicological et Inhalation Ingestion Skin Contact Eye contact	fects A Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system. May cause discomfort if swallowed. Causes severe burns. May cause sensitization by skin contact.
11. Toxicological information Information on toxicological efficiency Inhalation Ingestion Skin Contact Eye contact 12. Ecological Information	fects A Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system. May cause discomfort if swallowed. Causes severe burns. May cause sensitization by skin contact. Causes severe burns. Causes serious eye damage.

Persistence and degradability	No data available.
Bioaccumulative potential	
Bio-Accumulative Potential	No data available on bioaccumulation.
Mobility in soil	
Mobility	No data available.
Other adverse effects	
Other adverse effects	Not known.
13. Disposal considerations	
Waste treatment methods	
Disposal methods	Dispose of contents/container in accordance with national regulations.
14. Transport information	
UN Number	
UN No. (DOT)	UN1760
UN proper shipping name	
Proper shipping name (DOT)	CORROSIVE LIQUIDS, N.O.S. (CONTAINS Diluent)
Transport hazard class(es)	
DOT hazard class	8
DOT hazard label	8
DOT transport labels	
CORROSIVE 8	
Packing group	
DOT packing group	II
15. Regulatory information	
Regulatory References	Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.
US Federal Regulations	
SARA Section 302 Extremely None of the ingredients are re	Hazardous Substances Tier II Threshold Planning Quantities quired to be listed.
CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA) The following ingredients are listed or exempt:	
Silver	
1,000 lbs (454 Kg)	
SARA Extremely Hazardous S	Substances EPCRA Reportable Quantities

None of the ingredients are required to be listed.

SARA 313 Emission Reporting

The following ingredients are listed or exempt: *Silver*

CAA Accidental Release Prevention None of the ingredients are required to be listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are required to be listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins None of the ingredients are required to be listed.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed or exempt: *Silver*

California Air Toxics "Hot Spots" (A-II) None of the ingredients are required to be listed.

Massachusetts "Right To Know" List The following ingredients are listed or exempt:

Silver

Rhode Island "Right To Know" List The following ingredients are listed or exempt: *Silver*

Minnesota "Right To Know" List The following ingredients are listed or exempt: *Silver*

New Jersey "Right To Know" List The following ingredients are listed or exempt: *Silver*

Pennsylvania "Right To Know" List The following ingredients are listed or exempt: *Silver*

EU - EINECS/ELINCS Some of the ingredients are listed or exempt.

Canada - DSL/NDSL All the ingredients are listed or exempt.

US - TSCA All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

Australia - AICS

Some of the ingredients are listed or exempt.

Japan - MITI

Some of the ingredients are listed or exempt.

Korea - KECI

Some of the ingredients are listed or exempt.

China - IECSC

Some of the ingredients are listed or exempt.

Philippines - PICCS

Some of the ingredients are listed or exempt.

16. Other information

Revision date	6/23/2016
Revision	1
Hazard statements in full	H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage.
	H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H411 Toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.