



## SAFETY DATA SHEET EPO-TEK® T905BN-4 Part A

### 1. Identification

#### Product identifier

Product name EPO-TEK® T905BN-4 Part A

Product number T905BN-4/A

#### Recommended use of the chemical and restrictions on use

Application Adhesive.

Uses advised against Use only for intended applications.

#### Details of the supplier of the safety data sheet

Supplier Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com, SDS@epotek.com

#### Emergency telephone number

Emergency telephone ChemTel: +1 (800) 255-3924, +1 (813) 248-0585

### 2. Hazard(s) identification

#### Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317

Environmental hazards Aquatic Chronic 3 - H412

#### Label elements

##### Hazard symbols



Signal word Danger

Hazard statements  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.

## EPO-TEK® T905BN-4 Part A

<b>Precautionary statements</b>	<p>P261 Avoid breathing vapor/ spray.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P302+P352 If on skin: Wash with plenty of water.</p> <p>P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
---------------------------------	---

**Contains** Bisphenol A Diglycidyl Ether Resin, Reactive Diluent

### Other hazards

Harmful dust may be released during cutting or grinding process.

### 3. Composition/information on ingredients

#### Mixtures

<b>Bisphenol A Diglycidyl Ether Resin</b>	<b>10-30%</b>
CAS number: 25085-99-8	
<b>Classification</b>	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	
Aquatic Chronic 2 - H411	
<b>Reactive Diluent</b>	<b>5-10%</b>
CAS number: Proprietary	
<b>Classification</b>	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Acute Tox. 4 - H332	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	

The full text for all hazard statements is displayed in Section 16.

### 4. First-aid measures

#### Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin Contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### Most important symptoms and effects, both acute and delayed

## EPO-TEK® T905BN-4 Part A

<b>Inhalation</b>	Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin contact</b>	Causes skin irritation. May cause an allergic skin reaction. May cause sensitisation by skin contact.
<b>Eye contact</b>	Causes serious eye damage.

### Indication of immediate medical attention and special treatment needed

**Notes for the doctor**                      Treat symptomatically.

### 5. Fire-fighting measures

#### Extinguishing media

**Suitable extinguishing media**    Extinguish with the following media: Dry chemicals. Foam. Carbon dioxide (CO<sub>2</sub>).

#### Special hazards arising from the substance or mixture

**Hazardous combustion products**                      Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

#### Advice for firefighters

**Protective actions during firefighting**                      Avoid breathing fire gases or vapors. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.

**Special protective equipment for firefighters**                      Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions**                      Wear protective clothing as described in Section 8 of this safety data sheet.

#### Environmental precautions

**Environmental precautions**                      Do not discharge into drains or watercourses or onto the ground. Avoid release to the environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up**                      Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

**Reference to other sections**                      For personal protection, see Section 8.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions**                      Handle all packages and containers carefully to minimize spills. Avoid inhalation of vapors and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.



**Advice on general occupational hygiene**                      Provide eyewash station and safety shower. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Use appropriate skin cream to prevent drying of skin.

#### Conditions for safe storage, including any incompatibilities

## EPO-TEK® T905BN-4 Part A

<b>Storage precautions</b>	Store at room temperature. Keep container tightly sealed when not in use.
<b>Storage class</b>	Chemical storage.
<b><u>Specific end uses(s)</u></b>	
<b>Specific end use(s)</b>	The identified uses for this product are detailed in Section 1.

### 8. Exposure controls/Personal protection

<b>Ingredient comments</b>	No exposure limits known for ingredient(s).
<b><u>Exposure controls</u></b>	
<b>Protective equipment</b>	
 	
<b>Appropriate engineering controls</b>	Provide adequate general and local exhaust ventilation.
<b>Eye/face protection</b>	Wear tight-fitting, chemical splash goggles or face shield.
<b>Hand protection</b>	It is recommended that chemical-resistant, impervious gloves are worn.
<b>Other skin and body protection</b>	Wear appropriate clothing to prevent any possibility of skin contact.
<b>Hygiene measures</b>	Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
<b>Respiratory protection</b>	If ventilation is inadequate, suitable respiratory protection must be worn.

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Paste.
<b>Color</b>	White/off-white.
<b>Odor</b>	Mild.
<b>Odor threshold</b>	No specific test data are available.
<b>pH</b>	No specific test data are available.
<b>Melting point</b>	No specific test data are available.
<b>Initial boiling point and range</b>	No specific test data are available.
<b>Flash point</b>	> 104°C
<b>Evaporation rate</b>	<BuAc
<b>Flammability (solid, gas)</b>	No specific test data are available.
<b>Upper/lower flammability or explosive limits</b>	No specific test data are available.
<b>Vapor density</b>	>1
<b>Relative density</b>	No specific test data are available.

**EPO-TEK® T905BN-4 Part A**

<b>Solubility(ies)</b>	Slightly soluble in water.
<b>Partition coefficient</b>	No specific test data are available.
<b>Auto-ignition temperature</b>	No specific test data are available.
<b>Decomposition Temperature</b>	No specific test data are available.
<b>Viscosity</b>	No specific test data are available.
<b>Other information</b>	None.

**10. Stability and reactivity**

<b>Reactivity</b>	The following materials may react with the product: Strong oxidizing agents. Strong reducing agents.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time.
<b>Materials to avoid</b>	Strong oxidizing agents. Strong reducing agents.
<b>Hazardous decomposition products</b>	Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ).

**11. Toxicological information****Information on toxicological effects****Acute toxicity - oral**

ATE oral (mg/kg) 5,147.21

**Acute toxicity - dermal**

ATE dermal (mg/kg) 11,323.86

**Acute toxicity - inhalation**

ATE inhalation (gases ppm) 46,324.89

ATE inhalation (vapours mg/l) 113.24

ATE inhalation (dusts/mists mg/l) 15.44

<b>Inhalation</b>	Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin Contact</b>	Irritating to skin. May cause an allergic skin reaction. May cause sensitisation by skin contact.
<b>Eye contact</b>	Causes serious eye damage.

**12. Ecological information**

**EPO-TEK® T905BN-4 Part A**

**Ecotoxicity** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Acute aquatic toxicity**

**Acute toxicity - fish** Not available.

**Persistence and degradability**

**Persistence and degradability** No data available.

**Bioaccumulative potential**

**Bio-Accumulative Potential** No data available on bioaccumulation.

**Partition coefficient** No specific test data are available.

**Mobility in soil**

**Mobility** The product has poor water-solubility.

**Other adverse effects**

**Other adverse effects** Not known.

**13. Disposal considerations****Waste treatment methods**

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**14. Transport information**

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).

**UN Number**

**UN No. (International)** Not applicable.

**UN proper shipping name**

**Proper shipping name (International)** Not applicable.

**Transport hazard class(es)**

**Transport Labels (International)** No transport warning sign required.

**Packing group**

**Packing group (International)** Not applicable.

**Environmental hazards**

**Environmentally Hazardous Substance**  
No.

**Special precautions for user**

Not applicable.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## EPO-TEK® T905BN-4 Part A

### 15. Regulatory information

**Regulatory References** Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

#### US Federal Regulations

**SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed.

**CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are listed.

**SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are listed.

**SARA 313 Emission Reporting**

None of the ingredients are listed.

**CAA Accidental Release Prevention**

None of the ingredients are listed.

**OSHA Highly Hazardous Chemicals**

None of the ingredients are listed.

#### US State Regulations

**California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed.

**California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are listed.

**California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are listed.

**Massachusetts "Right To Know" List**

None of the ingredients are listed.

**Rhode Island "Right To Know" List**

None of the ingredients are listed.

**Minnesota "Right To Know" List**

None of the ingredients are listed.

**New Jersey "Right To Know" List**

None of the ingredients are listed.

**Pennsylvania "Right To Know" List**

None of the ingredients are listed.

#### Inventories

**EU - EINECS/ELINCS**

Some of the ingredients are listed or exempt.

**Canada - DSL/NDSL**

All the ingredients are listed or exempt.

**EPO-TEK® T905BN-4 Part A****US - TSCA**

All the ingredients are listed or exempt.

**US - TSCA 12(b) Export Notification**

None of the ingredients are listed.

**Australia - AICS**

All the ingredients are listed or exempt.

**Japan - ENCS**

Some of the ingredients are listed or exempt.

**Korea - KECI**

All the ingredients are listed or exempt.

**China - IECSC**

All the ingredients are listed or exempt.

**Philippines - PICCS**

All the ingredients are listed or exempt.

**16. Other information**

<b>Revision date</b>	6/24/2019
<b>Revision</b>	2
<b>Supersedes date</b>	3/18/2015
<b>Hazard statements in full</b>	<p>H302 Harmful if swallowed.  H312 Harmful in contact with skin.  H315 Causes skin irritation.  H317 May cause an allergic skin reaction.  H318 Causes serious eye damage.  H319 Causes serious eye irritation.  H332 Harmful if inhaled.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.</p>

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.





## SAFETY DATA SHEET

### EPO-TEK® T905BN-4 Part B

#### 1. Identification

##### Product identifier

**Product name** EPO-TEK® T905BN-4 Part B  
**Product number** T905BN-4/B

##### Recommended use of the chemical and restrictions on use

**Application** Adhesive.  
**Uses advised against** Use only for intended applications.

##### Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.  
 14 Fortune Drive  
 Billerica, MA 01821  
 USA  
 (978) 667-3805  
 (978) 663-9782  
 www.epotek.com, SDS@epotek.com

##### Emergency telephone number

**Emergency telephone** ChemTel: +1 (800) 255-3924, +1 (813) 248-0585

#### 2. Hazard(s) identification

##### Classification of the substance or mixture

**Physical hazards** Not Classified  
**Health hazards** Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Carc. 2 - H351 Repr. 1A - H360FD  
**Environmental hazards** Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

**Human health** Contains a substance/a group of substances which may impair fertility. Contains a substance/a group of substances which may damage the unborn child. Contains a substance which may be potentially carcinogenic.

##### Label elements

##### Hazard symbols



**Signal word**

Danger

**EPO-TEK® T905BN-4 Part B**

<b>Hazard statements</b>	<p>H302 Harmful if swallowed.</p> <p>H314 Causes severe skin burns and eye damage.</p> <p>H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H351 Suspected of causing cancer.</p> <p>H360FD May damage fertility. May damage the unborn child.</p> <p>H410 Very toxic to aquatic life with long lasting effects.</p>
<b>Precautionary statements</b>	<p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.</p> <p>P302+P352 If on skin: Wash with plenty of water.</p> <p>P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.</p> <p>P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
<b>Contains</b>	Specialty Aromatic Diamine, Cycloaliphatic Diamine, Cyclic Diamine, Cyclic Ethyleneamine

**3. Composition/information on ingredients****Mixtures**

<b>Cycloaliphatic Diamine</b>	<b>30-60%</b>
CAS number: Proprietary	
<b>Classification</b>	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Aquatic Chronic 3 - H412	
<b>Specialty Aromatic Diamine</b>	<b>30-60%</b>
CAS number: Proprietary	
<b>Classification</b>	
Acute Tox. 4 - H302	
Carc. 2 - H351	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	
<b>Tertiary Amine</b>	<b>5-10%</b>
CAS number: Proprietary	
<b>Classification</b>	
Skin Irrit. 2 - H315	

**EPO-TEK® T905BN-4 Part B**

<b>Cyclic Diamine</b>	<b>1-5%</b>
CAS number: Proprietary	
<b>Classification</b>	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Resp. Sens. 1 - H334	
Skin Sens. 1 - H317	
Repr. 2 - H361fd	
<b>Cyclic Ethyleneamine</b>	<b>&lt;1%</b>
CAS number: Proprietary	
<b>Classification</b>	
Acute Tox. 3 - H311	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Repr. 1A - H360FD	
Aquatic Chronic 3 - H412	

The full text for all hazard statements is displayed in Section 16.

**4. First-aid measures****Description of first aid measures**

<b>General information</b>	Contains a substance/a group of substances which may cause cancer. Contains a substance/a group of substances which may damage fertility and the unborn child.
<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin Contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

**Most important symptoms and effects, both acute and delayed**

<b>Inhalation</b>	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Vapors may cause headache, fatigue, dizziness and nausea.
<b>Ingestion</b>	Harmful if swallowed. May cause stomach pain or vomiting. May cause chemical burns in mouth, esophagus and stomach.
<b>Skin contact</b>	May cause an allergic skin reaction. May cause serious chemical burns to the skin.
<b>Eye contact</b>	Causes serious eye damage. Severe irritation, burning and tearing.

**Indication of immediate medical attention and special treatment needed**

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

**5. Fire-fighting measures**

## EPO-TEK® T905BN-4 Part B

### Extinguishing media

**Suitable extinguishing media** Extinguish with the following media: Dry chemicals. Foam. Carbon dioxide (CO<sub>2</sub>).

### Special hazards arising from the substance or mixture

**Hazardous combustion products** Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

### Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapors. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. Avoid release to the environment.

### Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

**Reference to other sections** For personal protection, see Section 8.

## 7. Handling and storage

### Precautions for safe handling

**Usage precautions** Handle all packages and containers carefully to minimize spills. Avoid inhalation of vapors and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

**Advice on general occupational hygiene** Provide eyewash station and safety shower. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Use appropriate skin cream to prevent drying of skin.

### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at room temperature. Keep container tightly sealed when not in use.

**Storage class** Chemical storage.

### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

## 8. Exposure controls/Personal protection

### Control parameters

### Occupational exposure limits

#### **Tertiary Amine**

Long-term exposure limit (8-hour TWA): ACGIH 5 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): ACGIH

## EPO-TEK® T905BN-4 Part B

ACGIH = American Conference of Governmental Industrial Hygienists.

### Exposure controls

#### Protective equipment



**Appropriate engineering controls**

Provide adequate general and local exhaust ventilation.

**Eye/face protection**

Wear tight-fitting, chemical splash goggles or face shield.

**Hand protection**

It is recommended that chemical-resistant, impervious gloves are worn.

**Other skin and body protection**

Wear appropriate clothing to prevent any possibility of skin contact.

**Hygiene measures**

Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

**Respiratory protection**

If ventilation is inadequate, suitable respiratory protection must be worn.

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Paste.
<b>Color</b>	Light mauve
<b>Odor</b>	Slight.
<b>Odor threshold</b>	No specific test data are available.
<b>pH</b>	No specific test data are available.
<b>Melting point</b>	No specific test data are available.
<b>Initial boiling point and range</b>	No specific test data are available.
<b>Flash point</b>	> 93°C
<b>Evaporation rate</b>	<BuAc
<b>Flammability (solid, gas)</b>	No specific test data are available.
<b>Upper/lower flammability or explosive limits</b>	No specific test data are available.
<b>Vapor pressure</b>	No specific test data are available.
<b>Vapor density</b>	>1
<b>Relative density</b>	No specific test data are available.
<b>Solubility(ies)</b>	No specific test data are available.
<b>Partition coefficient</b>	No specific test data are available.
<b>Auto-ignition temperature</b>	No specific test data are available.
<b>Decomposition Temperature</b>	No specific test data are available.
<b>Viscosity</b>	No specific test data are available.

## EPO-TEK® T905BN-4 Part B

**Other information**                      None.

### 10. Stability and reactivity

**Reactivity**                              The following materials may react with the product: Strong oxidizing agents. Strong reducing agents.

**Stability**                                Stable at normal ambient temperatures.

**Possibility of hazardous reactions**                      Will not polymerize.

**Conditions to avoid**                      Avoid excessive heat for prolonged periods of time.

**Materials to avoid**                      Strong oxidizing agents. Strong reducing agents.

**Hazardous decomposition products**                      Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Oxides of carbon. Oxides of nitrogen.

### 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity - oral

**ATE oral (mg/kg)**                      750.75

#### Acute toxicity - dermal

**ATE dermal (mg/kg)**                      3,054.42

**General information**                      Contains a substance/a group of substances which may cause cancer. Contains a substance/a group of substances which may damage fertility and the unborn child.

**Inhalation**                                May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause sensitisation by inhalation.

**Ingestion**                                 Harmful if swallowed. May cause stomach pain or vomiting. May cause chemical burns in mouth, esophagus and stomach.

**Skin Contact**                              May cause sensitisation by skin contact. Harmful in contact with skin. May cause serious chemical burns to the skin.

**Eye contact**                                Causes serious eye damage. Severe irritation, burning and tearing. A single exposure may cause the following adverse effects: Corneal damage.

#### Toxicological information on ingredients.

#### Tertiary Amine

#### Carcinogenicity

**IARC carcinogenicity**                      IARC Group 3 Not classifiable as to its carcinogenicity to humans.

**NTP carcinogenicity**                      Reasonably anticipated to be a human carcinogen.

**OSHA Carcinogenicity**                      Not listed.

### 12. Ecological information

**Ecotoxicity**                                Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**EPO-TEK® T905BN-4 Part B****Acute aquatic toxicity****Acute toxicity - fish** No information available.**Persistence and degradability****Persistence and degradability** No data available.**Bioaccumulative potential****Bio-Accumulative Potential** No data available on bioaccumulation.**Partition coefficient** No specific test data are available.**Mobility in soil****Mobility** Semi-mobile.**Other adverse effects****Other adverse effects** Not known.**13. Disposal considerations****Waste treatment methods****Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.**14. Transport information****UN Number****UN No. (TDG)** 2735**UN No. (IMDG)** 2735**UN No. (ICAO)** 2735**UN No. (DOT)** UN2735**UN proper shipping name****Proper shipping name (TDG)** AMINES, LIQUID, CORROSIVE, N.O.S. (Specialty Aromatic Diamine, Cycloaliphatic Diamine)**Proper shipping name (IMDG)** AMINES, LIQUID, CORROSIVE, N.O.S. (Specialty Aromatic Diamine, Cycloaliphatic Diamine)**Proper shipping name (ICAO)** AMINES, LIQUID, CORROSIVE, N.O.S. (Specialty Aromatic Diamine, Cycloaliphatic Diamine)**Proper shipping name (DOT)** AMINES, LIQUID, CORROSIVE, N.O.S. (Specialty Aromatic Diamine, Cycloaliphatic Diamine)**Transport hazard class(es)****DOT hazard class** 8**DOT hazard label** 8**TDG class** 8**TDG label(s)** 8**IMDG Class** 8**ICAO class/division** 8

## EPO-TEK® T905BN-4 Part B

### Transport labels



### DOT transport labels



### Packing group

TDG Packing Group	III
IMDG packing group	III
ICAO packing group	III
DOT packing group	III

### Environmental hazards

#### Environmentally Hazardous Substance



### Special precautions for user

IMDG Code segregation group	18. Alkalis
EmS	F-A, S-B

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## 15. Regulatory information

**Regulatory References** Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

### US Federal Regulations

#### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are required to be listed.

#### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are required to be listed.

#### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are required to be listed.

#### **SARA 313 Emission Reporting**

None of the ingredients are required to be listed.

#### **CAA Accidental Release Prevention**

None of the ingredients are required to be listed.



## EPO-TEK® T905BN-4 Part B

### OSHA Highly Hazardous Chemicals

None of the ingredients are required to be listed.

### US State Regulations

#### California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are required to be listed.

#### California Air Toxics "Hot Spots" (A-I)

None of the ingredients are required to be listed.

#### California Air Toxics "Hot Spots" (A-II)

None of the ingredients are required to be listed.

#### Massachusetts "Right To Know" List

The following ingredients are listed:

*Tertiary Amine*

*Cyclic Ethyleneamine*

*Cyclic Diamine*

#### Rhode Island "Right To Know" List

The following ingredients are listed:

*Tertiary Amine*

*Diethanolamine*

#### Minnesota "Right To Know" List

The following ingredients are listed:

*Tertiary Amine*

#### New Jersey "Right To Know" List

The following ingredients are listed:

*Tertiary Amine*

*Cyclic Ethyleneamine*

*Cyclic Diamine*

*Cycloaliphatic Diamine*

#### Pennsylvania "Right To Know" List

The following ingredients are listed:

*Tertiary Amine*

*Cyclic Ethyleneamine*

*Cyclic Diamine*

### Inventories

#### EU - EINECS/ELINCS

All the ingredients are listed or exempt.

#### Canada - DSL/NDSL

All the ingredients are listed or exempt.

#### US - TSCA

All the ingredients are listed or exempt.

**EPO-TEK® T905BN-4 Part B****US - TSCA 12(b) Export Notification**

None of the ingredients are listed.

**Australia - AICS**

All the ingredients are listed or exempt.

**Japan - ENCS**

All the ingredients are listed or exempt.

**Korea - KECI**

All the ingredients are listed or exempt.

**China - IECSC**

All the ingredients are listed or exempt.

**Philippines - PICCS**

All the ingredients are listed or exempt.

**16. Other information**

<b>Revision date</b>	6/24/2019
<b>Revision</b>	2
<b>Supersedes date</b>	3/18/2015
<b>Hazard statements in full</b>	<p>H302 Harmful if swallowed.  H311 Toxic in contact with skin.  H312 Harmful in contact with skin.  H314 Causes severe skin burns and eye damage.  H315 Causes skin irritation.  H317 May cause an allergic skin reaction.  H318 Causes serious eye damage.  H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  H351 Suspected of causing cancer.  H360FD May damage fertility. May damage the unborn child.  H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.</p>

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.