Revision Date 04/23/2015 Revision 1



SAFETY DATA SHEET EPO-TEK TD1001-67

1. IDENTIFICATION		
Product Name	EPO-TEK TD1001-67	
Product No.	EPO-TEK TD1001-67	
Identification No.	UN3082	
Identified uses	Adhesive.	
<u>Supplier</u>	Epoxy Technology, Inc. 14 Fortune Drive Billerica, MA 01821 USA www.epotek.com (978) 667-3805 (978) 663-9782	
Emergency Telephone	(800) 255-3924	
2. HAZARD(S) IDENTIF	ICATION	

Appearance Color Odor GHS Pictogram Paste White / off-white. Mild.



Signal Word	Warning	
Hazard Statements		
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H319	Causes serious eye irritation.
	H410	Very toxic to aquatic life with long lasting effects.
Precautionary Statements		
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P313	Get medical advice/attention.
	P501	Dispose of contents/container in accordance with local regulations.
GHS Classification		
	Physical and Chemical Hazards	Not classified.

Human Health

Contains a substance which may be potentially carcinogenic.

Inhalation

Gas or vapor in high concentrations may irritate respiratory system.

Human health

Environment

Ingestion

May cause discomfort if swallowed.

Skin Irrit. 2 - H315;Eye Irrit. 2 - H319;Skin Sens. 1 - H317

Aquatic Acute 1 - H400;Aquatic Chronic 1 - H410

Skin Contact

May cause sensitization by skin contact. Irritating to skin.

Eye Contact

Irritating to eyes.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Accelerator		< 1%
CAS No.: Proprietary	EC No.: Proprietary	
GHS Classification Acute Tox. 4 - H302; Carc. 2 - H	I351; Aquatic Chronic 1 - H410	
Epoxy Resin Blend		60-100%
CAS No.: Proprietary	EC No.: Proprietary	
GHS Classification Skin Irrit. 2 - H315; Eye Irrit. 2 -	H319; Skin Sens. 1 - H317; Aquatic Chronic 2 - H411	
Reactive Diluent		1-5%
CAS No.: Proprietary	EC No.: Proprietary	
GHS Classification Acute Tox. 4 - H302; Acute Tox	. 4 - H312; Acute Tox. 4 - H332; Skin Irrit. 2 - H315; Eye Dam. 1 - H318; Skin Sens. 1 - H317	,

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues. Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin Contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

Eye Contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

Most important symptoms and effects, both acute and delayed

Inhalation

Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.
Ingestion
May cause discomfort if swallowed.
Skin Contact
Skin irritation. Allergic rash.

Eye Contact

Irritating and may cause redness and pain.

Indication of any immediate medical attention and special treatment needed

2/7

Notes To The Physician

Treat Symptomatically.

5. FIRE-FIGHTING MEASURES

Flash point (°C)

Extinguishing Media

Fire can be extinguished using: Dry chemicals. Foam. Carbon dioxide (CO2).

93

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

Special Fire Fighting Procedures

Avoid breathing fire vapors. Water spray should be used to cool containers.

Protective Equipment For Fire-Fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Do not discharge onto the ground or into water courses. Avoid release to the environment.

Spill Clean Up Methods

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

Reference to other sections

For personal protection, see section 8.

7. HANDLING AND STORAGE

Handling

Avoid spilling, skin and eye contact. Do not handle broken packages without protective equipment. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Observe good chemical hygiene practices. Provide good ventilation. Storage

Store at -40 degrees C. Keep container tightly sealed when not in use.

Storage Class

Chemical storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENT	STD	TWA	(8-hrs)	STEL	(15 min)	Notes
Accelerator	ACGIH		10 mg/m3			A4

ACGIH=American Conference of Governmental Industrial Hygienists. A4: Not Classifiable as a Human Carcinogen.

Protective Equipment





Process Conditions

Provide eyewash station.

Engineering Measures

Provide adequate general and local exhaust ventilation.

Respiratory Equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand Protection

Use protective gloves made of: Impermeable material.

Eye Protection

Wear goggles/face shield.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Paste
Color	White / off-white.
Odor	Mild.
Solubility	Slightly soluble in water.
Vapor density (air=1)	>1
Evaporation rate	<buac< td=""></buac<>
Flash point (°C)	93

10. STABILITY AND REACTIVITY

Reactivity

Reaction with: Strong oxidizing agents. Strong reducing agents. <u>Stability</u> Stable under normal temperature conditions. <u>Hazardous Polymerisation</u> Will not polymerise. <u>Conditions To Avoid</u> Avoid excessive heat for prolonged periods of time. <u>Materials To Avoid</u> Strong oxidizing substances. Strong reducing agents. <u>Hazardous Decomposition Products</u> In case of fire, toxic gases (CO, CO2, NOx) may be formed.

11. TOXICOLOGICAL INFORMATION

Toxicological Information on Ingredients:

Reactive Diluent (CAS: Proprietary)

Toxic Dose 1 - LD 50 1, 163 mg/kg (oral, rat) Toxic Dose 2 - LD 50 1, 130 mg/kg (dermal, rabbit)

Accelerator (CAS: Proprietary)

Toxic Dose 1 - LD 50 1, 017 mg/kg (oral, rat) Toxic Dose 2 - LD 50 >5, 000 mg/kg (dermal, rat)

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. <u>Acute Fish Toxicity</u> Very toxic to aquatic organisms. <u>Degradability</u> No data available. <u>Bioaccumulative potential</u> No data available on bioaccumulation.

Mobility:

The product has poor water-solubility. Other adverse effects

Not known.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORM	MATION
UN No. (DOT/TDG)	UN3082
UN No. (IMDG)	3082
UN No. (ICAO)	3082
DOT Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin Blend)
TDG Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin Blend)
DOT Hazard Class	
9	
DOT Hazard Label	
Class 9	
TDG Class	9
TDG Label(s)	9
IMDG Class	9
ICAO Class	9
Transport Labels	



DOT Pack Group	III
IMDG Pack Group	III
Air Pack Group	Ш

Environmentally Hazardous Substance/Marine Pollutant



EMS

F-A, S-F

15. REGULATORY INFORMATION

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The following ingredients are listed.

Accelerator; 100 lbs (45.4 Kg)

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed. SARA 313 Emission Reporting The following ingredients are listed. Accelerator CAA Accidental Release Prevention None of the ingredients are listed. OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

WARNING: This product contains a substance known to the State of California to cause cancer and/or reproductive harm.

California Air Toxics "Hot Spots" (A-I) None of the ingredients are listed. California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed. Massachusetts "Right To Know" List The following ingredients are listed. Accelerator Rhode Island "Right To Know" List The following ingredients are listed. Accelerator Minnesota "Right To Know" List The following ingredients are listed. Accelerator New Jersey "Right To Know" List The following ingredients are listed. Accelerator Pennsylvania "Right To Know" List The following ingredients are listed. Accelerator International Inventories **EU - EINECS/ELINCS** At least one ingredient is not listed. Canada - DSL/NDSL All ingredients are listed or exempt. US - TSCA All ingredients are listed or exempt. US - TSCA 12(b) Export Notification None of the ingredients are listed. Australia - AICS At least one ingredient is not listed. Japan – MITI At least one ingredient is not listed. Korea - KECI At least one ingredient is not listed. China - IECSC At least one ingredient is not listed. Philippines – PICCS

At least one ingredient is not listed.

16. OTHER INFORMATION	
Revision Date	04/23/2015
Revision	1

Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.