Revision Date 03/18/2015 Revision 1



SAFETY DATA SHEET EPO-TEK TZ101

1. IDENTIFICATION		
Product Name	EPO-TEK TZ101	
Product No.	EPO-TEK TZ101	
Identification No.	UN3082	
Identified uses	Adhesive.	
Supplier	Epoxy Technology, Inc.	
	14 Fortune Drive	
	Billerica, MA 01821 USA	
	www.epotek.com	
	(978) 667-3805	
	(978) 663-9782	
Emergency Telephone	(800) 255-3924	
2. HAZARD(S) IDENTIF	ICATION	
Appearance	Paste	
Color	White / off-white.	
Odor	Slight odor.	
GHS Pictogram		
	Danger	
Signal Word	Danger	
Signal Word		Causes skin irritation.
Signal Word	Danger H315 H317	Causes skin irritation. May cause an allergic skin reaction.
	H315	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.
Signal Word	H315 H317	May cause an allergic skin reaction.
<u>Signal Word</u> Hazard Statements	H315 H317 H318	May cause an allergic skin reaction. Causes serious eye damage.
<u>Signal Word</u> Hazard Statements	H315 H317 H318 H411 P273	May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects. Avoid release to the environment.
Signal Word	H315 H317 H318 H411 P273 P280	May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
<u>Signal Word</u> Hazard Statements	H315 H317 H318 H411 P273	May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Signal Word Hazard Statements	H315 H317 H318 H411 P273 P280	May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<u>Signal Word</u> Hazard Statements	H315 H317 H318 H411 P273 P280 P305+351+338	May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Signal Word Hazard Statements Precautionary Statements	H315 H317 H318 H411 P273 P280 P305+351+338 P501	May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Signal Word Hazard Statements Precautionary Statements	H315 H317 H318 H411 P273 P280 P305+351+338 P501	May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents/container in accordance with local regulations.
Signal Word Hazard Statements Precautionary Statements	H315 H317 H318 H411 P273 P280 P305+351+338 P501 Epoxy Phenol Novolac	May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents/container in accordance with local regulations.
Signal Word Hazard Statements Precautionary Statements	H315 H317 H318 H411 P273 P280 P305+351+338 P501 Epoxy Phenol Novolac Physical and Chemical Hazards	May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove conta lenses, if present and easy to do. Continue rinsing. Dispose of contents/container in accordance with local regulations.

May cause discomfort if swallowed.

Skin Contact

May cause sensitization by skin contact. Irritating to skin.

Eye Contact

EPO-TEK TZ101

Extreme irritation of eyes and mucous membranes, including burning and tearing. Risk of corneal damage.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Epoxy Phenol Novolac

CAS No.: 9003-36-5

GHS Classification

Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317; Aquatic Chronic 2 - H411

EC No .:

Reactive Diluent

10-30%

30-60%

CAS No.: Proprietary

EC No.: Proprietary

GHS Classification

Acute Tox. 4 - H302; Acute Tox. 4 - H312; Acute Tox. 4 - H332; Skin Irrit. 2 - H315; Eye Dam. 1 - H318; Skin Sens. 1 - H317

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin Contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

Eye Contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

Most important symptoms and effects, both acute and delayed

Inhalation

Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.

Ingestion

May cause discomfort if swallowed.

Skin Contact

Skin irritation. Allergic rash.

Eye Contact

Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal damage.

Indication of any immediate medical attention and special treatment needed

Notes To The Physician

Treat Symptomatically.

5. FIRE-FIGHTING MEASURES

Flash point (°C)

93

Extinguishing Media

Fire can be extinguished using: Dry chemicals. Foam. Carbon dioxide (CO2).

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

EPO-TEK TZ101

Special Fire Fighting Procedures

Avoid breathing fire vapors. Water spray should be used to cool containers.

Protective Equipment For Fire-Fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Do not discharge onto the ground or into water courses. Avoid release to the environment.

Spill Clean Up Methods

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

Reference to other sections

For personal protection, see section 8.

7. HANDLING AND STORAGE

Handling

Avoid spilling, skin and eye contact. Do not eat, drink or smoke when using the product. Observe good chemical hygiene practices. Avoid inhalation of vapors.

Storage

Store at -40 degrees C. Keep container tightly sealed when not in use.

Storage Class

Chemical storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective Equipment



 Process Conditions

 Provide eyewash station.

 Engineering Measures

 Provide adequate general and local exhaust ventilation.

 Respiratory Equipment

 If ventilation is insufficient, suitable respiratory protection must be provided.

 Hand Protection

 Use protective gloves made of: Impermeable material.

 Eye Protection

 Wear tight-fitting goggles or face shield.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Paste
Color	White / off-white.
Odor	Slight odor.
Solubility	Slightly soluble in water.

10. STABILITY AND REACTIVITY

Reactivity

Reaction with: Strong oxidizing agents. Strong reducing agents. <u>Stability</u> Stable under normal temperature conditions. <u>Hazardous Polymerisation</u> Will not polymerise. <u>Conditions To Avoid</u> Avoid excessive heat for prolonged periods of time. <u>Materials To Avoid</u> Strong oxidizing substances. Strong reducing agents. <u>Hazardous Decomposition Products</u> In case of fire, toxic gases (CO, CO2, NOx) may be formed.

11. TOXICOLOGICAL INFORMATION

Toxicological Information on Ingredients:

Epoxy Phenol Novolac (CAS: 9003-36-5)

Toxic Dose 1 - LD 50 >5, 000 mg/kg (oral, rat)

Reactive Diluent (CAS: Proprietary)

Toxic Dose 1 - LD 50 1, 163 mg/kg (oral, rat) Toxic Dose 2 - LD 50 1, 130 mg/kg (dermal, rabbit)

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
<u>Acute Fish Toxicity</u>
Very toxic to aquatic organisms.
<u>Degradability</u>
No data available.
<u>Bioaccumulative potential</u>
No data available on bioaccumulation.
<u>Mobility:</u>
The product has poor water-solubility.
<u>Other adverse effects</u>
Not known.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

UN3082
3082
3082
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Phenol Novolac)
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Phenol Novolac)

EPO-TEK TZ101

DOT Hazard Class 9		
<u>DOT Hazard L</u> abel Class 9		
TDG Class	9	
TDG Label(s)	9	
IMDG Class	9	
ICAO Class	9	
Transport Labels		



DOT Pack Group	III
IMDG Pack Group	III
Air Pack Group	III

Environmentally Hazardous Substance/Marine Pollutant



EMS

F-A, S-F

15. REGULATORY INFORMATION

US Federal Regulations

 SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

 None of the ingredients are listed.

 CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

 None of the ingredients are listed.

 SARA Extremely Hazardous Substances EPCRA Reportable Quantities

 None of the ingredients are listed.

 SARA 313 Emission Reporting

 None of the ingredients are listed.

 CAA Accidental Release Prevention

 None of the ingredients are listed.

 OSHA Highly Hazardous Chemicals

 None of the ingredients are listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins None of the ingredients are listed. California Air Toxics "Hot Spots" (A-I) None of the ingredients are listed. California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed.

EPO-TEK TZ101

Massachusetts "Right To Know" List None of the ingredients are listed. Rhode Island "Right To Know" List None of the ingredients are listed. Minnesota "Right To Know" List None of the ingredients are listed. New Jersey "Right To Know" List None of the ingredients are listed. Pennsylvania "Right To Know" List None of the ingredients are listed. International Inventories EU - EINECS/ELINCS At least one ingredient is not listed. Canada - DSL/NDSL All ingredients are listed or exempt. US - TSCA All ingredients are listed or exempt. US - TSCA 12(b) Export Notification None of the ingredients are listed. Australia - AICS At least one ingredient is not listed. Japan – MITI At least one ingredient is not listed. Korea - KECI

At least one ingredient is not listed. <u>China - IECSC</u> All ingredients are listed or exempt. <u>Philippines – PICCS</u> At least one ingredient is not listed.

16. OTHER INFORMATION

Revision Date Revision 03/18/2015 1

Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.