



SAFETY DATA SHEET

EPO-TEK 302-3M Black PMF Syringe

1. Identification

Product identifier

Product name EPO-TEK 302-3M Black PMF Syringe

Product number 302-3M Black

Recommended use of the chemical and restrictions on use

Application Adhesive.

Details of the supplier of the safety data sheet

Supplier Epoxy Technology, Inc.
 14 Fortune Drive
 Billerica, MA 01821
 USA
 (978) 667-3805
 (978) 663-9782
 www.epotek.com, SDS@epotek.com

Emergency telephone number

Emergency telephone +1 (800) 255-3924, +1 (813) 248-0585

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Muta. 1B - H340 Repr. 1B - H360 STOT RE 2 - H373

Environmental hazards Aquatic Chronic 2 - H411

Label elements

Pictogram



Signal word

Danger

Hazard statements

H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H340 May cause genetic defects.
 H360 May damage fertility or the unborn child.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H411 Toxic to aquatic life with long lasting effects.

EPO-TEK 302-3M Black PMF Syringe

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
 P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P501 Dispose of contents/ container in accordance with national regulations.

Contains Epoxy Phenol Novolac, Polyoxypropylenediamine, 4-Nonyl phenol

Other hazards

Hazards not otherwise classified (HNOC) Contains epoxy constituents. May produce an allergic reaction.

3. Composition/information on ingredients

Mixtures

| | |
|--------------------------------|----------------|
| Epoxy Phenol Novolac | 60-100% |
| CAS number: 9003-36-5 | |
| Classification | |
| Skin Irrit. 2 - H315 | |
| Eye Irrit. 2 - H319 | |
| Skin Sens. 1 - H317 | |
| Aquatic Chronic 2 - H411 | |
| Polyoxypropylenediamine | 10-30% |
| CAS number: 9046-10-0 | |
| Classification | |
| Acute Tox. 4 - H302 | |
| Skin Corr. 1B - H314 | |
| Eye Dam. 1 - H318 | |
| 4-Nonyl phenol | 10-30% |
| CAS number: 84852-15-3 | |
| Classification | |
| Acute Tox. 4 - H302 | |
| Skin Corr. 1B - H314 | |
| Repr. 2 - H361fd | |
| Aquatic Acute 1 - H400 | |
| Aquatic Chronic 1 - H410 | |

The Full Text for all Hazard Statements are Displayed in Section 16.

4. First-aid measures

Description of first aid measures

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

EPO-TEK 302-3M Black PMF Syringe

| | |
|---------------------|--|
| Ingestion | Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues. |
| Skin Contact | Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues. |
| Eye contact | Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention. |

Most important symptoms and effects, both acute and delayed

| | |
|----------------------------|--|
| General information | May cause genetic defects. May damage fertility or the unborn child. May cause damage to organs (Kidneys, Liver) through prolonged or repeated exposure. |
| Inhalation | May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory system irritation. |
| Ingestion | Harmful if swallowed. May cause chemical burns in mouth, esophagus and stomach. May cause stomach pain or vomiting. |
| Skin contact | Causes severe burns. |
| Eye contact | Causes serious eye damage. |

Indication of immediate medical attention and special treatment needed

| | |
|-----------------------------|------------------------|
| Notes for the doctor | Treat symptomatically. |
|-----------------------------|------------------------|

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Dry chemicals. Foam. Carbon dioxide (CO₂).

Special hazards arising from the substance or mixture

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO₂). Carbon monoxide (CO). Oxides of nitrogen.

Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapors. Use water to keep fire exposed containers cool and disperse vapors.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions Avoid discharge to the aquatic environment.

Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

7. Handling and storage

Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes. Avoid inhalation of vapors.

EPO-TEK 302-3M Black PMF Syringe

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash promptly if skin becomes contaminated. Wash contaminated clothing before reuse. Wash after use and before eating, smoking and using the toilet.

Conditions for safe storage, including any incompatibilities

Storage precautions Store at -40 degrees C. Keep container tightly sealed when not in use.

Storage class Chemical storage.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Ingredient comments No exposure limits known for ingredient(s).

Exposure controls

Protective equipment



Appropriate engineering controls Provide adequate general and local exhaust ventilation. Avoid inhalation of vapors.

Eye/face protection Wear tight-fitting, chemical splash goggles or face shield.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn.

Other skin and body protection Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Liquid.

Color Black.

Odor Mild.

Flash point > 93°C

Evaporation rate < BuAc

Other information None.

10. Stability and reactivity

Reactivity The following materials may react with the product: Strong oxidizing agents. Strong reducing agents.

Stability Stable at normal ambient temperatures and when used as recommended.

EPO-TEK 302-3M Black PMF Syringe

| | |
|---|---|
| Possibility of hazardous reactions | May polymerize. |
| Conditions to avoid | Avoid excessive heat for prolonged periods of time. |
| Materials to avoid | Strong oxidizing agents. Strong reducing agents. |
| Hazardous decomposition products | Thermal decomposition or combustion products may include the following substances: Oxides of nitrogen. Carbon monoxide (CO). Carbon dioxide (CO ₂). |

11. Toxicological information

Information on toxicological effects

| | |
|---|--|
| Inhalation | Irritating to respiratory system. May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| Ingestion | May cause stomach pain or vomiting. May cause chemical burns in mouth, esophagus and stomach. |
| Skin Contact | Causes severe burns. May cause sensitisation by skin contact. |
| Eye contact | Causes serious eye damage. |
| Acute and chronic health hazards | May cause damage to organs (Kidneys, Liver) through prolonged or repeated exposure. May cause genetic defects. May damage fertility or the unborn child. |

12. Ecological Information

| | |
|---|---|
| Ecotoxicity | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| <u>Toxicity</u> | |
| Acute toxicity - fish | Not available. |
| <u>Persistence and degradability</u> | |
| Persistence and degradability | No data available. |
| <u>Bioaccumulative potential</u> | |
| Bio-Accumulative Potential | No data available on bioaccumulation. |
| <u>Mobility in soil</u> | |
| Mobility | No data available. |
| <u>Other adverse effects</u> | |
| Other adverse effects | Not known. |

13. Disposal considerations

Waste treatment methods

| | |
|-------------------------|---|
| Disposal methods | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. |
|-------------------------|---|

EPO-TEK 302-3M Black PMF Syringe

14. Transport information

UN Number

| | |
|---------------|--------|
| UN No. (TDG) | 2735 |
| UN No. (IMDG) | 2735 |
| UN No. (ICAO) | 2735 |
| UN No. (DOT) | UN2735 |

UN proper shipping name

| | |
|------------------------------------|--|
| Proper shipping name (TDG) | AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS Polyoxypropylenediamine, 4-Nonyl phenol) |
| Proper shipping name (IMDG) | AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS Polyoxypropylenediamine, 4-Nonyl phenol) |
| Proper shipping name (ICAO) | AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS Polyoxypropylenediamine, 4-Nonyl phenol) |
| Proper shipping name (DOT) | AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS Polyoxypropylenediamine, 4-Nonyl phenol) |

Transport hazard class(es)

| | |
|---------------------|---|
| DOT hazard class | 8 |
| DOT hazard label | 8 |
| TDG class | 8 |
| TDG label(s) | 8 |
| IMDG Class | 8 |
| ICAO class/division | 8 |

Transport labels



DOT transport labels



Packing group

| | |
|--------------------|-----|
| TDG Packing Group | III |
| IMDG packing group | III |
| ICAO packing group | III |
| DOT packing group | III |

Environmental hazards

EPO-TEK 302-3M Black PMF Syringe

Environmentally Hazardous Substance



Special precautions for user

EmS F-A, S-B

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are required to be listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are required to be listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are required to be listed.

SARA 313 Emission Reporting

None of the ingredients are required to be listed.

CAA Accidental Release Prevention

None of the ingredients are required to be listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are required to be listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are required to be listed.

California Air Toxics "Hot Spots" (A-I)

None of the ingredients are required to be listed.

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are required to be listed.

Massachusetts "Right To Know" List

None of the ingredients are required to be listed.

Rhode Island "Right To Know" List

None of the ingredients are required to be listed.

Minnesota "Right To Know" List

None of the ingredients are required to be listed.

New Jersey "Right To Know" List

None of the ingredients are required to be listed.

EPO-TEK 302-3M Black PMF Syringe

Pennsylvania "Right To Know" List

None of the ingredients are required to be listed.

Inventories

EU - EINECS/ELINCS

Some of the ingredients are listed or exempt.

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

Australia - AICS

All the ingredients are listed or exempt.

Japan - MITI

Some of the ingredients are listed or exempt.

Korea - KECI

All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines - PICCS

All the ingredients are listed or exempt.

16. Other information

| | |
|----------------------------------|--|
| Revision date | 6/16/2016 |
| Revision | 1 |
| Hazard statements in full | <p>H302 Harmful if swallowed.</p> <p>H314 Causes severe skin burns and eye damage.</p> <p>H315 Causes skin irritation.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H318 Causes serious eye damage.</p> <p>H319 Causes serious eye irritation.</p> <p>H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.</p> <p>H340 May cause genetic defects.</p> <p>H360 May damage fertility or the unborn child.</p> <p>H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.</p> <p>H373 May cause damage to organs through prolonged or repeated exposure.</p> <p>H400 Very toxic to aquatic life.</p> <p>H410 Very toxic to aquatic life with long lasting effects.</p> <p>H411 Toxic to aquatic life with long lasting effects.</p> |

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.