* TECHNOLOGY

SAFETY DATA SHEET EPO-TEK 354 PMF Syringe

1. Identification	
Product identifier	
Product name	EPO-TEK 354 PMF Syringe
Product number	354
Recommended use of the che	mical and restrictions on use
Application	Adhesive.
Details of the supplier of the sa	afety data sheet
Supplier	Epoxy Technology, Inc. 14 Fortune Drive Billerica, MA 01821 USA (978) 667-3805 (978) 663-9782 www.epotek.com, SDS@epotek.com
Emergency telephone number	
Emergency telephone	+1 (800) 255-3924, +1 (813) 248-0585
2. Hazard(s) identification	
Classification of the substance	e or mixture
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317
Environmental hazards	Aquatic Chronic 2 - H411
Label elements	
Pictogram	
Signal word	Danger
Hazard statements	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 If on skin: Wash with plenty of water. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations.

Contains

Epoxy Phenol Novolac, Imidazole Blend

Other hazards

Contains epoxy constituents. May produce an allergic reaction.

Hazards not otherwise classified (HNOC)

3. Composition/information on ingredients

Mixtures

Epoxy Phenol Novolac

CAS number: 9003-36-5

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

Imidazole Blend

CAS number: Proprietary

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335

The Full Text for all Hazard Statements are Displayed in Section 16.

4. First-aid measures	
Description of first aid	measures
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin Contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.
Most important sympto	oms and effects, both acute and delayed
Inhalation	Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.
Ingestion	May cause discomfort if swallowed.
Skin contact	Skin irritation. Allergic rash.
Eye contact	Causes serious eye damage.

Indication of immediate medical attention and special treatment needed

5-10%

60-100%

Notes for the doctor	Treat symptomatically.
5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Dry chemicals. Foam. Carbon dioxide (CO2).
Special hazards arising from the	ne substance or mixture
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.
Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapors. Use water to keep fire exposed containers cool and disperse vapors.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
6. Accidental release measure	s
Personal precautions, protectiv	ve equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes. Keep unnecessary and unprotected personnel away from the spillage.
Environmental precautions	
Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Avoid release to the environment.
Methods and material for conta	ainment and cleaning up
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
Reference to other sections	For personal protection, see Section 8.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Avoid spilling. Avoid contact with skin and eyes. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Avoid inhalation of vapors. Provide adequate ventilation.
Conditions for safe storage, inc	cluding any incompatibilities
Storage precautions	Store at -40 degrees C. Keep container tightly sealed when not in use.
Storage class	Chemical storage.
Specific end uses(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
Specific end use(s) 8. Exposure Controls/personal	·
	·

Exposure controls

Protective equipment

9. Physical and Chemical Properties

Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Wear tight-fitting, chemical splash goggles or face shield.
Hand protection	Wear protective gloves.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.

Information on basic physical and chemical properties	
Appearance	Liquid.
Color	Yellowish.
Odor	Mild.
Flash point	> 93°C
Evaporation rate	< BuAc
Vapor density	> Air
Other information	None.
10. Stability and reactivity	
Reactivity	The following materials may react violently with the product: Strong oxidizing agents. Strong reducing agents.
Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	May polymerize.

Conditions to avoid Avoid excessive heat for prolonged periods of time.

Materials to avoid Strong oxidizing agents. Strong reducing agents.

Hazardous decomposition	Thermal decomposition or combustion products may include the following substances:
products	Carbon monoxide (CO). Carbon dioxide (CO2).

11. Toxicological information

Information on toxicological effects

Inhalation	Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system.
Ingestion	May cause discomfort if swallowed.
Skin Contact	May cause sensitisation by skin contact. Irritating to skin.
Eye contact	Causes serious eye damage.
12. Ecological Information	
Ecotoxicity	Toxic to aquatic life with long lasting effects.
Persistence and degradability Persistence and degradability	No data available.
Bioaccumulative potential Bio-Accumulative Potential	No data available on bioaccumulation.
Mobility in soil Mobility	No data available.
Other adverse effects Other adverse effects	Not known.
13. Disposal considerations	
Waste treatment methods	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Disposal methods 14. Transport information	
14. Transport information	
14. Transport information	local Waste Disposal Authority.
14. Transport information UN Number UN No. (DOT)	local Waste Disposal Authority. 3082
14. Transport information UN Number UN No. (DOT) UN No. (TDG)	local Waste Disposal Authority. 3082 3082
14. Transport information <u>UN Number</u> UN No. (DOT) UN No. (TDG) UN No. (IMDG)	local Waste Disposal Authority. 3082 3082 3082
14. Transport information <u>UN Number</u> UN No. (DOT) UN No. (TDG) UN No. (IMDG) UN No. (ICAO)	local Waste Disposal Authority. 3082 3082 3082
14. Transport informationUN NumberUN No. (DOT)UN No. (TDG)UN No. (IMDG)UN No. (ICAO)UN proper shipping name	Iocal Waste Disposal Authority. 3082 3082 3082 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy
14. Transport informationUN NumberUN No. (DOT)UN No. (TDG)UN No. (IMDG)UN No. (ICAO)UN proper shipping nameProper shipping name (DOT)	local Waste Disposal Authority. 3082 3082 3082 3082 BNVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy Phenol Novolac) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy
14. Transport informationUN NumberUN No. (DOT)UN No. (DOT)UN No. (TDG)UN No. (IMDG)UN No. (ICAO)UN proper shipping nameProper shipping name (DOT)Proper shipping name (TDG)Proper shipping name (IMDG)	local Waste Disposal Authority. 3082 3082 3082 3082 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy Phenol Novolac) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy Phenol Novolac) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy Phenol Novolac)

TDG class	9
TDG label	9
IMDG Class	9
ICAO class/division	9

Transport labels

Packing group

DOT pack group	ш
TDG Packing Group	Ш
IMDG packing group	ш
ICAO packing group	Ш

Environmental hazards

Environmentally Hazardous Substance

Special precautions for user

EmS	F-A, S-F
Transport in bulk according to Annex II of MARPOL 73/78	• Not applicable.

15. Regulatory information	
Regulatory References	Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are required to be listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are required to be listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are required to be listed.

SARA 313 Emission Reporting

None of the ingredients are required to be listed.

CAA Accidental Release Prevention

None of the ingredients are required to be listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are required to be listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins None of the ingredients are required to be listed.

California Air Toxics "Hot Spots" (A-I)

None of the ingredients are required to be listed.

California Air Toxics "Hot Spots" (A-II) None of the ingredients are required to be listed.

Massachusetts "Right To Know" List None of the ingredients are required to be listed.

Rhode Island "Right To Know" List

None of the ingredients are required to be listed.

Minnesota "Right To Know" List None of the ingredients are required to be listed.

New Jersey "Right To Know" List None of the ingredients are required to be listed.

Pennsylvania "Right To Know" List None of the ingredients are required to be listed.

Inventories

EU - EINECS/ELINCS Some of the ingredients are listed or exempt.

Canada - DSL/NDSL All the ingredients are listed or exempt.

US - TSCA All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification None of the ingredients are listed or exempt.

Australia - AICS All the ingredients are listed or exempt.

Japan - MITI Some of the ingredients are listed or exempt.

Korea - KECI

Some of the ingredients are listed or exempt.

China - IECSC All the ingredients are listed or exempt.

Philippines - PICCS Some of the ingredients are listed or exempt.

16. Other information

Revision date	6/13/2016
Revision	1
Hazard statements in full	H302 Harmful if swallowed.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H335 May cause respiratory irritation.
	H411 Toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.