

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Safety Data Sheet

Issue date: 4/19/2023 Version: 1.0

A Meridian Adhesives Group Company

## **SECTION 1: Identification 1.1. Identification** Product form : Mixture EPO-TEK® H61 PMF SYRINGE Product name : 1.2. Recommended use and restrictions on use Recommended use : Adhesives Restrictions on use : Not to be used for any purpose other than the one the product was designed for 1.3. Supplier Epoxy Technology, Inc. 14 Fortune Drive Billerica, MA 01821 USA T 978-667-3805 - F 978-663-9782 www.epotek.com 1.4. Emergency telephone number : VelocityEHS: +1 (800) 255-3924, +1 (813) 248-0585 Emergency number SECTION 2: Hazard(s) identification

# 2.1. Classification of the substance or mixture

GHS	US	classification
	~~	onacomounom

Acute toxicity (dermal) Category 4	H312	Harmful in contact with skin
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2	H319	Causes serious eye irritation
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Germ cell mutagenicity Category 2	H341	Suspected of causing genetic defects
Carcinogenicity Category 1B	H350	May cause cancer
Hazardous to the aquatic environment – Chronic Hazard Category 3	H412	Harmful to aquatic life with long lasting effects
Full text of H statements : see section 16		

2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US)

Precautionary statements (GHS US)



- : Danger
  - H312 Harmful in contact with skin
  - H315 Causes skin irritation
  - H317 May cause an allergic skin reaction
  - H319 Causes serious eye irritation
  - H341 Suspected of causing genetic defects
  - H350 May cause cancer
- H412 Harmful to aquatic life with long lasting effects
- : P201 Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P272 - Contaminated work clothing must not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 - If on skin: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - If exposed or concerned: Get medical advice/attention.
P312 - Call a poison center or doctor if you feel unwell.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P322 - Specific treatment (see supplemental first aid instruction on this label)
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P363 - Wash contaminated clothing before reuse.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in
accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification

: Harmful dust may be released during cutting, milling or grinding process.

2.4. Unknown acute toxicity (GHS US)

Not applicable

## **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

### Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Resorcinal diglycidyl ether	CAS-No.: 101-90-6	10 – 30	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 Aquatic Chronic 3, H412
Bisphenol A diglycidyl ether resin*	CAS-No.: Trade Secret	1 – 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Epoxy resin*	CAS-No.: Trade Secret	1 – 5	Eye Irrit. 2, H319 Skin Sens. 1, H317
Substituted amine*	CAS-No.: Trade Secret	1 – 5	Skin Corr. 1A, H314 STOT SE 3, H335

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Reactive diluent*	CAS-No.: Trade Secret		Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 STOT SE 3, H336

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Comments : Components not listed are either non-hazardous or are below reportable limits. Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and e	ffects (acute and delayed)
Symptoms/effects after skin contact Symptoms/effects after eye contact	<ul><li>Irritation. May cause an allergic skin reaction.</li><li>Eye irritation.</li></ul>
4.0 Journalistan and test attendance and	and the second

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishin	g media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Specific hazards arising from the cher	nical		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Special protective equipment and pred	cautions for fire-fighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protec	tive equipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapors/spray.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions			
Avoid release to the environment. Notify authorities if product enters sewers or public waters.			
6.3. Methods and material for containment	nt and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			

For further information refer to section 13.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not get in eyes, on skin, or on clothing. Avoid breathing dust/fume/gas/mist/vapors/spray.</li> <li>Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>		
7.2. Conditions for safe storage, including a	any incompatibilities		
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool.		
SECTION 8: Exposure controls/persona	al protection		
8.1. Control parameters			
No additional information available			
8.2. Appropriate engineering controls			

Appropriate engineering controls Environmental exposure controls Ensure good ventilation of the work station.Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Wear suitable gloves resistant to chemical penetration. Neoprene or nitrile rubber gloves. Butyl-rubber protective gloves. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Refer to manufacturer's information. Gloves must be replaced after each use and whenever signs of wear or perforation appear

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **Respiratory protection:**

[In case of inadequate ventilation] wear respiratory protection.

#### Personal protective equipment symbol(s):



### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: Light gray
Odor	: Mild odor
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### **10.4. Conditions to avoid**

None under recommended storage and handling conditions (see section 7).

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.5. Incompatible materials

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	n
11.1. Information on toxicological effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Harmful in contact with skin. : Not classified
EPO-TEK® H61 PMF SYRINGE	
ATE US (dermal)	1774.308 mg/kg body weight
Substituted amine	
LC50 Inhalation - Rat [ppm]	387 ppm
ATE US (gases)	387 ppmV/4h
Reactive diluent	
LD50 oral rat	1582 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimenta value, Oral, 8 day(s))
LC50 Inhalation - Rat	> 5.1 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (mixture of vapour and aerosol), 14 day(s))
ATE US (oral)	800 mg/kg body weight
ATE US (dermal)	5600 mg/kg body weight
ATE US (dust, mist)	5.1 mg/l/4h
Bisphenol A diglycidyl ether resin	
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
ATE US (oral)	11400 mg/kg body weight
Resorcinal diglycidyl ether (101-90-6)	
LD50 oral rat	2570 mg/kg Source: HSDB
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: May cause cancer.
Reactive diluent	
NOAEL (chronic,oral,animal/male,2 years)	225 mg/kg body weight Animal: rat, Animal sex: male, Guideline: other:NTP Protocol, Remark on results: other:Effect type: carcinogenicity (migrated information)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reactive diluent		
NOAEL (chronic,oral,animal/female,2 years)	450 mg/kg body weight Animal: rat, Animal sex: female, Guideline: other:NTP Protocol, Remarks on results: other:Effect type: carcinogenicity (migrated information)	
IARC group	3 - Not classifiable	
Bisphenol A diglycidyl ether resin		
NOAEL (chronic,oral,animal/male,2 years)	15 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Guideline: EPA OPPTS 870.4300 (Combined Chronic Toxicity / Carcinogenicity), Guideline: other:MITI, Japanese ministry of international trade and industry, February 1998, Remarks on results: other:Effect type: toxicity (migrated information)	
NOAEL (chronic,oral,animal/female,2 years)	100 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Guideline: EPA OPPTS 870.4300 (Combined Chronic Toxicity / Carcinogenicity), Guideline: other:MITI, Japanese ministry of international trade and industry, February 1998, Remarks on results: other:Effect type: toxicity (migrated information)	
Resorcinal diglycidyl ether (101-90-6)		
IARC group	2B - Possibly carcinogenic to humans	
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
Substituted amine		
STOT-single exposure	May cause respiratory irritation.	
Reactive diluent		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure	: Not classified	
Bisphenol A diglycidyl ether resin		
NOAEL (oral,rat,90 days)	50 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: other:japanese MITI guidelines for toxicity testing of chemicals	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	
Symptoms/effects after skin contact Symptoms/effects after eye contact	: Irritation. May cause an allergic skin reaction. : Eve irritation.	

# **SECTION 12: Ecological information**

12.1. Toxicity	
Ecology - general :	Harmful to aquatic life with long lasting effects.
Substituted amine	
LC50 - Fish [1]	8760000 mg/l
Reactive diluent	
LC50 - Fish [1]	56 mg/l (Equivalent or similar to OECD 203, 96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Nominal concentration)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reactive diluent			
EC50 - Crustacea [1]	> 500 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)		
ErC50 algae	> 1000 mg/l (DIN 38412-9, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Estimated value)		
Bisphenol A diglycidyl ether resin			
LC50 - Fish [1]	1.3 mg/l (96 h, Pisces, Literature study)		
EC50 - Crustacea [1]	2 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)		
LOEC (chronic)	1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	0.3 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
12.2. Persistence and degradability			
Substituted amine			
Persistence and degradability	Biodegradability in soil: no data available.		
Reactive diluent			
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.		
ThOD	1.67 g O <sub>2</sub> /g substance		
Bisphenol A diglycidyl ether resin			
Persistence and degradability	Not readily biodegradable in water.		
Epoxy resin			
Persistence and degradability	Biodegradability in water: no data available.		
Resorcinal diglycidyl ether (101-90-6)			
Persistence and degradability	Not readily biodegradable in water.		
12.3. Bioaccumulative potential			
Substituted amine			
Bioaccumulative potential	No bioaccumulation data available.		
Reactive diluent			
BCF - Other aquatic organisms [1]	3.162 l/kg (BCFBAF v3.00, Calculated value, Fresh weight)		
Partition coefficient n-octanol/water (Log Pow)	-0.566 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)		
Bioaccumulative potential	Not bioaccumulative.		
Bisphenol A diglycidyl ether resin			
Partition coefficient n-octanol/water (Log Pow)	3 (Estimated value, 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
Epoxy resin			
Bioaccumulative potential	No bioaccumulation data available.		

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Resorcinal diglycidyl ether (101-90-6)			
Partition coefficient n-octanol/water (Log Pow)	1.15 Source: chemicalbook		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
12.4. Mobility in soil			
Reactive diluent			
Surface tension	No data available (test not performed)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.544 – 0.811 (log Koc, SRC PCKOCWIN v2.0, Calculated value)		
Ecology - soil	Highly mobile in soil.		
Bisphenol A diglycidyl ether resin			
Surface tension	59 mN/m (20 °C, 0.09 g/l)		
Ecology - soil	No (test)data on mobility of the substance available.		
Resorcinal diglycidyl ether (101-90-6)			
Surface tension	63.9 mN/m (20 °C, 0.1 %, EU Method A.5: Surface tension)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.65 (log Koc, EU Method C.19, Experimental value)		
Ecology - soil	Highly mobile in soil.		

12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information	ion	
In accordance with DOT / TDG / IMDG / IAT	A	
14.1. UN number		
Not regulated for transport		
14.2. UN proper shipping name		
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	<ul><li>Not applicable</li><li>Not applicable</li><li>Not applicable</li><li>Not applicable</li></ul>	
14.3. Transport hazard class(es)		
<b>DOT</b> Transport hazard class(es) (DOT)	: Not applicable	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>TDG</b> Transport hazard class(es) (TDG)	: Not applicable	
IMDG Transport hazard class(es) (IMDG)	: Not applicable	
IATA Transport hazard class(es) (IATA)	: Not applicable	
14.4. Packing group		
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	<ul><li>Not applicable</li><li>Not applicable</li><li>Not applicable</li><li>Not applicable</li></ul>	
14.5. Environmental hazards		
Other information	: No supplementary information	available.
14.6. Special precautions for user		
DOT No data available		
<b>TDG</b> No data available		
IMDG No data available		
IATA No data available		
14.7. Transport in bulk according to Anno	ex II of MARPOL 73/78 and the	IBC Code
Not applicable		
SECTION 15: Regulatory information		
15.1. US Federal regulations		
All components of this product are present and lis (TSCA) inventory	sted as Active on the United States E	nvironmental Protection Agency Toxic Substances Control Act
Chemical(s) subject to the reporting requirements and 40 CFR Part 372.	s of Section 313 or Title III of the Sup	erfund Amendments and Reauthorization Act (SARA) of 1986
Resorcinal diglycidyl ether	CAS-No. 101-90-6	10 – 30%
L		I

## 15.2. International regulations

## CANADA

### Substituted amine

Listed on the Canadian DSL (Domestic Substances List)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **Reactive diluent**

Listed on the Canadian DSL (Domestic Substances List)

#### **Bisphenol A diglycidyl ether resin**

Listed on the Canadian DSL (Domestic Substances List)

#### Epoxy resin

Listed on the Canadian DSL (Domestic Substances List)

Decoroinal	dialyoidy	othor	(101 00 C)
Resorcinal	alaivelavi	ellier	[]0]-90-0]

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

**National regulations** 

Reactive diluent

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### **Resorcinal diglycidyl ether (101-90-6)**

Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program) Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### 15.3. US State regulations

MARNING: This product can expose you to Diglycidyl resorcinol ether (DGRE), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
Resorcinal diglycidyl ether(101-90-6)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of I	Full text of H-phrases	
H302	Harmful if swallowed	
H311	Toxic in contact with skin	
H312	Harmful in contact with skin	
H314	Causes severe skin burns and eye damage	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H341	Suspected of causing genetic defects
H350	May cause cancer
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.