



**SAFETY DATA SHEET**  
**EPO-TEK® 301-2FL-T PMF Syringe**

**1. Identification****Product identifier**

**Product name** EPO-TEK® 301-2FL-T PMF Syringe

**Product number** 301-2FL-T

**Recommended use of the chemical and restrictions on use**

**Application** Adhesive.

**Details of the supplier of the safety data sheet**

**Supplier** Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com, SDS@epotek.com

**Emergency telephone number**

**Emergency telephone** +1 (800) 255-3924, +1 (813) 248-0585

**2. Hazard(s) identification****Classification of the substance or mixture**

**Physical hazards** Not Classified

**Health hazards** Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317

**Environmental hazards** Aquatic Chronic 2 - H411

**Label elements****Pictogram**

**Signal word**

Danger

**Hazard statements**

H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.

## EPO-TEK® 301-2FL-T PMF Syringe

**Precautionary statements**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.  
 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
 P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P501 Dispose of contents/ container in accordance with national regulations.

**Contains** Epoxy Resin Blend, Polyoxypropylenediamine, Reactive Diluent

**Other hazards**

**Hazards not otherwise classified (HNOC)** Contains epoxy constituents. May produce an allergic reaction.

### 3. Composition/information on ingredients

**Substances**

|                                |                |
|--------------------------------|----------------|
| <b>Epoxy Resin Blend</b>       | <b>60-100%</b> |
| CAS number: Proprietary        |                |
| <b>Classification</b>          |                |
| Skin Irrit. 2 - H315           |                |
| Eye Irrit. 2 - H319            |                |
| Skin Sens. 1 - H317            |                |
| Aquatic Chronic 2 - H411       |                |
| <b>Polyoxypropylenediamine</b> | <b>10-30%</b>  |
| CAS number: 9046-10-0          |                |
| <b>Classification</b>          |                |
| Acute Tox. 4 - H302            |                |
| Skin Corr. 1B - H314           |                |
| Eye Dam. 1 - H318              |                |
| <b>Reactive Diluent</b>        | <b>1-5%</b>    |
| CAS number: Proprietary        |                |
| <b>Classification</b>          |                |
| Acute Tox. 4 - H302            |                |
| Acute Tox. 4 - H312            |                |
| Acute Tox. 4 - H332            |                |
| Skin Irrit. 2 - H315           |                |
| Eye Dam. 1 - H318              |                |
| Skin Sens. 1 - H317            |                |

The full text for all hazard statements is displayed in Section 16.

**Product name** EPO-TEK® 301-2FL-T PMF Syringe

## EPO-TEK® 301-2FL-T PMF Syringe

### 4. First-aid measures

#### Description of first aid measures

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place. Never give anything by mouth to an unconscious person. Get medical attention if any discomfort continues.             |
| <b>Ingestion</b>    | Get medical attention immediately. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Rinse nose and mouth with water. Give plenty of water to drink. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. Do not induce vomiting unless under the direction of medical personnel. Place unconscious person on their side in the recovery position and ensure breathing can take place. Never give anything by mouth to an unconscious person. |
| <b>Skin Contact</b> | Immediate first aid is imperative. Remove contaminated clothing and rinse skin thoroughly with water. Do not use organic solvents. Continue to rinse for at least 15 minutes and get medical attention.   |
| <b>Eye contact</b>  | Get medical attention immediately. Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.  |

#### Most important symptoms and effects, both acute and delayed

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system. |
| <b>Ingestion</b>    | Harmful if swallowed. May cause chemical burns in mouth, esophagus and stomach. May cause stomach pain or vomiting.  |
| <b>Skin contact</b> | Causes severe burns. May cause sensitisation by skin contact.  |
| <b>Eye contact</b>  | Causes serious eye damage. Burns can occur.  |

#### Indication of immediate medical attention and special treatment needed

|                             |                        |
|-----------------------------|------------------------|
| <b>Notes for the doctor</b> | Treat symptomatically. |
|-----------------------------|------------------------|

### 5. Fire-fighting measures

#### Extinguishing media

|                                     |   |
|-------------------------------------|---|
| <b>Suitable extinguishing media</b> | Dry chemicals. Foam. Carbon dioxide (CO <sub>2</sub> ). |
|-------------------------------------|---|

#### Special hazards arising from the substance or mixture

|                                      |  |
|--------------------------------------|--|
| <b>Hazardous combustion products</b> | Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO <sub>2</sub> ). Carbon monoxide (CO). Toxic gases or vapors. |
|--------------------------------------|--|

#### Advice for firefighters

|  |   |
|--|---|
| <b>Protective actions during firefighting</b>        | Avoid breathing fire gases or vapors. Use water to keep fire exposed containers cool and disperse vapors. |
| <b>Special protective equipment for firefighters</b> | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.     |

## EPO-TEK® 301-2FL-T PMF Syringe

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet. Do not handle broken packages without protective equipment.

#### Environmental precautions

**Environmental precautions** Avoid discharge to the aquatic environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if safe to do so. Eliminate all sources of ignition. Absorb in vermiculite, dry sand or earth and place into containers. Dispose of contents/container in accordance with national regulations.

**Reference to other sections** For personal protection, see Section 8.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

**Advice on general occupational hygiene** Provide eyewash station and safety shower. Do not eat, drink or smoke when using this product. Wash promptly if skin becomes contaminated. Wash after use and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. Wash contaminated clothing before reuse.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at -40°C. Keep container tightly sealed when not in use.

#### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

### 8. Exposure Controls/personal protection

**Ingredient comments** No exposure limits known for ingredient(s).

#### Exposure controls

##### Protective equipment



**Appropriate engineering controls** Provide adequate general and local exhaust ventilation.

**Eye/face protection** Wear tight-fitting, chemical splash goggles or face shield.

**Hand protection** It is recommended that chemical-resistant, impervious gloves are worn.

**Other skin and body protection** Wear appropriate clothing to prevent any possibility of skin contact.

**Hygiene measures** Provide eyewash station and safety shower. Do not eat, drink or smoke when using this product. Wash promptly if skin becomes contaminated. Wash after use and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. Wash contaminated clothing before reuse.

## EPO-TEK® 301-2FL-T PMF Syringe

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn.

### 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

|                          |                            |
|--------------------------|----------------------------|
| <b>Appearance</b>        | Liquid.                    |
| <b>Color</b>             | Clear.                     |
| <b>Odor</b>              | Mild.                      |
| <b>Flash point</b>       | > 93°C                     |
| <b>Evaporation rate</b>  | < BuAc                     |
| <b>Solubility(ies)</b>   | Slightly soluble in water. |
| <b>Other information</b> | None.                      |

### 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | The following materials may react with the product: Strong acids. Strong alkalis. Strong oxidizing agents. Strong reducing agents.          |
| <b>Stability</b>                          | Stable at normal ambient temperatures and when used as recommended.   |
| <b>Possibility of hazardous reactions</b> | May polymerize.   |
| <b>Conditions to avoid</b>                | Avoid excessive heat for prolonged periods of time.   |
| <b>Materials to avoid</b>                 | Strong acids. Strong alkalis. Strong oxidizing agents. Strong reducing agents.  |
| <b>Hazardous decomposition products</b>   | Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO <sub>2</sub> ). Carbon monoxide (CO). |

### 11. Toxicological information

#### Information on toxicological effects

|                   |  |
|-------------------|--|
| <b>Inhalation</b> | Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system. |
| <b>Ingestion</b>  | Harmful if swallowed. May cause chemical burns in mouth, esophagus and stomach. May cause stomach pain or vomiting.  |

## EPO-TEK® 301-2FL-T PMF Syringe

**Skin Contact** Causes severe burns. May cause sensitisation by skin contact.

**Eye contact** Causes serious eye damage. Burns can occur.

### 12. Ecological Information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

#### Acute aquatic toxicity

**Acute toxicity - fish** Not available.

#### Persistence and degradability

**Persistence and degradability** No data available.

#### Bioaccumulative potential

**Bio-Accumulative Potential** No data available on bioaccumulation.

#### Mobility in soil

**Mobility** No data available.

#### Other adverse effects

**Other adverse effects** Not known.

### 13. Disposal considerations

#### Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 14. Transport information

#### UN Number

**UN No. (TDG)** 2735

**UN No. (IMDG)** 2735

**UN No. (ICAO)** 2735

**UN No. (DOT)** UN2735

#### UN proper shipping name

**Proper shipping name (TDG)** POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylenediamine)

**Proper shipping name (IMDG)** POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylenediamine)

**Proper shipping name (ICAO)** POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylenediamine)

**Proper shipping name (DOT)** POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylenediamine)

#### Transport hazard class(es)

**DOT hazard class** 8

**DOT hazard label** 8

**TDG class** 8

**TDG label(s)** 8

**IMDG Class** 8

**ICAO class/division** 8

## EPO-TEK® 301-2FL-T PMF Syringe

### Transport labels



### DOT transport labels



### Packing group

|                    |     |
|--------------------|-----|
| TDG Packing Group  | III |
| IMDG packing group | III |
| ICAO packing group | III |
| DOT packing group  | III |

### Environmental hazards

#### Environmentally Hazardous Substance



### Special precautions for user

IMDG Code segregation group 18. Alkalis

EmS F-A, S-B

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## 15. Regulatory information

**Regulatory References** Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

### US Federal Regulations

#### SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are required to be listed.

#### CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are required to be listed.

#### SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are required to be listed.

#### SARA 313 Emission Reporting

None of the ingredients are required to be listed.

#### CAA Accidental Release Prevention

None of the ingredients are required to be listed.

## EPO-TEK® 301-2FL-T PMF Syringe

### **OSHA Highly Hazardous Chemicals**

None of the ingredients are required to be listed.

### **US State Regulations**

#### **California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are required to be listed.

#### **California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are required to be listed.

#### **California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are required to be listed.

#### **Massachusetts "Right To Know" List**

None of the ingredients are required to be listed.

#### **Rhode Island "Right To Know" List**

None of the ingredients are required to be listed.

#### **Minnesota "Right To Know" List**

None of the ingredients are required to be listed.

#### **New Jersey "Right To Know" List**

None of the ingredients are required to be listed.

#### **Pennsylvania "Right To Know" List**

None of the ingredients are required to be listed.

### **Inventories**

#### **EU - EINECS/ELINCS**

Some of the ingredients are listed or exempt.

#### **Canada - DSL/NDSL**

All the ingredients are listed or exempt.

#### **US - TSCA**

All the ingredients are listed or exempt.

#### **US - TSCA 12(b) Export Notification**

None of the ingredients are listed or exempt.

#### **Australia - AICS**

All the ingredients are listed or exempt.

#### **Japan - MITI**

Some of the ingredients are listed or exempt.

#### **Korea - KECI**

All the ingredients are listed or exempt.

#### **China - IECSC**

All the ingredients are listed or exempt.

#### **Philippines - PICCS**

All the ingredients are listed or exempt.

### **16. Other information**



## EPO-TEK® 301-2FL-T PMF Syringe

|                                  |   |
|----------------------------------|---|
| <b>Revision date</b>             | 3/14/2018   |
| <b>Revision</b>                  | 1   |
| <b>Hazard statements in full</b> | H302 Harmful if swallowed.<br>H312 Harmful in contact with skin.<br>H314 Causes severe skin burns and eye damage.<br>H315 Causes skin irritation.<br>H317 May cause an allergic skin reaction.<br>H318 Causes serious eye damage.<br>H319 Causes serious eye irritation.<br>H332 Harmful if inhaled.<br>H411 Toxic to aquatic life with long lasting effects. |

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.