



## SAFETY DATA SHEET EPO-TEK® EE149-6

### 1. Identification

#### Product identifier

**Product name** EPO-TEK® EE149-6

**Product number** EE149-6

#### Recommended use of the chemical and restrictions on use

**Application** Adhesive.

**Uses advised against** Use only for intended applications.

#### Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com, SDS@epotek.com

#### Emergency telephone number

**Emergency telephone** ChemTel: +1 (800) 255-3924, +1 (813) 248-0585

### 2. Hazard(s) identification

#### Classification of the substance or mixture


**Physical hazards** Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317

**Environmental hazards** Aquatic Acute 3 - H402 Aquatic Chronic 2 - H411

#### Label elements

##### Hazard symbols



**Signal word** Warning

**Hazard statements** H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H402 Harmful to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

**EPO-TEK® EE149-6**

**Precautionary statements** P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P302+P352 If on skin: Wash with plenty of water.  
P332+P313 If skin irritation occurs: Get medical advice/ attention.  
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P501 Dispose of contents/ container in accordance with national regulations.

**Contains** Epoxy Resin, Anitoxidant

**Other hazards**

**Hazards not otherwise classified (HNOC)** Contains epoxy constituents. May produce an allergic reaction.

**3. Composition/information on ingredients****Mixtures**

<b>Silver</b>	<b>60-100%</b>
CAS number: 7440-22-4	
<b>Classification</b> Aquatic Chronic 2 - H411	
<b>Epoxy Resin</b>	<b>5-10%</b>
CAS number: Proprietary	
<b>Classification</b> Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2A - H319	
<b>Epoxy Resin</b>	<b>1-5%</b>
CAS number: Proprietary	
<b>Classification</b> Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411	
<b>Solvent</b>	<b>1-5%</b>
CAS number: Proprietary	
<b>Classification</b> Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336	

**EPO-TEK® EE149-6**

<b>Anitoxidant</b>	<b>&lt;1%</b>
CAS number: Proprietary	
M factor (Acute) = 1	
<b>Classification</b>	
Acute Tox. 4 - H302	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Muta. 2 - H341	
Carc. 2 - H351	
Aquatic Acute 1 - H400	

The full text for all hazard statements is displayed in Section 16.

**4. First-aid measures****Description of first aid measures**

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin Contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

**Most important symptoms and effects, both acute and delayed**

<b>Inhalation</b>	Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin contact</b>	Causes skin irritation. May cause sensitisation by skin contact.
<b>Eye contact</b>	Causes serious eye irritation.

**Indication of immediate medical attention and special treatment needed**

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

**5. Fire-fighting measures****Extinguishing media**

**Suitable extinguishing media** Extinguish with the following media: Dry chemicals. Foam. Carbon dioxide (CO<sub>2</sub>).

**Special hazards arising from the substance or mixture**

<b>Hazardous combustion products</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.
--------------------------------------	---

**Advice for firefighters**

<b>Protective actions during firefighting</b>	Avoid breathing fire gases or vapors. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## EPO-TEK® EE149-6

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions**      Wear protective clothing as described in Section 8 of this safety data sheet.

#### Environmental precautions

**Environmental precautions**      Do not discharge into drains or watercourses or onto the ground. Avoid release to the environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up**      Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

**Reference to other sections**      For personal protection, see Section 8.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions**      Handle all packages and containers carefully to minimize spills. Avoid inhalation of vapors and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

**Advice on general occupational hygiene**      Do not eat, drink or smoke when using this product. Wash promptly with soap and water if skin becomes contaminated. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of skin.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions**      Store at -40°C. Keep container tightly sealed when not in use.

**Storage class**      Chemical storage.

#### Specific end uses(s)

**Specific end use(s)**      The identified uses for this product are detailed in Section 1.

### 8. Exposure controls/Personal protection

#### Control parameters

#### Occupational exposure limits

##### **Solvent**

Long-term exposure limit (8-hour TWA): ACGIH 400 ppm

Short-term exposure limit (15-minute): ACGIH

ACGIH = American Conference of Governmental Industrial Hygienists.

#### Exposure controls

##### **Protective equipment**



**Appropriate engineering controls**      Provide adequate general and local exhaust ventilation.

**Eye/face protection**      Wear tight-fitting, chemical splash goggles or face shield.

**Hand protection**      Wear protective gloves made of the following material: Impermeable material.

**EPO-TEK® EE149-6**

<b>Other skin and body protection</b>	Wear appropriate clothing to prevent any possibility of skin contact.
<b>Hygiene measures</b>	Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
<b>Respiratory protection</b>	If ventilation is inadequate, suitable respiratory protection must be worn.

**9. Physical and chemical properties****Information on basic physical and chemical properties**

<b>Appearance</b>	Paste.
<b>Color</b>	Silver.
<b>Odor</b>	Mild.
<b>Odor threshold</b>	No specific test data are available.
<b>pH</b>	No specific test data are available.
<b>Melting point</b>	No specific test data are available.
<b>Flash point</b>	>93°C
<b>Evaporation rate</b>	<BuAc
<b>Flammability (solid, gas)</b>	No specific test data are available.
<b>Upper/lower flammability or explosive limits</b>	No specific test data are available.
<b>Vapor pressure</b>	No specific test data are available.
<b>Vapor density</b>	> 1
<b>Relative density</b>	No specific test data are available.
<b>Solubility(ies)</b>	Slightly soluble in water.
<b>Partition coefficient</b>	No specific test data are available.
<b>Auto-ignition temperature</b>	No specific test data are available.
<b>Decomposition Temperature</b>	No specific test data are available.
<b>Viscosity</b>	No specific test data are available.
<b>Other information</b>	None.

**10. Stability and reactivity**

<b>Reactivity</b>	The following materials may react with the product: Acids. Alkalis.
<b>Stability</b>	Stable at normal ambient temperatures.
<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition.

**EPO-TEK® EE149-6**

<b>Materials to avoid</b>	Strong acids. Strong alkalis.
<b>Hazardous decomposition products</b>	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ).

**11. Toxicological information****Information on toxicological effects****Acute toxicity - inhalation**

**ATE inhalation (dusts/mists mg/l)** 15.35

<b>Inhalation</b>	Gas or vapor in high concentrations may irritate the respiratory system.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin Contact</b>	May cause sensitisation by skin contact. Prolonged and frequent contact may cause redness and irritation.
<b>Eye contact</b>	Causes serious eye irritation.

**12. Ecological information**

<b>Ecotoxicity</b>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
<b>Toxicity</b>	Very toxic to aquatic organisms.
<b><u>Persistence and degradability</u></b>	
<b>Persistence and degradability</b>	No data available.
<b><u>Bioaccumulative potential</u></b>	
<b>Bio-Accumulative Potential</b>	No data available on bioaccumulation.
<b>Partition coefficient</b>	No specific test data are available.
<b><u>Mobility in soil</u></b>	
<b>Mobility</b>	The product has poor water-solubility.
<b><u>Other adverse effects</u></b>	
<b>Other adverse effects</b>	Not known.

**13. Disposal considerations****Waste treatment methods**

<b>Disposal methods</b>	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
-------------------------	---

**14. Transport information****UN Number**

<b>UN No. (TDG)</b>	3082
<b>UN No. (IMDG)</b>	3082
<b>UN No. (ICAO)</b>	3082
<b>UN No. (DOT)</b>	UN3082

**UN proper shipping name**

**EPO-TEK® EE149-6**

**Proper shipping name (TDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver)

**Proper shipping name (IMDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver)

**Proper shipping name (ICAO)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver)

**Proper shipping name (DOT)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver)

**Transport hazard class(es)**

**DOT hazard class** 9

**DOT hazard label** 9

**TDG class** 9

**TDG label(s)** 9

**IMDG Class** 9

**ICAO class/division** 9

**Transport labels****DOT transport labels****Packing group**

**TDG Packing Group** III

**IMDG packing group** III

**ICAO packing group** III

**DOT packing group** III

**Environmental hazards****Environmentally Hazardous Substance****Special precautions for user**

**EmS** F-A, S-F

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

**15. Regulatory information**

**Regulatory References** Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

**US Federal Regulations**

## EPO-TEK® EE149-6

### SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are required to be listed.

### CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The following ingredients are listed:

*Silver*

1,000 lbs (454 Kg)

*Solvent*

5,000 lbs (2270 Kg)

### SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are required to be listed.

### SARA 313 Emission Reporting

The following ingredients are listed:

*Silver*

*Solvent*

### CAA Accidental Release Prevention

None of the ingredients are required to be listed.

### OSHA Highly Hazardous Chemicals

None of the ingredients are required to be listed.

### US State Regulations

#### California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are required to be listed.

#### California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed:

*Silver*

#### California Air Toxics "Hot Spots" (A-II)

None of the ingredients are required to be listed.

#### Massachusetts "Right To Know" List

The following ingredients are listed:

*Silver*

*Solvent*

#### Rhode Island "Right To Know" List

The following ingredients are listed:

*Silver*

*Solvent*

#### Minnesota "Right To Know" List

The following ingredients are listed:

*Silver*

*Solvent*

#### New Jersey "Right To Know" List

The following ingredients are listed:



**EPO-TEK® EE149-6**

*Silver*

*Solvent*

**Pennsylvania "Right To Know" List**

The following ingredients are listed:

*Silver*

*Solvent*

**Inventories****EU - EINECS/ELINCS**

Some of the ingredients are listed or exempt.

**Canada - DSL/NDSL**

All the ingredients are listed or exempt.

**US - TSCA**

All the ingredients are listed or exempt.

**US - TSCA 12(b) Export Notification**

None of the ingredients are listed.

**Australia - AICS**

All the ingredients are listed or exempt.

**Japan - ENCS**

Some of the ingredients are listed or exempt.

**Korea - KECI**

All the ingredients are listed or exempt.

**China - IECSC**

All the ingredients are listed or exempt.

**Philippines - PICCS**

All the ingredients are listed or exempt.

**16. Other information**

<b>Revision date</b>	10/22/2020
<b>Revision</b>	4
<b>Supersedes date</b>	8/10/2018

**EPO-TEK® EE149-6****Hazard statements in full**

H225 Highly flammable liquid and vapor.  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H336 May cause drowsiness or dizziness.  
H341 Suspected of causing genetic defects.  
H351 Suspected of causing cancer.  
H400 Very toxic to aquatic life.  
H402 Harmful to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.