



SAFETY DATA SHEET EPO-TEK H20E-SLR Part A

1. IDENTIFICATION

<u>Product Name</u>	EPO-TEK H20E-SLR Part A
<u>Product No.</u>	EPO-TEK H20E-SLR Part A
<u>Identification No.</u>	UN3082
<u>Identified uses</u>	Adhesive.
<u>Supplier</u>	Epoxy Technology, Inc. 14 Fortune Drive Billerica, MA 01821 USA www.epotek.com (978) 667-3805 (978) 663-9782
<u>Emergency Telephone</u>	(800) 255-3924

2. HAZARD(S) IDENTIFICATION

<u>Appearance</u>	Paste
<u>Color</u>	Silver.
<u>Odor</u>	Mild.
<u>GHS Pictogram</u>	



Signal Word Warning

Hazard Statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313	Get medical advice/attention.
P501	Dispose of contents/container in accordance with local regulations.

Contains

Epoxy Phenol Novolac

GHS Classification

Physical and Chemical Hazards	Not classified.
Human health	Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317
Environment	Aquatic Chronic 2 - H411

Inhalation

Gas or vapor in high concentrations may irritate respiratory system.

Ingestion

May cause discomfort if swallowed.

Skin Contact

May cause sensitization by skin contact. Irritating to skin.

EPO-TEK H20E-SLR Part A

Eye Contact

Irritating to eyes.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Epoxy Phenol Novolac	30-60%
CAS No.: 9003-36-5	EC No.:
GHS Classification Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317; Aquatic Chronic 2 - H411	

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin Contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

Eye Contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

Most important symptoms and effects, both acute and delayed

Inhalation

Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.

Ingestion

May cause discomfort if swallowed.

Skin Contact

Skin irritation. Allergic rash.

Eye Contact

Irritating and may cause redness and pain.

Indication of any immediate medical attention and special treatment needed

Notes To The Physician

Treat Symptomatically.

5. FIRE-FIGHTING MEASURES

Flash point (°C) 93

Extinguishing Media

Fire can be extinguished using: Dry chemicals. Foam. Carbon dioxide (CO₂).

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

Special Fire Fighting Procedures

Avoid breathing fire vapors. Water spray should be used to cool containers.

Protective Equipment For Fire-Fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Do not discharge onto the ground or into water courses. Avoid release to the environment.

EPO-TEK H20E-SLR Part A

Spill Clean Up Methods

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

Reference to other sections

For personal protection, see section 8.

7. HANDLING AND STORAGE

Handling

Avoid spilling, skin and eye contact. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Observe good chemical hygiene practices. Avoid inhalation of vapors.

Storage

Store at moderate temperatures in dry, well ventilated area. Keep container tightly sealed when not in use.

Storage Class

Chemical storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective Equipment



Process Conditions

Provide eyewash station.

Engineering Measures

Provide adequate general and local exhaust ventilation.

Respiratory Equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand Protection

Use protective gloves made of: Impermeable material.

Eye Protection

Wear goggles/face shield.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Paste

Color

Silver.

Odor

Mild.

Solubility

Slightly soluble in water.

EPO-TEK H20E-SLR Part A

<u>Vapor density (air=1)</u>	>1
<u>Evaporation rate</u>	<BuAc
<u>Flash point (°C)</u>	93

10. STABILITY AND REACTIVITY

Reactivity

Reaction with: Strong oxidizing agents. Strong reducing agents.

Stability

Stable under normal temperature conditions.

Hazardous Polymerisation

Will not polymerise.

Conditions To Avoid

Avoid excessive heat for prolonged periods of time.

Materials To Avoid

Strong oxidizing substances. Strong reducing agents.

Hazardous Decomposition Products

In case of fire, toxic gases (CO, CO₂, NO_x) may be formed.

11. TOXICOLOGICAL INFORMATION

Toxicological Information on Ingredients:

Epoxy Phenol Novolac (CAS: 9003-36-5)

Toxic Dose 1 - LD 50

>5,000 mg/kg (oral, rat)

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Acute Fish Toxicity

Very toxic to aquatic organisms.

Degradability

No data available.

Bioaccumulative potential

No data available on bioaccumulation.

Mobility:

The product has poor water-solubility.

Other adverse effects

Not known.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

<u>UN No. (DOT/TDG)</u>	UN3082
<u>UN No. (IMDG)</u>	3082
<u>UN No. (ICAO)</u>	3082
<u>DOT Proper Shipping Name</u>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Phenol Novolac, Silver)
<u>TDG Proper Shipping Name</u>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Phenol Novolac, Silver)
<u>DOT Hazard Class</u>	
9	
<u>DOT Hazard Label</u>	
Class 9	
<u>TDG Class</u>	9

TDG Label(s) 9
IMDG Class 9
ICAO Class 9
Transport Labels



DOT Pack Group III
IMDG Pack Group III
Air Pack Group III

Environmentally Hazardous Substance/Marine Pollutant



EMS F-A, S-F

15. REGULATORY INFORMATION

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The following ingredients are listed.

Silver; 1,000 lbs (454 Kg)

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

The following ingredients are listed.

Silver

CAA Accidental Release Prevention

None of the ingredients are listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed.

Silver

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

The following ingredients are listed.

Silver

Rhode Island "Right To Know" List

The following ingredients are listed.

Silver

Minnesota "Right To Know" List

The following ingredients are listed.

Silver

New Jersey "Right To Know" List

The following ingredients are listed.

Silver

Pennsylvania "Right To Know" List

The following ingredients are listed.

Silver

International Inventories

EU - EINECS/ELINCS

At least one ingredient is not listed.

Canada – DSL/NDSL

All ingredients are listed or exempt.

US - TSCA

All ingredients are listed or exempt.

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

All ingredients are listed or exempt.

Japan – MITI

At least one ingredient is not listed.

Korea - KECI

All ingredients are listed or exempt.

China - IECSC

All ingredients are listed or exempt.

Philippines – PICCS

All ingredients are listed or exempt.

16. OTHER INFORMATION

Revision Date 03/10/2015

Revision 1

Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



SAFETY DATA SHEET
EPO-TEK H20E-SLR Part B

1. IDENTIFICATION

<u>Product Name</u>	EPO-TEK H20E-SLR Part B
<u>Product No.</u>	EPO-TEK H20E-SLR Part B
<u>Identification No.</u>	UN3082
<u>Identified uses</u>	Adhesive.
<u>Supplier</u>	Epoxy Technology, Inc. 14 Fortune Drive Billerica, MA 01821 USA www.epotek.com (978) 667-3805 (978) 663-9782
<u>Emergency Telephone</u>	(800) 255-3924

2. HAZARD(S) IDENTIFICATION

<u>Appearance</u>	Paste
<u>Color</u>	Silver.
<u>Odor</u>	Mild.
<u>GHS Pictogram</u>	



Signal Word Danger

Hazard Statements

H302	Harmful if swallowed.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container in accordance with local regulations.

GHS Classification

Physical and Chemical Hazards	Not classified.
Human health	Acute Tox. 4 - H302; Eye Dam. 1 - H318
Environment	Aquatic Chronic 2 - H411

Inhalation

Gas or vapor in high concentrations may irritate respiratory system.

Ingestion

Harmful if swallowed. May cause stomach pain or vomiting. May cause chemical burns in mouth, oesophagus and stomach.

Skin Contact

Prolonged contact may cause redness, irritation and dry skin.

Eye Contact

Risk of serious damage to eyes. Extreme irritation of eyes and mucous membranes, including burning and tearing.

EPO-TEK H20E-SLR Part B

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substituted Imidazole Blend	10-30%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Acute Tox. 4 - H302; Acute Tox. 4 - H332; Skin Irrit. 2 - H315; Eye Dam. 1 - H318; STOT SE 3 - H335	
Reactive Diluent	5-10%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Acute Tox. 4 - H302; Eye Dam. 1 - H318; STOT SE 3 - H336	

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation

Remove victim immediately from source of exposure. Provide fresh air, warmth and rest, preferably in a comfortable upright sitting position. Get medical attention if any discomfort continues.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Remove victim immediately from source of exposure. Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions.

Skin Contact

Remove affected person from source of contamination. Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation persists after washing.

Eye Contact

Remove victim immediately from source of exposure. Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring these instructions.

Most important symptoms and effects, both acute and delayed

Inhalation

Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract. Irritation of nose, throat and airway.

Ingestion

May cause stomach pain or vomiting. May cause chemical burns in mouth and throat.

Skin Contact

Prolonged contact may cause redness, irritation and dry skin.

Eye Contact

Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal damage.

Indication of any immediate medical attention and special treatment needed

Notes To The Physician

Treat Symptomatically.

5. FIRE-FIGHTING MEASURES

Flash point (°C) 93

Extinguishing Media

Fire can be extinguished using: Dry chemicals. Foam. Carbon dioxide (CO₂).

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

EPO-TEK H20E-SLR Part B

Special Fire Fighting Procedures

Avoid breathing fire vapors. Water spray should be used to cool containers.

Protective Equipment For Fire-Fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Do not discharge onto the ground or into water courses. Avoid release to the environment.

Spill Clean Up Methods

Wear necessary protective equipment. Remove sources of ignition. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water.

Reference to other sections

For personal protection, see section 8.

7. HANDLING AND STORAGE

Handling

Avoid spilling, skin and eye contact. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Observe good chemical hygiene practices. Avoid inhalation of vapors.

Storage

Store at moderate temperatures in dry, well ventilated area. Keep container tightly sealed when not in use.

Storage Class

Chemical storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective Equipment



Process Conditions

Provide eyewash station.

Engineering Measures

Provide adequate general and local exhaust ventilation.

Respiratory Equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand Protection

Use protective gloves made of: Impermeable material.

Eye Protection

Wear tight-fitting goggles or face shield.

9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Appearance</u>	Paste
<u>Color</u>	Silver.
<u>Odor</u>	Mild.
<u>Solubility</u>	Slightly soluble in water.
<u>Vapor density (air=1)</u>	>1
<u>Evaporation rate</u>	<BuAc
<u>Flash point (°C)</u>	93

10. STABILITY AND REACTIVITY

Reactivity

Reaction with: Strong oxidizing agents. Strong reducing agents.

Stability

Stable under normal temperature conditions.

Hazardous Polymerisation

Will not polymerise.

Conditions To Avoid

Avoid excessive heat for prolonged periods of time.

Materials To Avoid

Strong oxidizing substances. Strong reducing agents.

Hazardous Decomposition Products

In case of fire, toxic gases (CO, CO₂, NO_x) may be formed.

11. TOXICOLOGICAL INFORMATION

Toxicological Information on Ingredients:

Reactive Diluent (CAS: Proprietary)

Toxic Dose 1 - LD 50

1, 540 mg/kg (oral, rat)

12. ECOLOGICAL INFORMATION

Acute Fish Toxicity

Very toxic to aquatic organisms.

Degradability

No data available.

Bioaccumulative potential

No data available on bioaccumulation.

Mobility:

The product has poor water-solubility.

Other adverse effects

Not known.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

<u>UN No. (DOT/TDG)</u>	UN3082
<u>UN No. (IMDG)</u>	3082
<u>UN No. (ICAO)</u>	3082
<u>DOT Proper Shipping Name</u>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Silver)

EPO-TEK H20E-SLR Part B

TDG Proper Shipping Name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Silver)

DOT Hazard Class

9

DOT Hazard Label

Class 9

TDG Class

9

TDG Label(s)

9

IMDG Class

9

ICAO Class

9

Transport Labels



DOT Pack Group

III

IMDG Pack Group

III

Air Pack Group

III

Environmentally Hazardous Substance/Marine Pollutant



EMS

F-A, S-F

15. REGULATORY INFORMATION

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The following ingredients are listed.

Silver; 1,000 lbs (454 Kg)

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

The following ingredients are listed.

Silver

CAA Accidental Release Prevention

None of the ingredients are listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State Regulations

EPO-TEK H20E-SLR Part B

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed.

Silver

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

The following ingredients are listed.

Silver

Rhode Island "Right To Know" List

The following ingredients are listed.

Silver

Minnesota "Right To Know" List

The following ingredients are listed.

Silver

New Jersey "Right To Know" List

The following ingredients are listed.

Silver

Pennsylvania "Right To Know" List

The following ingredients are listed.

Silver

International Inventories

EU - EINECS/ELINCS

All ingredients are listed or exempt.

Canada – DSL/NDSL

All ingredients are listed or exempt.

US - TSCA

All ingredients are listed or exempt.

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

All ingredients are listed or exempt.

Japan – MITI

At least one ingredient is not listed.

Korea - KECI

At least one ingredient is not listed.

China - IECSC

All ingredients are listed or exempt.

Philippines – PICCS

At least one ingredient is not listed.

16. OTHER INFORMATION

Revision Date 03/10/2015

Revision 1

Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.